

# **HEDIS Benchmarks**

and Coding Guidelines Electronic Clinical
Data Systems (ECDS)





# **Table of contents**

Electronic Clinical Data Systems	
Follow-Up Care for Children Prescribed ADHD Medication (ADD-E)5	
Adult Immunization Status (AIS-E)6	
Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM-E)7	
Unhealthy Alcohol Use Screening and Follow-Up (ASF-E)8	
Breast Cancer Screening (BCS-E)9	
Cervical Cancer Screening (CCS-E)	
Childhood Immunization Status (CIS-E)11	
Colorectal Cancer Screening (COL-E)13	
Utilization of the <i>PHQ-9</i> to Monitor Depression Symptoms for Adolescents and Adults (DNE)14	∕IS-
Depression Remission or Response for Adolescents and Adults (DRR-E)15	
Depression Screening and Follow-Up for Adolescents and Adults (DSF-E)	
Immunizations for Adolescents (IMA-E)18	
Postpartum Depression Screening and Follow-Up (PDS-E)	
Prenatal Depression Screening and Follow-up (PND-E)21	
Prenatal Immunization Status (PRS-E)	
Social Need Screening and Intervention (SNS-E)24	
Appendix	
Coding for ECDS measures	28
Follow-Up Care for Children Prescribed ADHD Medication (ADD-E)(ADD-E)	28
Adult Immunization Status (AIS-E)	28
Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM-E)	29
Unhealthy Alcohol Use Screening and Follow-Up (ASF-E)	
Breast Cancer Screening (BCS-E)	
Childhood Immunization Status (CIS-E)	
Colorectal Cancer Screening (COL-E)Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults	36
(DMS-E)(DMS-E)	36
Depression Remission or Response for Adolescents and Adults (DRR-F)	37

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E)	38
Immunizations for Adolescents (IMA-E)	44
Postpartum Depression Screening and Follow-Up (PDS-E)	45
Prenatal Depression Screening and Follow-up (PND-E)	50
Prenatal Immunization Status (PRS-E)	58
Social Need Screening and Intervention (SNS-E)	58

# **Electronic Clinical Data Systems**

The HEDIS® quality measures reported using the Electronic Clinical Data Systems (ECDS) inspire innovative use of electronic clinical data to document high-quality patient care that demonstrates commitment to evidence-based practices. Organizations that report HEDIS using ECDS encourage the electronic exchange of the information needed to provide high-quality services, ensuring that the information reaches the right people at the right time:

- ECDS reporting is part of the National Committee for Quality Assurance's (NCQA) larger strategy to enable a digital quality system and is aligned with the industry's move to digital measures.
- The ECDS reporting standard provides a method to collect and report structured electronic clinical data for HEDIS quality measurement and improvement.
- According to the NCQA, the HEDIS hybrid data collection (medical record collection) will be phased-out in the coming years.
- Health plans and healthcare providers will need to take advantage of electronic data streams to ensure accurate reporting of measures that require data not typically found in claims.
- CPT° Category II codes can be used for performance measurement. The use of the CPT
   II decreases the need for record abstraction and chart review.
- CVX codes represent the type of product used in an immunization. Every immunization that used a given type of product will have the same CVX, regardless of who received it.
- LOINC codes and SNOMED codes do not appear on claims and are quickly becoming vital to HEDIS reporting, especially for ECDS measures:
  - LOINC codes while typically associated with lab data, there are several behavioral health screenings that can only be represented by LOINC codes for the purposes of HEDIS reporting and can be extracted from electronic medical record (EMR) systems.
  - o SNOMED codes represent both diagnoses and procedures as well as clinical findings. SNOMED codes are the industry standard for classifying clinical data in EMR systems and can be extracted from EMR systems.
  - Because LOINC codes and SNOMED CT codes can only be obtained through supplemental data feeds, it is important that health plans and the provider community embrace the sharing of these EMR data to ensure the quality of care our members are receiving.

#### Helpful tips:

- Utilize this booklet as a reference to understand the ECDS measures and the coding associated with electronic data transmission.
- Contact your health plan representative to establish an electronic data transfer with the plan if your organization does not already have one.
- Make full use of CPT II codes to submit care quality findings, many HEDIS gaps could be closed via claims if CPT II codes were fully utilized.

HEDIS® is a registered trademark of the National Committee for Quality Assurance (NCQA).

- Ensure the EMR systems are set up to link the clinical and behavior health entries to LOINC codes and SNOMED codes:
  - o Ensure that the extracts are inclusive of LOINC codes for behavioral health screenings among other things and SNOMED codes.

Notes			
_			

# Follow-Up Care for Children Prescribed ADHD Medication (ADD-E)

This measure looks at the percentage of children newly prescribed attention-deficit/hyperactivity disorder (ADHD) medication who had at least three follow-up care visits within a 10-month period, one of which was within 30 days of when the first ADHD medication was dispensed.

Two rates are reported:

- **Initiation Phase:** the percentage of members 6 to 12 years of age as of the index prescription start date (IPSD) with an ambulatory prescription dispensed for ADHD medication, who had one follow-up visit with practitioner with prescribing authority during the 30-day Initiation Phase.
- Continuation and Maintenance (C&M) Phase: the percentage of members 6 to 12 years of age as of the IPSD with an ambulatory prescription dispensed for ADHD medication, who remained on the medication for at least 210 days and who, in addition to the visit in the Initiation Phase, had at least two follow-up visits with a practitioner within 270 days (nine months) after the Initiation Phase ended.

# **Record your efforts**

When prescribing a new ADHD medication:

- Be sure to schedule a follow-up visit right away within 30 days of ADHD medication initially prescribed or restarted after a 120-day break.
- Schedule follow-up visits while members are still in the office.
- Have your office staff call members at least three days before appointments.
- After the initial follow-up visits, schedule at least two more office visits in the next nine months to monitor patient's progress.
- Be sure that follow-up visits include the diagnosis of ADHD.

#### **Exclusions:**

- Exclude members who had an acute inpatient encounter for a mental, behavioral, or neurodevelopmental disorder during the 300 days (10 months) after the IPSD.
- Members with a diagnosis of narcolepsy
- Members in hospice or using hospice services anytime during the measurement year

Notes			

# **Adult Immunization Status (AIS-E)**

This measure looks at the percentage of members 19 years of age and older who are up to date on recommended routine vaccines for influenza; tetanus and diphtheria (Td); tetanus, diphtheria, and acellular pertussis (Tdap); zoster; and pneumococcal.

#### **Record your efforts**

Document the required age vaccines were received according to the time interval specified in the measure:

- Members who received an influenza vaccine on or between July 1 of the year prior to the measurement period and June 30 of the measurement period
- Members who received at least one Td vaccine or one Tdap vaccine between nine years prior to the start of the measurement period and the end of the measurement period

or

- Members with a history of at least one of the following contraindications any time before or during the measurement period:
  - o Anaphylaxis due to the diphtheria, tetanus, or pertussis vaccine.
  - o Encephalitis due to the diphtheria, tetanus, or pertussis vaccine.
- Members who received at least one dose of the herpes zoster live vaccine or two
  doses of the herpes zoster recombinant vaccine at least 28 days apart, any time on or
  after the member's 50th birthday and before or during the measurement period
- Members who were administered the 23-valent pneumococcal polysaccharide vaccine on or after the member's 60th birthday and before or during the measurement period

#### **Exclusion:**

 Members in hospice or using hospice services any time during the measurement period

Notes		

# Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM-E)

This HEDIS measure looks at the percentage of children and adolescents 1 to 17 years of age who had two or more antipsychotic prescriptions and had metabolic testing. Three rates are reported:

- The percentage of children and adolescents on antipsychotics who received blood glucose testing
- The percentage of children and adolescents on antipsychotics who received cholesterol testing
- The percentage of children and adolescents on antipsychotics who received blood glucose and cholesterol testing

# **Record your efforts:**

- Members who received at least one test for blood glucose or HbA1c
- Members who received at least one test for LDL-C or cholesterol
- Members who received both of the following on the same or different dates:
  - o At least one test for blood glucose or HbA1c
  - o At least one test for LDL-C or cholesterol

#### **Exclusions:**

Members in hospice or using hospice services anytime during the measurement year
 Notes

# Unhealthy Alcohol Use Screening and Follow-Up (ASF-E)

This measure looks at the percentage of members 18 years of age and older who were screened for unhealthy alcohol use using a standardized instrument and, if screened positive, appropriate follow-up care:

- *Unhealthy Alcohol Use Screening* The percentage of members who had a systematic screening for unhealthy alcohol use.
- Alcohol Counseling or Other Follow-up Care The percentage of members receiving brief counseling or other follow-up care within two months of screening positive for unhealthy alcohol use.

# **Record your efforts**

A standard assessment instrument that has been normalized and validated for the adult patient population to include *AUDIT*, *AUDIT-C*, and a *Single-Question Screen*. Screening requires completion of one or more instruments. The threshold for a positive finding is indicated below for each instrument:

Screening instrument	Positive finding
Alcohol Use Disorders Identification Test (AUDIT) Screening Instrument	Total score ≥ 8
Alcohol Use Disorders Identification Test	Total score≥4 for men
Consumption (AUDIT-C) Screening Instrument	Total score≥3 for women
Single-Question Screen:	Total score ≥ 1
How many times in the past year have you had five (for men) or four (for women and all adults older than 65 years) or more drinks in a day?	

Any of the following on or up to 60 days after the first positive screen:

- Feedback on alcohol use and harms
- Identification of high-risk situations for drinking and coping strategies
- Increase the motivation to reduce drinking
- Development of a personal plan to reduce drinking
- Documentation of receiving alcohol misuse treatment

#### **Exclusions:**

- Members with alcohol use disorder that starts during the year prior to the measurement period
- Members with history of dementia any time during the member's history through the end of the measurement period
- Members in hospice or using hospice services any time during the measurement period

# **Breast Cancer Screening (BCS-E)**

This HEDIS measure looks at women 50 to 74 years of age who had a mammogram to screen for breast cancer within the past two years.

# **Record your efforts**

Include documentation of all types and methods of mammograms including:

- Screening
- Diagnostic
- Film
- Digital
- Digital breast tomosynthesis

In establishing health history with new members, please make sure you ask about when members last mammogram was performed, document at a minimum, year performed in your health history.

Gaps in care are not closed by the following, as they are performed as an adjunct to mammography:

- Breast ultrasounds
- MRIs
- Biopsies

#### **Exclusions:**

- Members who had a bilateral mastectomy or both right and left unilateral mastectomies any time during the member's history through the end of the measurement period
- Members receiving palliative care
- Members in hospice or using hospice services anytime during the measurement year
- Members 66 years of age and with frailty and advanced illness. Members must meet both of the following frailty and advanced illness criteria to be excluded:
  - o At least two indications of frailty
  - o At least two outpatient visits with an advanced illness diagnosis

Notes			
_			
_			

# **Cervical Cancer Screening (CCS-E)**

The percentage of women 21-64 years of age who screened for cervical cancer using any of the following criteria:

- Women 21 to 64 years of age who had cervical cytology performed within the last three years.
- Women 30 to 64 years of age who had cervical high-risk papillomavirus (hrHPV) testing performed within five years.
- Women 30 to 64 years of age who had cervical cytology/high risk human papillomavirus (hrHPV) contesting within the last five years.

# **Record your efforts**

Make sure your medical records reflect:

- The date when the cervical cytology was performed.
- The results or findings
- Notes in patient's chart if patient has a history of hysterectomy:
  - o Complete details if it was a complete, total, or radical abdominal, vaginal, or unspecified hysterectomy with no residual cervix; also, document history of cervical agenesis or acquired absence of cervix. Include, at a minimum, the year the surgical procedure was performed.

#### **Exclusions:**

- Members who have one of the following in their history can be excluded:
  - o Absence of cervix
  - o Hysterectomy with no residual cervix, cervical agenesis or acquired absence of a cervix
  - o Members receiving palliative care
  - o Members in hospice or using hospice services anytime during the measurement year

Notes			
_			

# **Childhood Immunization Status (CIS-E)**

The percentage of children turning 2 years of age who had four diphtheria, tetanus and acellular pertussis (DTaP); three polio (IPV); one measles, mumps, and rubella (MMR); three haemophiles influenza type B (HiB); three hepatitis B (Hep B); one chicken pox (VZV); four pneumococcal conjugate (PCV); one hepatitis A (Hep A); two or three rotavirus (RV); and two influenza (flu) vaccines by their second birthday:

- Hep B initial dose is the only vaccine that can be given before 42 days after birth
- Influenza cannot be given until infant is 6 months of age
- MMR, VZV, and Hep A can only be given between first and second birthday to close the gap
- Second influenza vaccination may be the LAIV given on members second birthday

Immunization	Dose(s)
DTaP	4
IPV	3
MMR	1
Hib	3
Нер В	3
VZV	1
PCV	4
Нер А	1
Rotavirus	2 or 3:
	Two-dose (Rotarix)
	Three-dose (Rotateq) vaccine
Influenza	Second dose may be LAIV given on second birthday

#### **Record your efforts**

Once you give our members their needed immunizations, let us and the state know by:

- Recording the immunizations in your state registry.
- Documenting the immunizations (historic and current) within medical records to include:
  - A note indicating the name of the specific antigen and the date of the immunization.
  - The certificate of immunization prepared by an authorized healthcare provider or agency.
  - o Parent refusal, documented history of anaphylactic reaction to serum/vaccinations, illnesses, or seropositive test result.
  - o The date of the first hepatitis B vaccine given at the hospital and name of the hospital if available.

 A note that the member is up to date with all immunizations but does not list the dates of all immunizations and the names of the immunization agents does not constitute sufficient evidence of immunization for HEDIS reporting.

#### **Exclusions:**

- Any of the following on or before the child's second birthday:
  - o Severe combined immunodeficiency
  - o Immunodeficiency
  - o HIV
  - o Lymphoreticular cancer, multiple myeloma, or leukemia.
  - o Intussusception.
- Members in hospice or using hospice services anytime during the measurement year

Notes	

# **Colorectal Cancer Screening (COL-E)**

This measure looks at the percentage of members 45 to 75 years of age who had appropriate screening for colorectal cancer.

# **Record your efforts:**

- Members with one or more screenings for colorectal cancer. Any of the following meet criteria:
  - o Fecal occult blood test during the measurement period
  - o Flexible sigmoidoscopy during the measurement period or the four years prior to the measurement period
  - Colonoscopy during the measurement period or the nine years prior to the measurement period
  - o CT colonography during the measurement period or the four years prior to the measurement period
  - Stool DNA (sDNA) with FIT test during the measurement period or the two years prior to the measurement period

#### **Exclusions:**

- Members in hospice or using hospice services any time during the measurement period.
- Members with colorectal cancer or a total colectomy any time during the member's history through the end of the measurement period.
- Members receiving palliative care during the measurement period.
- Members 66 years of age and with frailty and advanced illness. Members must meet BOTH of the following frailty and advanced illness criteria to be excluded:
  - o At least two indications of frailty
  - o At least two outpatient visits with an advanced illness diagnosis

Notes			

# Utilization of the *PHQ-9* to Monitor Depression Symptoms for Adolescents and Adults (DMS-E)

This measure looks at the percentage of members 12 years of age and older with a diagnosis of major depression or dysthymia who had an outpatient encounter with a *Patient Health Questionnaire-9 (PHQ-9)* score present in their record in the same assessment period as the encounter.

# **Record your efforts**

The identifiers and descriptors for each organization's coverage used to define members' eligibility for measure reporting. Allocation for reporting is based on eligibility during the participation period.

The measurement period is divided into three assessment periods with specific dates of service:

- Assessment Period 1: January 1 to April 30
- Assessment Period 2: May 1 to August 31
- Assessment Period 3: September 1 to December 31

The measure allows the use of two *PHQ-9* assessments. Selection of the appropriate assessment should be based on the member's age:

- PHQ-9: 12 years of age and older
- PHQ-9 Modified for Teens: 12 to 17 years of age

The PHQ-9 assessment does not need to occur during a face-to-face encounter; it may be completed over the telephone or through a web-based portal.

#### **Exclusions:**

- Members with any of the following at any time during member's history through the end measurement period:
  - o Bipolar disorder
  - o Personality disorder
  - o Psychotic disorder
  - o Pervasive developmental disorder
  - Members in hospice or using hospice services any time during the measurement period

Notes			

# Depression Remission or Response for Adolescents and Adults (DRR-E)

This measure looks at the percentage of members 12 years of age and older with a diagnosis of depression and an elevated PHQ-9 score, who had evidence of response or remission within four to eight months of the elevated score:

- Follow-Up PHQ-9 The percentage of members who have a follow-up PHQ-9 score documented within four to eight months after the initial elevated PHQ-9 score.
- Depression Remission The percentage of members who achieved remission within four to eight months after the initial elevated PHQ-9 score.
- Depression Response The percentage of members who showed response within four to eight months after the initial elevated PHQ-9 score.

# **Record your efforts**

The identifiers and descriptors for each organization's coverage used to define members' eligibility for measure reporting. Allocation for reporting is based on eligibility during the participation period:

- May 1 of the year prior to the measurement period through December 31 of the measurement period
- May 1 of the year prior to the measurement period through April 30 of the measurement period
- The 120- to 240-day period after the index episode start date.
- Index episode start date: The earliest date during the intake period where a member has a diagnosis of major depression or dysthymia and a PHQ-9 total score > 9 documented.

The measure allows the use of two *PHQ-9* assessments. Selection of the appropriate assessment should be based on the member's age:

- PHQ-9: 12 years of age and older
- PHQ-9 Modified for Teens: 12 to 17 years of age

The *PHQ-9* assessment does not need to occur during a face-to-face encounter; it may be completed over the telephone or through a web-based portal.

#### **Exclusions:**

Members with any of the following at any time during the intake period or during the measurement period:

- Bipolar disorder
- Personality disorder
- Psychotic disorder
- Pervasive developmental disorder

or

 Members in hospice or using hospice services any time during the measurement period

# Depression Screening and Follow-Up for Adolescents and Adults (DSF-E)

The percentage of members 12 years of age and older who were screened for clinical depression using a standardized instrument and, if screened positive, received follow-up care:

- Depression Screening The percentage of members who were screened for clinical depression using a standardized instrument.
- Follow-Up on Positive Screen The percentage of members who received follow-up care within 30 days of a positive depression screen finding.

# **Record your efforts**

The identifiers and descriptors for each organization's coverage used to define members' eligibility for measure reporting. Allocation for HEDIS reporting is based on eligibility during the participation period.

This measure requires the use of an age-appropriate screening instrument. The member's age is used to select the appropriate depression screening instrument.

Depression screening instrument:

 A standard assessment instrument that has been normalized and validated for the appropriate patient population. Eligible screening instruments with thresholds for positive findings include:

Instruments for adolescents (≤ 17 years)	Positive finding
Patient Health Questionnaire (PHQ-9)°	Total score ≥ 10
Patient Health Questionnaire Modified for Teens (PHQ- 9M)®	Total score ≥ 10
Patient Health Questionnaire-2 (PHQ-2)®1	Total score ≥ 3
Beck Depression Inventory-Fast Screen (BDI-FS)®1,2	Total score ≥ 8
Center for Epidemiologic Studies Depression Scale — Revised (CESD-R)	Total score ≥ 17
Edinburgh Postnatal Depression Scale (EPDS)	Total score ≥ 10
PROMIS Depression	Total score (T score) ≥ 60

- 1 Brief screening instrument. All other instruments are full-length.
- 2 Proprietary; may be cost or licensing requirement associated with use.

Instruments for adults (18+ years)	Positive finding
Patient Health Questionnaire (PHQ-9)®	Total score ≥ 10
Patient Health Questionnaire-2 (PHQ-2)®1	Total score ≥ 3

Instruments for adults (18+ years)	Positive finding
Beck Depression Inventory-Fast Screen (BDI-FS)*1,2	Total score ≥ 8
Beck Depression Inventory (BDI-II)	Total score ≥ 20
Center for Epidemiologic Studies Depression Scale- Revised (CESD-R)	Total score ≥ 17
Duke Anxiety-Depression Scale (DUKE- AD)®2	Total score ≥ 30
Geriatric Depression Scale Short Form (GDS) <sup>1</sup>	Total score ≥ 5
Geriatric Depression Scale Long Form (GDS)	Total score ≥ 10
Edinburgh Postnatal Depression Scale (EPDS)	Total score ≥ 10
My Mood Monitor (M-3)®	Total score ≥ 5
PROMIS Depression	Total score (T score) ≥ 60
Clinically Useful Depression Outcome Scale (CUDOS)	Total score ≥ 31

- 1 Brief screening instrument. All other instruments are full-length.
- 2 Proprietary; may be cost or licensing requirement associated with use.

#### **Exclusions:**

- Members with bipolar disorder in the year prior to the measurement period
- Members with depression that starts during the year prior to the measurement period
- Members in hospice or using hospice services any time during the measurement period

Notes			

# Immunizations for Adolescents (IMA-E)

This measure reviews members 13 years of age who had one dose of meningococcal vaccine, one tetanus, diphtheria toxoids and acellular pertussis (Tdap) vaccine, and have completed the human papillomavirus (HPV) vaccine series by their 13th birthday. The measure calculates a rate for each vaccine and two combination rates.

Vaccines administered on or before their 13th birthday:

- One MCV/meningococcal vaccine on or between 11th and 13th birthdays, and one Tdap or one Td vaccine on or between their 10th and 13th birthdays
- At least two doses of HPV vaccine with DOS at 146 days apart on or between the 9th and 13th birthdays:
  - Or at least three HPV vaccines with different dates of service on or between the 9th and 13th birthdays

# **Record your efforts**

Immunization information obtained from the medical record:

- A note indicating the name of the specific antigen and the date of the immunization
- A certificate of immunization prepared by an authorized healthcare provider or agency, including the specific dates and types of immunizations administered
- Document in the medical record parent or guardian refusal

#### Two-dose HPV vaccination series:

There must be at least 146 days between the first and second dose of the HPV vaccine.

Manahara in baseiga ar using baseiga coming anyting during the passaurancent vacu

#### Meningococcal:

Do not count meningococcal recombinant (serogroup B) (MenB) vaccines.

#### **Exclusions:**

•	Members in hospice of using hospice services drigtime during the medsorement year
Notes	
•	

# Postpartum Depression Screening and Follow-Up (PDS-E)

This measure assesses the percentage of deliveries in which members were screened for clinical depression during the postpartum period, and if screened positive, received follow-up care:

- Depression Screening The percentage of deliveries in which members were screened for clinical depression using a standardized instrument during the postpartum period.
- Follow-Up on Positive Screen The percentage of deliveries in which members received follow-up care within 30 days of a positive depression screen finding.

# **Record your efforts**

The identifiers and descriptors for each organization's coverage used to define members' eligibility for measure reporting. Allocation for reporting is based on eligibility during the participation period:

The delivery date through 60 days following the date of delivery

A standard assessment instrument that has been normalized and validated for the appropriate patient population. Eligible screening instruments with thresholds for positive findings include:

Instruments for adolescents (≤ 17 years)	Positive finding
Patient Health Questionnaire (PHQ-9)®	Total score ≥ 10
Patient Health Questionnaire Modified for Teens (PHQ-9M)®	Total score ≥ 10
Patient Health Questionnaire-2 (PHQ-2)®1	Totalscore≥3
Beck Depression Inventory-Fast Screen (BDI-FS) <sup>®1,2</sup>	Total score ≥ 8
Center for Epidemiologic Studies Depression Scale-Revised (CESD-R)	Total score ≥ 17
Edinburgh Postnatal Depression Scale (EPDS)	Total score ≥ 10
PROMIS Depression	Total score (T score) ≥ 60
Instruments for adults (18+ years)	Positive finding
Patient Health Questionnaire (PHQ-9)®	Total score ≥ 10
Patient Health Questionnaire-2 (PHQ-2)®1	Totalscore≥3
Beck Depression Inventory-Fast Screen (BDI-FS)®1,2	Total score ≥ 8
Beck Depression Inventory (BDI-II)	Total score ≥ 20

Instruments for adults (18+ years)	Positive finding
Center for Epidemiologic Studies Depression Scale-Revised (CESD-R)	Total score ≥ 17
Duke Anxiety-Depression Scale (DUKE-AD) <sup>®2</sup>	Total score ≥ 30
Edinburgh Postnatal Depression Scale (EPDS)	Total score ≥ 10
My Mood Monitor (M-3)®	Total score ≥ 5
PROMIS Depression	Total score (T score) ≥ 60
Clinically Useful Depression Outcome Scale (CUDOS)	Total score ≥ 31

- 1 Brief screening instrument. All other instruments are full-length.
- 2 Proprietary; may be cost or licensing requirement associated with use.

#### **Exclusions:**

• Deliveries in which members were in hospice or using hospice services any time during the measurement period

Notes			

# Prenatal Depression Screening and Follow-up (PND-E)

This measure assesses the percentage of deliveries in which members were screened for clinical depression while pregnant and, if screened positive, received follow-up care:

- Depression Screening The percentage of deliveries in which members were screened for clinical depression during pregnancy using a standardized instrument.
- Follow-Up on Positive Screen The percentage of deliveries in which members received follow-up care within 30 days of a positive depression screen finding.

# **Record your efforts**

The identifiers and descriptors for each organization's coverage used to define members' eligibility for measure reporting. Allocation for reporting is based on eligibility during the participation period:

- 28 days prior to the delivery date through the delivery date
- A pregnancy episode in which the delivery date occurs during the measurement period

A standard assessment instrument that has been normalized and validated for the appropriate patient population. Eligible screening instruments with thresholds for positive findings include:

Instruments for adolescents (≤ 17 years)	Positive finding
Patient Health Questionnaire (PHQ-9)®	Total score ≥ 10
Patient Health Questionnaire Modified for Teens (PHQ-9M)®	Total score ≥ 10
Patient Health Questionnaire-2 (PHQ-2)®1	Total score ≥ 3
Beck Depression Inventory-Fast Screen (BDI-FS)®1,2	Total score ≥ 8
Center for Epidemiologic Studies Depression Scale-Revised (CESD-R)	Total score ≥ 17
Edinburgh Postnatal Depression Scale (EPDS)	Total score ≥ 10
PROMIS Depression	Total score (T score) ≥ 60
Instruments for adults (18+ years)	Positive finding
Patient Health Questionnaire (PHQ-9)°	Total score ≥ 10
Patient Health Questionnaire-2 (PHQ-2)®1	Total score ≥ 3
Beck Depression Inventory-Fast Screen (BDI-FS)®1,2	Total score ≥ 8
Beck Depression Inventory (BDI-II)	Total score ≥ 20
Center for Epidemiologic Studies Depression Scale-Revised (CESD-R)	Total score ≥ 17

Instruments for adults (18+ years)	Positive finding
Duke Anxiety-Depression Scale (DUKE-AD)®2	Total score ≥ 30
Edinburgh Postnatal Depression Scale (EPDS)	Total score ≥ 10
My Mood Monitor (M-3)®	Total score ≥ 5
PROMIS Depression	Total score (T score) ≥ 60
Clinically Useful Depression Outcome Scale (CUDOS)	Total score ≥ 31

- 1 Brief screening instrument. All other instruments are full-length.
- 2 Proprietary; may be cost or licensing requirement associated with use.

#### **Exclusions:**

- Deliveries that occurred at less than 37 weeks gestation
- Deliveries in which members were in hospice or using hospice services any time during the measurement period

Notes			

# **Prenatal Immunization Status (PRS-E)**

This measure assesses the percentage of deliveries in the measurement period (January 1 to December 31) in which women had received influenza and tetanus, diphtheria toxoids, and acellular pertussis (Tdap) vaccinations.

#### **Record your efforts**

The identifiers and descriptors for each organization's coverage used to define members' eligibility for measure reporting. Allocation for reporting is based on eligibility during the participation period:

- 28 days prior to the delivery date through the delivery date
- A pregnancy episode in which the delivery date occurs during the measurement period

#### **Exclusions:**

- Deliveries that occurred at less than 37 weeks gestation
- Deliveries in which members were in hospice or using hospice services any time during the measurement period

Notes			

# Social Need Screening and Intervention (SNS-E)

The percentage of members who were screened, using prespecified instruments, at least once during the measurement period for unmet food, housing and transportation needs, and received a corresponding intervention if they screened positive:

- Food Screening. The percentage of members who were screened for food insecurity.
- Food Intervention. The percentage of members who received a corresponding intervention within 1 month of screening positive for food insecurity.
- Housing Screening. The percentage of members who were screened for housing instability, homelessness or housing inadequacy.
- Housing Intervention. The percentage of members who received a corresponding intervention within 1 month of screening positive for housing instability, homelessness or housing inadequacy.
- *Transportation Screening.* The percentage of members who were screened for transportation insecurity.
- Transportation Intervention. The percentage of members who received a corresponding intervention within 1 month of screening positive for transportation insecurity.

# Record your efforts:

- **Food insecurity:** Uncertain, limited, or unstable access to food that is: adequate in quantity and in nutritional quality; culturally acceptable; safe and acquired in socially acceptable ways.
- **Housing instability:** Currently consistently housed but experiencing any of the following circumstances in the past 12 months: being behind on rent or mortgage, multiple moves, cost burden or risk of eviction.
- **Homelessness:** Currently living in an environment that is not meant for permanent human habitation (for example, cars, parks, sidewalks, abandoned buildings, on the street), not having a consistent place to sleep at night, or because of economic difficulties, currently living in a shelter, motel, temporary or transitional living situation.
- Housing inadequacy: Housing does not meet habitability standards.
- **Transportation insecurity:** Uncertain, limited or no access to safe, reliable, accessible, affordable, and socially acceptable transportation infrastructure and modalities necessary for maintaining one's health, well-being, or livelihood.

Eligible screening instruments with thresholds for positive findings include:

Food insecurity instruments	Screening item LOINC codes	Positive finding LOINC codes
Accountable Health Communities (AHC) Health-Related Social Needs (HRSN) Screening Tool	88122-7	LA28397-0 LA6729-3
Screening root	88123-5	LA28397-0 LA6729-3
American Academy of Family Physicians (AAFP) Social Needs Screening Tool	88122-7	LA28397-0 LA6729-3

Food insecurity instruments	Screening item LOINC codes	Positive finding LOINC codes
	88123-5	LA28397-0 LA6729-3
Health Leads Screening Panel®1	95251-5	LA33-6
Hunger Vital Sign™1 (HVS)	88124-3	LA19952-3
Protocol for Responding to and Assessing Patients' Assets, Risks and Experiences [PRAPARE]®1	93031-3	LA30125-1
Safe Environment for Every Kid (SEEK)®1	95400-8	LA33-6
	95399-2	LA33-6
U.S. Household Food Security Survey (U.S. FSS)	95264-8	LA30985-8 LA30986-6
U.S. Adult Food Security Survey (U.S. FSS)	95264-8	LA30985-8 LA30986-6
U.S. Child Food Security Survey (U.S. FSS)	95264-8	LA30985-8 LA30986-6
U.S. Household Food Security Survey–Six- Item Short Form (U.S. FSS)	95264-8	LA30985-8 LA30986-6
We Care Survey	96434-6	LA32-8
WellRx Questionnaire	93668-2	LA33-6

Housing instability and homelessness instruments	Screening item LOINC codes	Positive finding LOINC codes
Accountable Health Communities (AHC) Health-Related Social Needs (HRSN) Screening Tool	71802-3	LA31994-9 LA31995-6
American Academy of Family Physicians (AAFP) Social Needs Screening Tool	99550-6	LA33-6
Children's Health Watch Housing Stability	98976-4	LA33-6
Vital Signs™¹	98977-2	≥3
	98978-0	LA33-6
Health Leads Screening Panel®1	99550-6	LA33-6
	93033-9	LA33-6

Housing instability and homelessness instruments	Screening item LOINC codes	Positive finding LOINC codes
Protocol for Responding to and Assessing Patients' Assets, Risks and Experiences (PRAPARE)®1	71802-3	LA30190-5
We Care Survey	96441-1	LA33-6
WellRx Questionnaire	93669-0	LA33-6

Housing inadequacy instruments	Screening item LOINC codes	Positive finding LOINC codes
Accountable Health Communities (AHC)	96778-6	LA31996-4
Health-Related Social Needs (HRSN) Screening Tool		LA28580-1 LA31997-2
Screening root		LA31997-2 LA31998-0
		LA31999-8
		LA32000-4
		LA32001-2
American Academy of Family Physicians	96778-6	LA32691-0
(AAFP) Social Needs Screening Tool		LA28580-1
		LA32693-6
		LA32694-4
		LA32695-1
		LA32696-9
		LA32001-2

Transportation insecurity instruments	Screening item LOINC codes	Positive finding LOINC codes
Accountable Health Communities (AHC) Health-Related Social Needs (HRSN) Screening Tool	93030-5	LA33-6
American Academy of Family Physicians (AAFP) Social Needs Screening Tool	99594-4	LA33-6
Comprehensive Universal Behavior Screen (CUBS)	89569-8	LA29232-8 LA29233-6 LA29234-4
Health Leads Screening Panel®1	99553-0	LA33-6
Protocol for Responding to and Assessing Patients' Assets, Risks and Experiences (PRAPARE)®1	93030-5	LA30133-5 LA30134-3
PROMIS®1	92358-1	LA30024-6 LA30026-1 LA30027-9
WellRx Questionnaire	93671-6	LA33-6

<sup>1</sup> Proprietary; may be cost or licensing requirement associated with use.

#### **Exclusions:**

 Members in hospice or using hospice services any time during the measurement period

# **Appendix**

# **Coding for ECDS measures**

There are many approved NCQA codes used to identify the services included in the measures listed below. The following are just a few of the approved codes. Please see the NCQA website for a complete list https://www.ncqa.org/.

Follow-Up Care for Children Prescribed ADHD Medication (ADD-E)

Description	CPT/HCPCS/POS/SNOMED CT
Outpatient POS	<b>POS:</b> 03, 05, 07, 09, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22, 33, 49, 50,
•	71, 72
Health and	<b>CPT:</b> 96156, 96158, 96159, 96164,
behavioral	96165, 96167, 96168, 96170, 96171
assessment or	
intervention	
Online assessments	<b>CPT:</b> 98960, 98970, 98971, 98972, 99421, 99422, 99423, 99457
	<b>HCPCS:</b> G0071, G2010, G2012
Telephone visits	<b>CPT:</b> 98966, 98967, 98968, 99441, 99442, 99443
	<b>SNOMED CT:</b> 185317003, 314849005, 386472008, 386473003,
	401267002
Telehealth POS	<b>POS:</b> 02, 10

**Note:** The codes listed are informational only; this information does not guarantee reimbursement.

**Adult Immunization Status (AIS-E)** 

Immunization	CPT/HCPCS/ICD-10/CVX
Adult influenza vaccine	<b>CPT:</b> 90630, 90653, 90654, 90656, 90658, 90661, 90673, 90674,
procedure	90682, 90686, 90688, 90689, 90756
	<b>SNOMED CT:</b> 46233009, 346524008, 346525009,
	348046004,348047008, 400564003, 400788004, 408752008,
	418707004, 419562000, 430410002
Adult influenza	<b>CVX:</b> 88, 135, 140, 141, 144, 150, 153, 155, 158, 166, 168, 171, 185, 186, 197,
immunization	205
Influenza virus LAIV	<b>CPT:</b> 90660, 90672
vaccine procedure	
Influenza virus LAIV	<b>CVX:</b> 111, 149
immunization	
Td vaccine procedure	<b>CPT:</b> 90714
Td immunization	<b>CVX:</b> 09, 113, 115, 138, 139
Tdap vaccine procedure	<b>CPT:</b> 90715
	<b>SNOMED CT:</b> 428251000124104
Tdap immunization	<b>CVX:</b> 115
Herpes zoster live	<b>CPT:</b> 90736
vaccine procedure	<b>SNOMED CT:</b> 377008002, 407746005, 407933006,
	412530002, 424778000
Herpes zoster live	<b>CVX:</b> 121
immunization	

Immunization	CPT/HCPCS/ICD-10/CVX
Herpes zoster recombinant vaccine procedure	<b>CPT:</b> 90750
Herpes zoster recombinant immunization	CVX:187
CDC race and ethnicity	1002-5: American Indian or Alaska Native 2028-9: Asian 2054-5: Black or African American 2076-8: Native Hawaiian or Other Pacific Islander 2106-3: White 2135-2: Hispanic or Latino 2186-5: Not Hispanic or Latino

Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM-E)

Description	CPT/CAT II/LOINC
Cholesterol lab test	CPT: 82465, 83718, 83722, 84478 LOINC: 2085-9, 2093-3, 2571-8, 3043-7, 9830-1 SNOMED CT: 14740000, 28036006, 77068002, 104583003, 104584009, 104586006, 104784006, 104990004, 104991000, 121868005, 166832000, 166838001, 166839009, 166849007, 166850007, 167072001, 167073006, 167082000, 167083005, 167084004, 271245006, 275972003, 314035000, 315017003, 390956002, 412808005, 412827004, 443915001
Cholesterol test result or finding	<b>SNOMED CT</b> : 166830008, 166831007, 166848004, 259557002, 365793008, 365794002, 365795001, 365796000, 439953004, 442193004, 442234001, 442350007, 442480001, 707122004, 707123009, 67991000119104
Glucose lab test	<b>CPT:</b> 80047, 80048, 80050, 80053, 80069, 82947, 82950, 82951 <b>LOINC:</b> 10450-5, 1492-8, 1494-4, 1496-9, 1499-3, 1501-6, 1504-0, 1507-3, 1514-9, 1518-0, 1530-5, 1533-9, 1554-5, 1557-8, 1558-6, 17865-7, 20436-2, 20437-0, 20438-8, 20440-4, 26554-6, 41024-1, 49134-0, 6749-6, 9375-7 <b>SNOMED CT:</b> 22569008, 33747003, 52302001, 72191006, 73128004, 88856000, 104686004, 167086002, 167087006, 167088001, 167095005, 167096006, 167097002, 250417005, 271061004, 271062006, 271063001, 271064007, 271065008, 275810004, 302788006, 302789003, 308113006, 313474007, 313545000, 313546004, 313624000, 313626003, 313627007, 313628002, 313630000, 313631001, 313697000, 313698005, 313810002, 412928005, 440576000, 443780009, 444008003, 444127006
Glucose test result or finding	<b>SNOMED CT:</b> 166890005, 166891009, 166892002, 166914001, 166915000, 166916004, 166917008, 166918003, 166919006, 166921001, 166922008, 166923003, 442545002 444780001
HbA1c lab test	<b>CPT:</b> 83036, 83037

Description	CPT/CAT II/LOINC
	<b>LOINC:</b> 17856-6, 4548-4, 4549-2, 96595-4
	<b>SNOMED CT:</b> 43396009, 313835008
HbA1c lab test results	<b>CAT II:</b> 3044F, 3046F, 3051F, 3052F
or findings	<b>SNOMED CT:</b> 451051000124101, 451061000124104
LDL-C lab test	<b>CPT:</b> 80061, 83700, 83701, 83704, 83721
	<b>LOINC:</b> 12773-8, 13457-7, 18261-8, 18262-6, 2089-1, 49132-4, 55440-2,
	96259-7
	<b>SNOMED CT:</b> 113079009, 166833005, 166840006, 166841005,
	167074000, 167075004, 314036004
LDL-C lab test results	<b>CAT II:</b> 3048F, 3049F, 3050F
or findings	

Unhealthy Alcohol Use Screening and Follow-Up (ASF-E)

Description	CPT/HCPCS/ICD10CM
Alcohol abuse counseling and surveillance of alcoholic	ICD10CM: Z71.41
Other specified counseling	ICD10CM: Z71.89
Total score (AUDIT)	<b>LOINC:</b> 75624-7
Total score (AUDIT-C)	<b>LOINC:</b> 75626-2
How often have you had four or more drinks in one day during the past year reported?	<b>LOINC:</b> 75889-6
How often have you had five or more drinks in one day during the past year reported	<b>LOINC:</b> 88037-7
Alcohol counseling or other follow-up care	CPT: 99408, 99409 HCPCS: G0396, G0397, G0443, G2011, H0005, H0007, H0015, H0016, H0022, H0050, H2035, H2036, T1006, T1012 ICD10CM: Z71.41 SNOMED CT: 20093000, 23915005, 24165007, 64297001, 386449006, 408945004, 408947007, 408948002, 413473000, 707166002, 429291000124102
Alcohol use disorder	F10.130, F10.131, F10.120, F10.121, F10.129, F10.130, F10.131, F10.132, F10.139, F10.14, F10.150, F10.151, F10.159, F10.180, F10.181, F10.182, F10.188, F10.19, F10.20, F10.220, F10.221, F10.229, F10.230, F10.231, F10.232, F10.239, F10.24, F10.250, F10.251, F10.259, F10.26, F10.27, F10.280, F10.281, F10.282, F10.288, F10.29, F10.920, F10.921, F10.929, F10.930, F10.931, F10.932, F10.939, F10.94, F10.950, F10.951, F10.959, F10.96, F10.97, F10.980, F10.981, F10.982, F10.988, F10.99, K29.20, K29.21, K70.10,

Description	CPT/HCPCS/ICD10CM
	K70.11

Proact Cancor Scrooning (PCS\_E)

<b>Breast Cancer Screen</b>	eening (BCS-E)
Description	CPT/LOINC/SNOMED CT
Mammography	<b>CPT:</b> 77061-77063, 77065-77067 <b>LOINC:</b> 24604-1, 24605-8, 24606-6, 24610-8, 26175-0, 26176-8, 26177-6, 26287-3, 26289-9, 26291-5, 26346-7, 26347-5, 26348-3, 26349-1, 26350-9, 26351-7, 36319-2, 36625-2, 36626-0, 36627-8, 36642-7, 36962-9, 37005-6, 37006-4, 37016-3, 37017-1, 37028-8, 37029-6, 37030-4, 37037-9, 37038-7, 37052-8, 37053-6, 37539-4, 37542-8, 37543-6, 37551-9, 37552-7, 37553-5, 37554-3, 37768-9, 37769-7, 37770-5, 37771-3, 37772-1, 37773-9, 37774-7, 37775-4, 38070-9, 38071-7, 38072-5, 38090-7, 38091-5, 38807-4, 38820-7, 38854-6, 38855-3, 42415-0, 42416-8, 46335-6, 46336-4, 46337-2, 46338-0, 46339-8, 46350-5, 46351-3, 46356-2, 46380-2, 48475-8, 48492-3, 69150-1, 69251-7, 69259-0 <b>SNOMED CT:</b> 12389009, 24623002, 43204002, 71651007, 241055006, 241057003, 241058008, 258172002, 439324009, 450566007, 709657006, 723778004, 723779007, 723780005, 726551006, 8333310007, 866234000, 866235004, 866236003, 866237007, 384151000119104, 392521000119107,
	392531000119105, 566571000119105, 572701000119102
Bilateral mastectomy	ICD10PCS: 0HTV0ZZ- Resection of Bilateral Breast, Open Approach SNOMED CT:  14693006- Bilateral subcutaneous mammectomy (procedure)  14714006- Bilateral mastectomy with excision of bilateral regional lymph nodes (procedure)  17086001- Modified radical mastectomy, bilateral (procedure)  22418005- Bilateral simple mastectomy (procedure)  27865001- Bilateral mastectomy (procedure)  52314009- Bilateral mastectomy extended simple (procedure)  60633004- Bilateral subcutaneous mammectomy with synchronous implant (procedure)  76468001- Bilateral radical mastectomy (procedure) 456903003  726636007- Prophylactic bilateral mastectomy (procedure)  836436008- Simple mastectomy of bilateral breasts using robotic assistance (procedure)  870629001- Bilateral mastectomy for female to male transsexual (procedure)
Unilateral	<b>CPT:</b> 19303, 19305, 19306, 19307
mastectomy	LCD40DCC, OUTLIO77, Describer of L. C. D
Unilateral mastectomy left	ICD10PCS: 0HTU0ZZ- Resection of Left Breast, Open Approach SNOMED CT:  428571003- Mastectomy of left breast (procedure) 726429001- Radical mastectomy of left breast (procedure) 726435001- Subcutaneous mastectomy of left breast (procedure) 726437009- Modified radical mastectomy of left breast (procedure) 741009001- Simple mastectomy of left breast (procedure) 741018004- Subcutaneous mastectomy of left breast with prosthetic implant (procedure)

Description	CPT/LOINC/SNOMED CT
	836437004- Simple mastectomy of left breast using robotic assistance
	(procedure)
	451211000124109- Prophylactic mastectomy of left breast (procedure)
Unilateral	ICD10PCS: 0HTT0ZZ- Resection of Right Breast, Open Approach
mastectomy right	SNOMED CT:
	429400009- Mastectomy of right breast (procedure)
	726430006- Radical mastectomy of right breast (procedure)
	726434002- Subcutaneous mastectomy of right breast (procedure)
	726436000- Modified radical mastectomy of right breast (procedure)
	741010006- Simple mastectomy of right breast (procedure)
	741019007- Subcutaneous mastectomy of right breast with prosthetic
	implant (procedure)
	836435007- Simple mastectomy of right breast using robotic assistance
	(procedure)
	451201000124106- Prophylactic mastectomy of right breast (procedure)
CDC race and	1002-5: American Indian or Alaska Native
ethnicity	2028-9: Asian
	2054-5: Black or African American
	2076-8: Native Hawaiian or Other Pacific Islander
	2106-3: White
	2135-2: Hispanic or Latino
	2186-5: Not Hispanic or Latino

**Cervical Cancer Screening (CCS-E)** 

Description	CPT/HCPCS/LOINC/SNOWMED CT
Cervical Cytology Lab Test	<b>CPT:</b> 88141, 88142, 88143, 88147, 88148, 88150,88152, 88153, 88164, 88165, 88166, 88167, 88174, 88175 <b>HCPCS:</b> G0123, G0124, G0141, G0143, G0144, G0145, G0147, G0148, P3000, P3001, Q0091 <b>LOINC:</b> 10524-7, 18500-9, 19762-4, 19764-0, 19765-7, 19766-5, 19774-9, 33717-0, 47527-7, 47528-5 <b>SNOWMED CT:</b> 171149006, 416107004, 417036008, 440623000, 448651000124104
Cervical Cytology Result or Finding	<b>SNOWMED CT:</b> 168406009, 168407000, 168408005, 168410007, 168414003, 168415002, 168416001, 168424006, 250538001, 268543007, 269957009, 269958004, 269959007, 269960002, 269961003, 269963000, 275805003, 281101005, 309081009, 310841002, 310842009, 416030007, 416032004, 416033009, 439074000, 439776006, 439888000, 441087007, 441088002, 441094005, 441219009, 441667007, 700399008, 700400001, 1155766001, 62051000119105, 62061000119107, 98791000119102
High Risk HPV Lab Test	CPT: 87624, 87625 HCPCS: G0476 LOINC: 21440-3, 30167-1, 38372-9, 59263-4, 59264-2, 59420-0, 69002-4, 71431-1, 75694-0, 77379-6, 77399-4, 77400-0, 82354-2, 82456-5, 82675-0, 95539-3 SNOWMED CT: 35904009, 448651000124104
High Risk HPV Test Resul or Finding	t <b>SNOWMED CT:</b> 718591004

Note: The codes listed are informational only; this information does not guarantee reimbursement.

#### **Childhood Immunization Status (CIS-E)**

Codes to identify immunizations:

Description	CPT/HCPCS/SNOMED/CVX
Anaphylaxis due to hepatitis B vaccine (disorder)	<b>SNOMED CT:</b> 428321000124101
Anaphylaxis due to rotavirus vaccine (disorder)	<b>SNOMED CT:</b> 428331000124103
Anaphylaxis due to haemophilus influenzae type b vaccine (disorder)	<b>SNOMED CT:</b> 433621000124101
DTaP immunization	CVX: 20, 50, 106, 107, 110, 120, 146

Description	CDT/HCDCS/SNOMED/CVV
Description  DIGD vaccine precedure	CPT-00407-00408-00700-00727
DTaP vaccine procedure	<b>CPT:</b> 90697, 90698, 90700, 90723
	<b>SNOMED CT:</b> 170395004, 170396003, 170397007,
	170399005, 170400003, 170401004, 170402006,
	310306005, 310307001, 310308006, 312870000,
	313383003, 390846000, 390865008, 399014008,
	412755006, 412756007, 412757003, 412762002,
	412763007, 412764001, 414001002, 414259000,
	414620004, 415507003, 415712004, 770608009,
	770616000, 770617009, 770618004, 787436003,
	787438002, 866158005, 866159002, 866226006,
	428251000124104, 571571000119105, 572561000119108,
	16290681000119103,
(5)	16298561000119108
Inactivated polio vaccine (IPV) immunization	<b>CVX:</b> 10, 89, 110, 120, 146
Inactivated polio vaccine (IPV)	<b>CPT:</b> 90697, 90698, 90713, 90723
procedure	<b>SNOMED CT:</b> 310306005, 310307001, 310308006,
	312869001, 312870000, 313383003, 390865008,
	396456003, 412762002, 412763007, 412764001,
	414001002, 414259000, 414619005, 414620004,
	415507003, 415712004, 416144004, 416591003,
	417211006, 417384007, 417615007, 786846001,
	866186002, 866227002, 868266002, 868267006,
	868268001, 868273007, 868274001, 868276004,
	868277008, 870670004, 1162640003, 572561000119108,
	16290681000119103
Measles, mumps, and rubella (MMR) immunization	CVX: 03, 94
Measles, mumps, and rubella	<b>CPT:</b> 90707, 90710
(MMR) vaccine procedure	<b>SNOMED:</b> 38598009, 170433008, 432636005,
	433733003, 150971000119104, 571591000119106
	572511000119105
Haemophilus influenzae type B (HiB) immunization	<b>CVX:</b> 17, 46, 47, 48, 49, 50, 51, 120, 146, 148
Haemophilus influenzae type B	<b>CPT:</b> 90644, 90647, 90648, 90697, 90698, 90748
(HiB) vaccine procedure	SNOMED CT: 127787002, 170343007, 170344001,
(Thb) vaccine procedure	170345000, 170346004, 310306005, 310307001,
	170345000, 170346004, 310306005, 310307001,
	414259000, 415507003, 415712004, 770608009,
	770616000, 770617009, 770618004, 770608009,
	770818000, 770817009, 770818004, 780848001, 787436003, 787438002, 16292241000119109
Hepatitis B immunization	<b>CVX:</b> 08, 44, 45, 51, 110, 146
Hepatitis B vaccine procedure	CPT: 90697, 90723, 90740, 90744, 90747, 90748
riepatitis is vaccine procedure	HCPCS: G0010
	SNOMED CT: 16584000, 170370000, 170371001,
	170372008, 170373003, 170434002, 170435001,
	170436000, 170437009, 312868009, 396456003,
	770608009, 770616000, 770617009, 770618004,
	786846001, 787438002, 572561000119108
	1/00040001,/0/400002,0/2001000117100

Description	CPT/HCPCS/SNOMED/CVX
Varicella zoster (VZV)	CVX: 21, 94
immunization	CVA. 21, 74
Varicella zoster (VZV) vaccine	<b>CPT:</b> 90710, 90716
procedure	<b>SNOMED CT:</b> 425897001, 428502009, 473164004,
Processie	571611000119101
PCV	<b>CVX:</b> 109, 133, 152
	<b>CPT:</b> 90670
Hepatitis A immunization	<b>CVX:</b> 31, 83, 85
Hepatitis A vaccine procedure	<b>CPT:</b> 90632, 90633, 90634
	<b>SNOMED CT</b> : 170378007, 170379004, 170380001,
	170381002, 170434002, 170435001, 170436000,
	170437009, 243789007, 312868009, 313188000,
	313189008, 314177003, 314178008, 314179000,
	394691002, 412742005, 412743000, 871752004,
	871753009, 871754003, 571511000119102
Rotavirus (two or	CVX: Two-dose: 119
three dose) immunization	<b>CVX: Three-dose:</b> 116, 122
Rotavirus vaccine (two or three	<b>CPT: Two-dose:</b> 90681
dose) procedure	SNOMED CT: Two-dose: 434741000124104
	<b>CPT: Three-dose:</b> 90680
	<b>SNOMED CT: Three dose:</b> 434731000124109
Influenza immunization	CVX: 88, 140, 141, 150, 153, 155, 158, 161, 171, 186
	<b>CPT:</b> 90655, 90657, 90661, 90673, 90685, 90686, 90687,
	90688, 90689, 90756
	<b>SNOMED CT:</b> 86198006, 786847005
Influenza virus LAIV	CVX: 111-Influenza virus vaccine, live attenuated, for
immunization	intranasal
	149- Influenza, live, intranasal, quadrivalent
Influenza virus LAIV vaccine	<b>CPT:</b> 90660, 90672
procedure	

**Colorectal Cancer Screening (COL-E)** 

Description	CPT/HCPCS/LOINC/SNOMED CT
Colonoscopy	<b>CPT:</b> 44388, 44389, 44390, 44391, 44392, 44394, 44401, 44402, 44403, 44404, 44405, 44406, 44407, 44408, 45378, 45379, 45380, 45381, 45382,45384, 45385, 45386, 45388, 45389, 45390, 45391, 45392, 45393, 45398 <b>HCPCS:</b> G0105, G0121 <b>SNOMED CT:</b> 12350003, 25732003, 34264006, 73761001, 174158000, 235150006, 235151005, 310634005, 367535003, 425672002, 425937002, 427459009, 443998000, 444783004, 446521004, 446745002, 447021001, 709421007, 710293001, 711307001, 713154003, 789778002
Flexible sigmoidoscopy	<b>CPT</b> : 45330, 45331, 45332, 45333, 45334, 45335, 45337, 45338, 45340, 45341, 45342, 45346, 45347, 45349, 45350 <b>HCPCS</b> : G0104
FOBT lab test	<b>CPT</b> : 82270, 82274 <b>HCPCS</b> : G0328 <b>LOINC:</b> 12503-9, 12504-7, 14563-1, 14564-9, 14565-6, 2335-8, 27396-1, 27401-9, 27925-7, 27926-5, 29771-3, 56490-6, 56491-4, 57905-2, 58453-2, 80372-6 <b>SNOMED CT:</b> 104435004, 441579003, 442067009, 442516004, 442554004, 442563002
FOBT test result or finding	<b>SNOMED CT:</b> 59614000, 167667006, 389076003
sDNA FIT lab test	<b>CPT:</b> 81528 <b>LOINC:</b> 77353-1, 77354-9
sDNA FIT test result or finding	<b>SNOMED CT:</b> 708699002

**Note:** The codes listed are informational only; this information does not guarantee reimbursement.

## Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-F)

E)	
Description	ICD10CM/SNOMED CT
Major depression or	ICD10MC: F32.0, F32.1, F32.2, F32.3, F32.4, F32.5,
dysthymia	F32.9, F33.0, F33.1, F33.2, F33.3, F33.40, F33.41, F33.42,
	F33.9, F34.1
	<b>SNOMED CT</b> : 832007, 2506003, 2618002, 3109008,
	14183003, 15193003, 15639000, 18818009, 19527009,
	19694002, 20250007, 25922000, 28475009, 30605009,
	33078009, 33135002, 33736005, 36170009, 36474008,
	36923009, 38451003, 38694004, 39809009, 40379007,
	42810003, 42925002, 46244001, 60099002, 63412003,
	63778009, 66344007, 67711008, 69392006, 70747007,
	71336009, 73867007, 75084000, 76441001, 77911002,
	78667006, 79298009, 83176005, 85080004, 87512008,
	191604000, 191610000, 191611001, 191613003, 231499006,
	268621008, 274948002, 300706003,
	319768000, 320751009, 370143000, 430852001
Patient Health	<b>LOINC:</b> 44261-6
Questionnaire 9 item (PHQ-	
9) total score reported	

Description	ICD10CM/SNOMED CT
Patient Health	<b>LOINC:</b> 89204-2
Questionnaire-9: Modified	
for teens total score	
reported.PHQ.teen	

Depression Remission or Response for Adolescents and Adults (DRR-E)

Depression Remission or Response for Adolescents and Adults (DRR-E)		
Description	CPT/ICD10CM/LOINC/SNOMED CT	
Patient Health	<b>LOINC:</b> 44261-6	
Questionnaire 9 item (PHQ-		
9) total score (Reported)		
Patient Health	<b>LOINC:</b> 89204-2	
Questionnaire-9: Modified		
for teens total score		
reported.PHQ.teen		
Major depression or	ICD10MC: F32.0, F32.1, F32.2, F32.3, F32.4, F32.5,	
dysthymia	F32.9, F33.0, F33.1, F33.2, F33.3, F33.40, F33.41, F33.42, F33.9, F34.1	
	SNOMED CT: 832007, 2506003, 2618002, 3109008,	
	14183003, 15193003, 15639000, 18818009, 19527009,	
	19694002, 20250007, 25922000, 28475009, 30605009,	
	33078009, 33135002, 33736005, 36170009, 36474008,	
	36923009, 38451003, 38694004, 39809009, 40379007,	
	42810003, 42925002, 46244001, 60099002, 63412003,	
	63778009, 66344007, 67711008, 69392006, 70747007,	
	71336009, 73867007, 75084000, 76441001, 77911002,	
	78667006, 79298009, 83176005, 85080004, 87512008,	
	191604000, 191610000, 191611001, 191613003, 231499006,	
	268621008, 274948002, 300706003, 319768000, 320751009,	
	370143000, 430852001	
Interactive Outpatient	<b>CPT:</b> 90791, 90792, 90832, 90834, 90837, 98960, 98961, 98962,	
Encounter	98966, 98967, 98968, 98970, 98971, 98972, 99078,	
	99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215,	
	99242, 99243, 99244, 99245,	
	99341, 99342, 99344, 99345, 99347, 99348, 99349, 99350, 99381,	
	99382, 99383, 99384, 99385, 99386, 99387, 99391, 99392, 99393,	
	99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404,	
	99411, 99412, 99421, 99422, 99423, 99441, 99442, 99443, 99457,	
	99483, 99492, 99493, 99494, 99510	
	<b>HCPCS:</b> G0071, G0155, G0176, G0177, G0409, G0410, G0411,	
	G0463, G0512, G2010, G2012,G2250, G2251, G2252, H0002,	
	H0004, H0031, H0034, H0035, H0036, H0037, H0039, H0040,	
	H2000, H2001, H2010, H2011, H2012, H2013, H2014, H2015,	
	H2016, H2017, H2018, H2019, H2020, S0201, S9480, S9484,	
	\$9485, T1015	
	<b>SNOMED CT:</b> 19681004, 90526000, 185317003, 185349003,	
	185463005, 185465003, 270427003, 270430005, 308335008,	
	314849005, 386472008, 386473003,390906007, 401267002,	
	406547006, 439708006	

**Note:** The codes listed are informational only; this information does not guarantee reimbursement.

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E)

Description	CPT/ICD10CM/HCPCS/LOINC/SNOMED CT
Exercise counseling	ICD10CM: Z71.82
Patient Health Questionnaire 9 item (PHQ- 9) total score reported	<b>LOINC:</b> 44261-6
Geriatric depression scale (GDS) total	<b>LOINC:</b> 48544-1
Geriatric depression scale (GDS) short version total	<b>LOINC:</b> 48545-8
Patient Health Questionnaire 2 item (PHQ- 2) total score reported	<b>LOINC:</b> 55758-7
Edinburgh Postnatal Depression Scale (EPDS)	<b>LOINC:</b> 71354-5
Total score (M3)	LOINC: 71777-7
PROMIS-29 Depression score T-score	<b>LOINC:</b> 71965-8
Patient Health Questionnaire-9: Modified for Teens total score reported. PHQ.teen	<b>LOINC:</b> 89204-2
Center for Epidemiologic Studies Depression Scale — Revised total score (CESD-R)	<b>LOINC:</b> 89205-9
Beck Depression Inventory Fast Screen total score (BDI)	<b>LOINC:</b> 89208-3
Beck Depression Inventory II total score (BDI)	<b>LOINC</b> : 89209-1
Total score (CUDOS)	<b>LOINC:</b> 90221-3
Final score (DUKE-AD)	<b>LOINC:</b> 90853-3
Symptoms of depression (finding)	<b>SNOMED:</b> 394924000, 788976000
Depression	ICD10CM: F01.511, F01.518,F32.0, F32.1, F32.2, F32.3, F32.4, F32.5, F32.81, F32.89, F32.9, F33.0, F33.1, F33.2, F33.3, F33.40, F33.41, F33.42, F33.8, F33.9, F34.1, F34.81, F34.89, F43.21, F43.23, F53.0, F53.1, O90.6, O99.340, O99.341, O99.342, O99.343, O99.344, O99.345  SNOMED CT: 832007, 2506003, 2618002, 3109008, 14183003, 15193003, 15639000, 18818009, 19527009, 19694002, 20250007, 25922000, 28475009, 33078009, 35489007, 36170009, 36474008, 36923009, 38451003, 38694004, 39809009, 40379007, 40568001, 42925002,

Description	CDT/ICD10CM/HCDCS/I OINC/SNOMED CT
Description	CPT/ICD10CM/HCPCS/LOINC/SNOMED CT
	48589009, 63778009, 66344007, 67711008, 69392006,
	71336009, 73867007, 75084000, 75837004, 7641001,
	77486005, 77911002, 78667006, 79298009, 81319007, 83176005,
	84760002, 85080004, 87512008, 191610000,
	191611001, 191613003, 191616006, 191659001, 192080009,
	231504006, 231542000, 268621008, 319768000, 320751009,
	370143000, 430852001, 442057004
Depression case	<b>CPT:</b> 99366, 99492, 99493, 99494
management encounter	<b>HCPCS:</b> G0512, T1016, T1017, T2022, T2023
	<b>SNOMED CT:</b> 182832007, 225333008, 385828006,
	386230005, 409022004, 410216003, 410219005,
	410328009, 410335001, 410346003, 410347007,
	410351009, 410352002, 410353007, 410354001,
	410356004, 410360001, 410363004, 410364005,
	410366007, 416341003, 416584001, 424490002,
	425604002, 737850002
Depression or other	ICD10CM: F01.511, F01.518, F06.4, F10.180, F10.280, F10.980,
behavioral health condition	F11.188, F11.288, F11.988, F12.180, F12.280, F12.980,
benavioral nealth condition	F13.180, F13.280, F13.980, F14.180, F14.280, F14.980,
	F15.180, F15.280, F15.980, F16.180, F16.280, F16.980,
	F18.180, F18.280, F18.980, F19.180, F19.280, F19.980,
	F20.0, F20.1, F20.2, F20.3, F20.5, F20.81, F20.89, F20.9
	F21, F22, F23, F24, F25.0, F25.1, F25.8, F25.9, F28,
	F29, F30.10, F30.11, F30.12, F30.13, F30.2, F30.3, F30.4,
	F30.8, F30.9, F31.0, F31.10, F31.11, F31.12, F31.13, F31.2, F31.30,
	F31.31, F31.32, F31.4, F31.5, F31.60,
	F31.61, F31.62, F31.63, F31.64, F31.70, F31.71, F31.72,
	F31.73, F31.74, F31.75, F31.76, F31.77, F31.78, F31.81,
	F31.89, F31.9, F32.0, F32.1, F32.2, F32.3, F32.4, F32.5,
	F32.81, F32.89, F32.9, F32.A, F33.0, F33.1, F33.2
	F33.3, F33.40, F33.41, F33.42, F33.8, F33.9, F34.0, F34.1,
	F34.81, F34.89, F34.9, F39, F40.00, F40.01, F40.02, F40.10, F40.11,
	F40.210, F40.218, F40.220,
	F40.228, F40.230, F40.231, F40.232, F40.233, F40.240,
	F40.241, F40.242, F40.243, F40.248, F40.290, F40.291,
	F40.298, F40.8, F40.9, F41.0, F41.1, F41.3, F41.8, F41.9,
	F42.2, F42.3, F42.4, F42.8, F42.9, F43.0, F43.10,
	F43.11, F43.12, F43.20, F43.21, F43.22, F43.23, F43.24,
	F43.25, F43.29, F43.81, F43.89, F43.9, F44.89, F45.21, F51.5,
	F53.0, F53.1, F60.0, F60.1, F60.2, F60.3, F60.4, F60.5,
	F60.6, F60.7, F60.81, F60.89, F60.9, F63.0, F63.1, F63.2,
	F63.3, F63.81, F63.89, F63.9, F68.10, F68.11, F68.12, F68.13, F68.8,
	F68.A, F84.0, F84.2, F84.3, F84.5, F84.8,
	F84.9, F90.0, F90.1, F90.2, F90.8, F90.9, F91.0, F91.1,
	F91.2, F91.3, F91.8, F91.9, F93.0, F93.8, F93.9, F94.0,
	F94.1, F94.2, F94.8, F94.9, O90.6, O99.340, O99.341,
	099.342, 099.343, 099.344, 099.345
	<b>SNOMED CT</b> : 109006, 162004, 281004, 600009, 832007,
	899001, 1145003, 1196001, 1376001, 1380006, 1383008,

B	CDT (ICD40CN4 (LICDCC (LONG)CNIONAED CT
Description	CPT/ICD10CM/HCPCS/LOINC/SNOMED CT
	1499003, 1686006, 1816003, 1855002, 1973000, 2312009,
	2403008, 2506003, 2618002, 2815001, 3109008, 3158007
	3503000, 3530005, 3914008, 4306003, 4441000, 4926007,
	4932002, 4997005, 5095008, 5158005, 5444000, 5464005,
	5507002, 5509004, 5510009, 5703000, 6348008, 7025000,
	7052005, 7200002, 7291006, 7397008, 7461003, 7794004,
	8185002, 8635005, 8837000, 9167000, 9340000, 9674006,
	9760005, 10278007, 10327003, 10586006, 10875004,
	10981006, 11061003, 11806006, 11941006, 12939007,
	12969000, 13313007, 13438001, 13581000, 13601005,
	13670005, 13746004, 14070001, 14077003, 14144000,
	14183003, 14291003, 14495005, 14784000, 15193003,
	15277004, 15639000, 15945005, 15977008, 16295005,
	16506000, 16805009, 16966009, 16990005, 17155009,
	17226007, 17262008, 17496003, 17782008, 17961008, 18003009,
	18085000, 18260003, 18478005, 18573003,
	18653004, 18689007, 18818009, 18941000, 19300006,
	19445006, 19527009, 19694002, 19766004, 20010003,
	20250007, 20385005, 20876004, 20960007, 21586000,
	21634003, 21897009, 21900002, 22121000, 22230001,
	22407005, 22419002, 23148009, 23560001, 23645006,
	24121004, 24125008, 24315006, 24781009, 25501002,
	25766007, 25922000, 26025008, 26203008, 26453000,
	26472000, 26516009, 26530004, 26665006, 26714005,
	27387000, 27544004, 27720003, 27956007, 28357009,
	28368009, 28475009, 28663008, 28676002, 28857002,
	28864000, 28884001, 29212009, 29599000, 29733004,
	29929003, 30059008, 30310000, 30336007, 30491001,
	30509009, 30520009, 30605009, 30687003, 30935000,
	31027006, 31177006, 31358003, 31373002, 31446002,
	31611000, 31648009, 31658008, 31715000, 31781004,
	32009006, 32174002, 32358001, 32388005, 32552001, 32721004,
	32875003, 32880007, 33078009, 33135002,
	33323008, 33380008, 33449004, 33693007, 33736005,
	33871004, 34116005, 34315001, 34938008, 35218008,
	35252006, 35253001, 35481005, 35489007, 35607004,
	35722002, 35827000, 35846004, 35919005, 36170009,
	36217008, 36474008, 36583000, 36622002, 36923009,
	37331004, 37739004, 37746008, 37868008, 37872007,
	37941009, 38295006, 38328002, 38368003, 38451003,
	38547003, 38694004, 39003006, 39465007, 39610001,
	39807006, 39809009, 39951001, 40379007, 40568001,
	40571009, 40673001, 40926005, 40987004, 41021005,
	41083005, 41526007, 41552001, 41832009, 41836007, 42344001,
	42594001, 42810003, 42868002, 42925002,
	43150009, 43497001, 43568002, 43614003, 43769008,
	44031002, 44124003, 44376007, 44966003, 45479006,
	45677003, 45912004, 46206005, 46229002, 46244001,
	46721000, 46975003, 47372000, 47447001, 47505003,
<del></del>	to informational only not clinical guidelines or standards of modical care and

Description	CPT/ICD10CM/HCPCS/LOINC/SNOMED CT
Description	
	47664006, 47916000, 48500005, 48589009, 48826008,
	48937005, 49271002, 49468007, 49481000, 49512000,
	49564006, 50026000, 50320000, 50705009, 50722006,
	50878001, 50933003, 50983008, 51133006, 51443000,
	51493001, 51637008, 51771007, 52702003, 52824009, 52866005,
	52910006, 52954000, 53049002, 53050002, 53467004,
	53607008, 53936005, 53956006, 54319003, 54417002,
	54502004, 54587008, 54761006, 55009008, 55341008,
	55516002, 55668003, 55967005, 56576003,
	56627002, 56641006, 56882008, 57194009, 57588009,
	57715001, 58214004, 58329000, 58535001, 58647003,
	58703003, 59216005, 59617007, 59645001, 59651006,
	59923000, 60099002, 60123008, 61104008, 61144001,
	61157009, 61180001, 61212007, 61403008, 61569007, 61831009,
	61901004, 62239001, 62351001, 63181006, 63204009,
	63249007, 63393005, 63412003, 63649001,
	63701002, 63778009, 63909006, 63983005, 64060000,
	64165008, 64731001, 64905009, 65042007, 65064003,
	66307007, 66344007, 66347000, 66381006, 66590003,
	66631006, 66936004, 67002003, 67123006, 67195008,
	67711008, 68019004, 68569003, 68618008, 68890003,
	68963006, 68995007, 69322001, 69361009, 69392006,
	69479009, 69482004, 70328006, 70546001, 70691001,
	70747007, 70814008, 70932007, 71103003, 71294008,
	71328000, 71336009, 71787009, 71959007, 71961003,
	71984005, 72366004, 72861004, 73097000, 73462009,
	73471000, 73867007, 74010007, 74266001, 74686005, 74732009,
	74850006, 74934004, 75084000, 75122001,
	75360000, 75752004, 75837004, 76105009, 76129002,
	76236006, 76441001, 76566000, 76812003, 76868007,
	77355000, 77475008, 77486005, 77675002, 77815007,
	77911002, 78004001, 78269000, 78358001, 78640000,
	78667006, 79204003, 79298009, 79524000, 79584002,
	78842004, 79866005, 80711002, 80868005, 81319007,
	81463002, 82096005, 82218004, 82339009, 82415003,
	82494000, 82738004, 82998009, 83168008, 83176005,
	83225003, 83253003, 83367009, 83458005, 83501007,
	83631006, 83746006, 83890006, 84466009, 84760002,
	84788008, 84984002, 85061001, 85080004, 85248005,
	85561006, 85821003, 85861002, 86058007, 87132004,
	87203005, 87414006, 87512008, 87798009, 87842000,
	87950005, 87991007, 88740003, 88845000, 88939009,
	88975006, 89415002, 89451009, 89618007, 89948007,
	90755006, 90790003, 93461009, 95637005, 106013002,
	106014008, 106015009, 109805003, 111475002, 111476001,
	111477005, 111479008, 111480006, 111482003, 111483008,
	111484002, 111485001, 111487009, 111490003, 111491004,
	126943008, 128293007, 129104009, 129604005, 129606007,
	162218007, 162313000, 162702000, 162722001, 187921002,
	·

Description CPT/IC	
	D10CM/HCPCS/LOINC/SNOMED CT
	007, 191455000, 191457008, 191458003, 191459006,
	007, 191471000, 191475009, 191476005, 191478006,
	000, 191483003, 191484009, 191485005, 191486006,
	000, 191493005, 191494004, 191495003,
	002, 191499009, 191501001, 191508007, 191526005,
	001, 191531007, 191542003, 191547009, 191548004,
191554	003, 191555002, 191559008, 191561004, 191562006,
1915630	001, 191564007, 191565008, 191567000, 191569002,
1915700	001, 191571002, 191572009, 191574005, 191577003,
1915830	000, 191584006, 191586008, 191588009, 191590005,
1915920	002, 191593007, 191595000, 191597008, 191604000,
1916100	000, 191611001, 191613003, 191616006, 191618007,
	005, 191621009, 191623007, 191625000, 191627008,
	006, 191630001, 191634005, 191636007, 191638008,
	000, 191641004, 191643001, 191659001, 91667009,
	004, 191670008, 191672000, 191676002, 191678001
	007, 191687005, 191689008, 191690004,
	007, 191693002, 191696005, 191697001,
	02, 191722009, 191724005, 191725006,
	007, 191736004, 191737008, 191738003,
	006, 191765005, 191766006, 191772006,
	01, 191774007, 191787001, 191811004,
	06, 191813001, 191966002, 192014006, 192037000,
	005, 192039002, 192041001, 192042008, 192044009,
	006, 192049004, 192051000, 192052007, 192054008,
	005, 192057001, 192058006, 192061007, 192063005,
	004, 192065003, 192069009, 192072002,
	004, 172003003, 172007007, 172072002, 007, 192079006, 192080009, 192082001,
	009, 192097003, 192090009, 192082001,
	001, 192110004, 192119003, 192127007,
	01, 192132008, 192147004, 192362008,
	004, 192562009, 192611004, 192616009,
	000, 197480006, 199257008, 199259006,
	001, 199261002, 199262009, 229623002,
	006, 229700007, 229701006, 229715008,
	009, 229740001, 229744005, 229745006,
	008, 230455006, 231437006, 231438001,
	003, 231443008, 231444002, 231445001, 231446000,
	007, 231450007, 231451006, 231452004, 231453009,
	003, 231455002, 231456001, 231467000, 231485007,
	004, 231489001, 231494001, 231496004, 231500002,
	006, 231516000, 231520001, 231521002,
	009, 231523004, 231524005, 231525006,
	007, 231527003, 231528008, 231530005,
	004, 231537008, 231538003, 231539006,
	008, 231541007, 231542000, 231864002,
	008, 237351003, 237352005, 238961003, 238966008,
	004, 238972008, 238973003,
238974	009, 238975005, 238976006, 238977002,

Description	CPT/ICD10CM/HCPCS/LOINC/SNOMED CT
	238978007, 238979004, 247803002, 247804008,
	267320004, 268612007, 268617001, 268619003,
	268621008, 268622001, 268624000, 268633003,
	268634009, 268658008, 268661009, 268662002,
	268664001, 268666004, 268667008, 268668003,
	268669006, 268673009, 268734000, 270901009,
	270902002, 270905000, 271428004, 271952001,
	274948002, 274952002, 274953007, 275473003,
	275474009, 276296007, 276297003, 278506006,
	278508007, 278852008, 278853003, 279611005,
	280032002, 280943007, 280949006, 280994000,
	286933003, 300706003, 300979000, 301643003,
	302507002, 307417003, 310495003, 310496002,
	310497006, 311173003, 312098001, 312936002,
	313182004, 313224008, 313915006, 317816007,
	318784009, 319768000, 320751009, 357705009,
	370143000, 371024007, 371026009, 371596008
	371599001, 371600003, 371604007, 371631005,
	373618009, 386701004, 386810004, 386820009,
	386821008, 386822001, 386823006, 386824000,
	386825004, 398066007, 402732001, 402733006,
	402735004, 403578003, 403579006, 403590001,
	403593004, 403594005, 403595006, 404906000,
	406506008, 408856003, 408857007, 416340002,
	417143004, 417294004, 420774007, 425914008,
	425919003, 426174008, 426881004, 427469003,
	427975003, 428687006, 428703001, 429672007,
	430744005, 430751001, 430852001, 430909002,
	432091002, 439960005, 441704009, 441711008,
	441716003, 441833000, 442057004, 442245003,
	442314000, 442351006, 443919007, 446175003,
	446180007, 450714000, 473452003, 473456000,
	473457009, 609225004, 698689005, 698690001,
	698692009, 698693004, 698696007, 698697003,
	698699000, 698700004, 698701000, 698946008,
	698947004, 698951002, 699241002, 702356009,
	702450004, 702732007, 702815001, 708037001,
	712823008, 712824002, 712850003, 712884004,
	713491003, 713583005, 713862009, 714829008,
	715737004, 715924009, 716096005, 716199000,
	716578009, 718393002, 719592004, 719600006,
	720451004, 720452006, 720453001, 720454007,
	720455008, 722287002, 723332005, 723899008,
	723900003, 723901004, 723903001, 723905008,
	723913009, 724673008, 724674002, 724675001,
	724693000, 724706006, 724718002, 724719005,
	724730008, 724733005, 724734004, 724735003,
	724736002, 724737006, 724738001, 724739009,
	724740006, 724741005, 724742003, 726772006,

Description	CPT/ICD10CM/HCPCS/LOINC/SNOMED CT
	733623005, 735549008, 735550008, 737225007,
	762327001, 762332000, 762347009, 762509000,
	762516004, 765176007, 766824003, 767631007,
	767632000, 767633005, 767635003, 767636002,
	770790004, 771448004, 771512003, 782501005,
	783089006, 789061003, 789399002, 870260008,
	870261007, 870262000, 870263005, 870264004,
	870265003, 870266002, 870267006, 870268001,
	870269009, 870270005, 870280009, 870282001,
	870303005, 870304004, 870305003, 870306002,
	870307006, 870308001, 1153575004, 251000119105,
	261000119107, 271000119101, 281000119103,
	7031000119100, 18491000119109, 21071000119101,
	21831000119109, 22641000119109, 22981000119106,
	23601000119102, 23741000119105, 31081000119101,
	39951000119105, 60401000119104, 62211000119103,
	62231000119108, 89381000119107, 89501000119108,
	92501000119101, 94631000119100, 97571000119109,
	104851000119103, 130121000119104, 133091000119105,
	133121000119109, 153071000119108, 270291000119109,
	288271000119103, 288421000119100, 288511000119108,
	288751000119101, 288851000119106, 288861000119108,
	368361000119108, 1740001000004102, 0811121000119102,
	10811161000119107, 16238741000119105, 16264621000119109,
	16264821000119108, 16264901000119109, 16265061000119105,
	16265301000119106,
	16265951000119109, 16266831000119100, 6266991000119108

**Note:** The codes listed are informational only; this information does not guarantee reimbursement.

## Immunizations for Adolescents (IMA-E)

illilionizations for Adolescents (IMA-E)	
Description	CPT/CVX/SNOMED CT
Meningococcal	<b>CVX:</b> 32, 108, 114, 136, 147, 167, 203
immunization	
Meningococcal	<b>CPT:</b> 90619, 90733, 90734
vaccine procedure	<b>SNOMED CT:</b> 390892002, 428271000124109
Tdap immunization	CVX:115
Tdap vaccine	<b>CPT:</b> 90715
procedure	<b>SNOMED CT:</b> 428251000124104
HPV immunization	<b>CVX</b> : 62, 118, 137, 165
HPV vaccine	<b>CPT:</b> 90649, 90650, 90651
procedure	<b>SNOMED CT:</b> 428570002, 428741008, 428931000, 429396009
	734152003, 734154002, 99501000119107, 140611000119104, 16300531000119107
CDC race and	1002-5: American Indian or Alaska Native
ethnicity	2028-9: Asian
	2054-5: Black or African American
	2076-8: Native Hawaiian or Other Pacific Islander
	2106-3: White
	2135-2: Hispanic or Latino

Description	CPT/CVX/SNOMED CT
	2186-5: Not Hispanic or Latino

**Note:** The codes listed are informational only; this information does not guarantee reimbursement.

Postpartum Depression Screening and Follow-Up (PDS-E)

Description	CPT/ HCPCS/SNOMED/ICD10PCS
Behavioral health encounter	<b>CPT:</b> 90791, 90792, 90832, 90833, 90834, 90836, 90837, 90838, 90839, 90845, 90846, 90847, 90849, 90853, 90865, 90867, 90868, 90869, 90870, 90875, 90876, 90880, 90887, 99484, 99492, 99493 <b>HCPCS:</b> G0155, G0176, G0177, G0409, G0410, G0411, G0511, G0512, H0002, H0004, H0031, H0034, H0035, H0036, H0037, H0039, H0040, H2000, H2001, H2010, H2011, H2012, H2013, H2014, H2015, H2016, H2017, H2018, H2019, H2020, S0201, S9480, S9484, S9485 <b>SNOMED CT:</b> 5694008, 10197000, 10997001, 38756009, 45392008, 79094001, 88848003, 90407005, 91310009, 165171009, 165190001, 225337009, 370803007, 372067001, 385721005, 385724002, 385725001, 385726000, 385727009, 385887004, 385889001,385890005, 401277000, 410223002, 410224008, 410225009,410226005, 410227001, 410228006, 410229003, 410230008,410231007, 410232000, 410233005, 410234004, 439141002
Symptoms of depression (finding)	<b>SNOMED CT:</b> 394924000, 788976000
Depression case manager encounter	CPT: 99366, 99492, 99493, 99494 HCPCS: G0512, T1016, T1017, T2022, T2023 SNOMED CT: 182832007, 225333008, 385828006, 386230005, 409022004, 410216003, 410219005, 410328009, 410335001, 410346003, 410347007, 410351009, 410352002, 410353007, 410354001, 410356004, 410360001, 410363004, 410364005, 410366007, 416341003, 416584001, 424490002, 425604002 737850002
Depression or other behavioral health condition	<b>ICD10PCS:</b> F01.511, F01.518, F06.4, F10.180, F10.280, F10.980, F11.188, F11.288, F11.988, F12.180, F12.280, F12.980, F13.180, F13.280, F13.980, F14.180, F14.280, F14.980, F15.180, F15.280, F15.980, F16.180, F16.280, F16.980, F18.180, F18.280, F18.980, F19.180, F19.280, F19.980, F20.0, F20.1, F20.2, F20.3, F20.5, F20.81, F20.89, F20.9, F21, F22, F23, F24, F25.0, F25.1, F25.8, F25.9, F28, F29, F30.10, F30.11, F30.12, F30.13, F30.2, F30.3, F30.4, F30.8, F30.9, F31.0, F31.10, F31.11, F31.12, F31.13, F31.2, F31.30, F31.31, F31.32, F31.4, F31.5, F31.60, F31.61, F31.62, F31.63, F31.64, F31.70, F31.71, F31.72, F31.73, F31.74, F31.75, F31.76, F31.77, F31.78, F31.81, F31.89, F31.9, F32.0, F32.1, F32.2, F32.3, F32.4, F32.5, F32.81, F32.89, F32.9, F33.0, F33.1, F33.2, F33.3, F33.40, F33.41, F33.42, F33.8, F33.9, F34.0, F34.1, F34.81, F34.89, F34.9, F39, F40.00, F40.01, F40.02, F40.10, F40.11, F40.210, F40.218, F40.220, F40.228, F40.230, F40.231, F40.232, F40.233, F40.240, F40.241, F40.242, F40.243, F40.248, F40.290, F40.291, F40.298,

Description	CPT/ HCPCS/SNOMED/ICD10PCS
Description	CP1/ HCPCS/SNOMED/ICD10PCS
	F40.8, F40.9, F41.0, F41.1, F41.3, F41.8, F41.9, F42.2, F42.3, F42.4, F42.8,
	F42.9, F43.0, F43.10, F43.11, F43.12, F43.20, F43.21, F43.22, F43.23, F43.24,
	F43.25, F43.29, F43.81, F43.89, F43.9, F44.89, F45.21, F51.5, F53.0, F53.1,
	F60.0, F60.1, F60.2, F60.3, F60.4, F60.5, F60.6, F60.7, F60.81, F60.89,
	F60.9, F63.0, F63.1, F63.2, F63.3, F63.81, F63.89, F63.9, F68.10, F68.11,
	F68.12, F68.13, F68.8, F68.A, F84.0, F84.2, F84.3, F84.5, F84.8, F84.9, F90.0,
	F90.1, F90.2, F90.8, F90.9, F91.0, F91.1, F91.2, F91.3, F91.8, F91.9, F93.0,
	F93.8, F93.9, F94.0, F94.1, F94.2, F94.8, F94.9, O90.6, O99.340, O99.341,
	099.342, 099.343, 099.344, 099.345
	<b>SNOMED CT:</b> 109006, 162004, 281004, 600009, 832007, 899001,
	1145003, 1196001, 1376001, 1380006, 1383008, 1499003, 1686006,
	1816003, 1855002, 1973000, 2312009, 2403008, 2506003, 2618002,
	2815001, 3109008, 3158007, 3503000, 3530005, 3914008, 4306003,
	4441000, 4926007, 4932002, 4997005, 5095008, 5158005, 5444000,
	5464005, 5507002, 5509004, 5510009, 5703000, 6348008, 7025000,
	7052005, 7200002, 7291006, 7397008, 7461003, 7794004, 8185002,
	8635005, 8837000, 9167000, 9340000, 9674006, 9760005, 10278007,
	10327003, 10586006, 10875004, 10981006, 11061003, 11806006,
	11941006, 12939007, 12969000, 13313007, 13438001, 13581000,
	13601005, 13670005, 13746004, 14070001, 14077003, 14144000,
	14183003, 14291003, 14495005, 14784000, 15193003, 15277004,
	15639000, 15945005, 15977008, 16295005, 16506000, 16805009,
	16966009, 16990005, 17155009, 17226007, 17262008,
	17496003,17782008, 17961008, 18003009, 18085000, 18260003,
	18478005,18573003, 18653004, 18689007, 18818009, 18941000,
	19300006,19445006, 19527009, 19694002, 19766004, 20010003,
	20250007, 20385005, 20876004, 20960007, 21586000, 21634003,
	21897009, 21900002, 22121000, 22230001, 22407005, 22419002,
	23148009, 23560001, 23645006, 24121004, 24125008, 24315006,
	24781009, 25501002, 25766007, 25922000, 26025008, 26203008,
	26453000, 26472000, 26516009, 26530004, 26665006, 26714005,
	27387000, 27544004, 27720003, 27956007, 28357009, 28368009,
	28475009, 28663008, 28676002, 28857002, 28864000, 28884001,
	29212009, 29599000, 29733004, 29929003, 30059008, 30310000,
	30336007, 30491001, 30509009, 30520009, 30605009, 30687003,
	30935000, 31027006, 31177006, 31358003, 31373002, 31446002,
	31611000, 31648009, 31658008, 31715000, 31781004, 32009006,
	32174002, 32358001, 32388005, 32552001, 32721004, 32875003,
	32880007, 33078009, 33135002, 33323008, 33380008, 33449004,
	33693007, 33736005, 33871004, 34116005, 34315001, 34938008,
	35218008, 35252006, 35253001, 35481005, 35489007, 35607004,
	35722002, 35827000, 35846004, 35919005, 36170009, 36217008,
	36474008,36583000, 36622002, 36923009, 37331004, 37739004,
	37746008, 37868008, 37872007, 37941009, 38295006, 38328002,
	38368003, 38451003, 38547003, 38694004, 39003006, 39465007,
	39610001, 39807006, 39809009, 39951001, 40379007, 40568001,
	40571009, 40673001, 40926005, 40987004, 41021005, 41083005,
	41526007, 41552001, 41832009, 41836007, 42344001, 42594001,
	42810003, 42868002, 42925002, 43150009, 43497001, 43568002,
The codes and measur	re tips listed are informational only, not clinical guidelines or standards of medical care, and

Description	CPT/ HCPCS/SNOMED/ICD10PCS
Description	43614003, 43769008, 44031002, 44124003, 44376007, 44966003, 45479006, 45677003, 45912004, 46206005, 46229002, 46244001, 46721000, 46975003, 47372000, 47447001, 47505003, 47664006, 47916000, 48500005, 48589009, 48826008, 48937005, 49271002, 49468007, 49481000, 49512000, 49564006, 50026000, 50320000, 50705009, 50722006, 50878001, 50933003, 50983008, 51133006, 51443000, 51493001, 51637008, 51771007, 52702003, 52824009, 52866005, 52910006, 52954000, 53049002, 53050002, 53467004, 53607008, 53936005, 53956006, 54319003, 54417002, 54502004, 54587008, 54761006, 55009008, 55341008, 55516002, 55668003, 55967005, 56576003, 56627002, 56641006, 56882008, 57194009, 57588009, 57715001, 58214004, 58329000, 58535001, 58647003, 58703003, 59216005, 59617007, 59645001, 59651006, 59923000, 60099002, 60123008, 61104008, 61144001, 61157009, 61180001,
	61212007, 61403008, 61569007, 61831009, 61901004, 62239001, 62351001, 63181006, 63204009, 63249007, 63393005, 63412003, 63649001, 63701002, 63778009, 63909006, 63983005, 64060000, 64165008, 64731001, 64905009, 65042007, 65064003, 66307007, 66344007, 66347000, 66381006, 66590003, 66631006, 66936004, 67002003, 67123006, 67195008, 67711008, 68019004, 68569003, 68618008, 68890003, 68963006, 68995007, 69322001, 69361009, 69392006, 69479009, 69482004, 70328006, 70546001, 70691001, 70747007, 70814008, 70932007, 71103003, 71294008, 71328000, 71336009, 71787009, 71959007, 71961003, 71984005, 72366004, 72861004, 73097000, 73462009, 73471000, 73867007, 74010007, 74266001, 74686005, 74732009, 74850006, 74934004, 75084000, 75122001, 75360000, 75752004, 75837004, 76105009, 76129002,
	76236006, 76441001, 76566000, 76812003, 76868007, 77355000, 77475008, 77486005, 77675002, 77815007, 77911002, 78004001, 78269000, 78358001, 78640000, 78667006, 79204003, 79298009, 79524000, 79584002, 79842004, 79866005, 80711002, 80868005, 81319007, 81463002, 82096005, 82218004, 82339009, 82415003, 82494000, 82738004, 82998009, 83168008, 83176005, 83225003, 83253003, 83367009, 83458005, 83501007, 83631006, 83746006, 83890006, 84466009, 84760002, 84788008, 84984002, 85061001, 85080004, 85248005, 85561006, 85821003, 85861002, 86058007, 87132004, 87203005, 87414006, 87512008, 87798009, 87842000, 87950005, 87991007, 88740003, 88845000, 88939009, 88975006,
The codes and measure t	89415002, 89451009, 89618007, 89948007, 90755006, 90790003, 93461009, 95637005, 106013002, 106014008, 106015009, 109805003, 111475002, 111476001, 111477005, 111479008, 111480006, 111482003, 111483008, 111484002, 111485001, 111487009, 111490003, 111491004, 126943008, 128293007, 129104009, 129604005, 129606007, 162218007, 162313000, 162702000, 162722001, 187921002, 191447007, 191455000, 191457008, 191458003, 191459006, 191466007, 191471000, 191475009, 191476005, 191478006, 191480000, 191483003, 191484009, 191485005, 191486006, 191492000, 191493005, 191494004, 191495003, 191496002,191499009, 191501001, 191508007, 191526005, 191527001, 191531007, 191542003, 191547009, 191548004, 191554003, 191555002, ips listed are informational only, not clinical guidelines or standards of medical care, and

Description	CPT/ HCPCS/SNOMED/ICD10PCS
Description	191559008, 191561004, 191562006, 191563001, 191564007, 191565008, 191567000, 191569002, 191570001, 191571002, 191572009, 191574005, 191577003, 191583000, 191584006, 191586008, 191588009, 191590005, 191592002, 191593007, 191595000, 191597008, 191604000, 191611000, 191611001, 191613003, 191616006, 191618007, 191620005, 191621009, 191623007, 191625000, 191627008, 191629006, 191630001, 191634005, 191636007, 191638008, 91639000, 191641004, 191643001, 191659001, 191667009, 191668004, 191670008, 191672000, 191676002, 191678001, 191680007, 191687005, 191689008, 191692007, 191693002, 191696005, 191697001, 191714002, 191722009, 191724005, 191725006, 191726007, 191736004, 191737008, 191738003, 191753006, 191765005, 191766006, 191772006, 191773001, 191774007, 191787001, 191811004, 191812006, 191813001, 191966002, 192014006, 192037000, 192038005, 192039002, 192041001, 192042008, 192044009, 192046006, 192049004, 192051000, 192052007, 192054008, 192056005, 192057001, 192058006, 192061007, 192063005,192064004, 192082001, 192092009, 192072002, 192073007, 192100008, 1921080001, 19210004, 192110004, 192119003, 192127007, 192131001, 192132008, 192147004, 192362008, 19257004, 192562009, 192611004, 192616009, 192631000, 197480006, 199257008, 199259006, 199260001, 199261002, 199262009, 229623002, 229699006, 229700007, 229701006, 229715008, 229729009, 229740001, 231442003, 231443008, 230334008, 230455006, 231437006, 231438001, 231442003, 231443008,
	199260001, 199261002, 199262009, 229623002, 229699006, 229700007, 229701006, 229715008, 229729009, 229740001, 229744005, 229745006,
The codes and measure	278652008, 278653003, 279611003, 280032002, 280943007, 280949006, 280994000, 286933003, 300706003, 300979000, 301643003, 302507002, 307417003, 310495003, 310496002, 310497006, 311173003, 312098001, 312936002, 313182004, 313224008, 313915006, 317816007, 318784009, 319768000, 320751009, 357705009, 370143000, 371024007, 371026009, 371596008, 371599001, 371600003, 371604007, 371631005, 373618009, 386701004, 386810004, 386820009, 386821008, 38682200, 386823006, 386824000, 386825004, 398066007, 402732001, 402733006, 402735004, 403578003, 403579006, 403590001, 403593004, 403594005, 403595006, 404906000, 406506008, 408856003, 408857007, 416340002, 417143004, 417294004, 420774007, 425914008, tips listed are informational only, not clinical guidelines or standards of medical care, and

Description	CPT/ HCPCS/SNOMED/ICD10PCS
	425919003, 426174008, 426881004, 427469003, 427975003, 428687006, 428703001, 429672007, 430744005, 430751001, 430852001, 430909002, 432091002, 439960005, 441704009, 441711008, 441716003, 441833000, 442057004, 442245003, 442314000, 442351006, 443919007, 446175003, 46180007, 450714000, 473452003, 473456000, 473457009, 609225004, 698689005, 69869001, 698692009, 698693004, 698696007, 698697003, 698699000, 698700004, 698701000, 698946008, 698947004, 698951002, 699241002, 702356009, 702450004, 702732007, 702815001, 708037001, 712823008, 712824002, 712850003, 712884004, 713491003, 713583005, 713862009, 714829008, 715737004, 715924009, 716096005, 716199000, 716578009, 718393002, 719592004, 719600006, 720451004, 720452006, 720453001, 720454007, 720455008, 722287002, 723332005, 723899008, 723900003, 723901004, 723903001, 723905008, 723913009, 724673008, 724730008, 724739009, 724740006, 724718002, 724737006, 724738001, 724745000, 724740006, 72473003, 726772006, 733623005, 735549008, 7355550008, 737225007, 763327001, 762332000, 762337000, 762359000, 762509000, 762516004, 765176007, 766824003, 767631007, 767632000, 767633005, 787050004, 7771448004, 771512003, 782501005, 783089006, 789061003, 780399002, 8702650008, 8702650008, 8702650008, 8702650008, 8702660008, 8702660008, 8702660008, 8702660008, 870269009, 8702670005, 870280009, 870280009, 870280009, 870280009, 870280009, 870280009, 870280009, 870280009, 87028000119100, 18491000119107, 271000119101, 2813000119103, 7031000119104, 133091000119105, 22981000119107, 89501000119104, 62211000119104, 43309100119109, 22981000119107, 104851000119104, 62211000119103, 36231000119109, 288271000119107, 104851000119104, 288861000119108, 368361000119109, 153071000119109, 288871000119109, 1528741000119109, 18266831000119109, 15265301000119104, 13266831000119109, 15265301000119104, 16265301000119104, 16265301000119104, 16266831000119109, 16266831000119109, 16266831000119109, 16266831000119109, 16266831000119109, 16266831000119100,
Deliveries	16266991000119108  CPT: 59400, 59409, 59410, 59510, 59514, 59515, 59610, 59612, 59614, 59618, 59620, 59622  ICD10PCS: 10D00Z0, 10D00Z1, 10D00Z2, 10D07Z3, 10D07Z4, 10D07Z5, 10D07Z6, 10D07Z7, 10D07Z8, 10E0XZZ  SNOMED CT: 4504004, 5556001, 10745001, 11466000, 14119008,15413009, 16819009, 17860005, 18625004, 19390001, 22633006,25296001, 25828002, 26313002, 28542003, 28860009, 29613008, 30476003, 33807004, 38479009, 40219000, 40704000, 40792007,41059002, 45718005, 48204000, 54973000, 57271003, 58705005,61586001, 62508004, 65243006, 69422002, 71166009,

Description	CPT/ HCPCS/SNOMED/ICD10PCS
	72492007, 75928003, 84195007, 85403009, 89053004, 89346004, 89849000, 90438006, 177141003, 177142005, 177143000, 177152009, 177157003, 177158008, 177161009, 177162002, 177164001, 177167008, 177168003, 177170007, 177173009, 177174003, 177175002, 177176001, 177179008, 177180006, 177181005, 177184002, 177185001, 236974004, 236975003, 236976002, 236977006, 236978001, 236980007, 236981006, 236982004,236983009, 236984003, 236985002, 236986001, 236987005, 236988000, 236989008, 236990004, 237311001, 265639000,274130007, 275168001, 275169009, 288042004, 288193006, 302382009, 302383004, 306727001, 359940006, 359943008, 384729004, 384730009, 398307005, 416055001, 417121007, 450483001, 450484007, 450798003, 699999008, 700000006, 709004006, 734275002, 734276001, 736018001, 736020003, 736026009, 736118004, 788180009

Description	LOINC
Beck Depression Inventory Fast Screen total score	89208-3
Beck Depression Inventory II total score	89209-1
Center for Epidemiologic Studies Depression Scale — Revised total score	89205-9
Edinburgh Postnatal Depression Scale total score	71354-5
My Mood Monitor total score	71777-7
Patient Health Questionnaire 2 item (PHQ-2) total score	55758-7
Patient Health Questionnaire 9 item (PHQ-9) total score	44261-6
Patient Health Questionnaire 9: Modified for teens total score	89204-2
PROMIS 29 Depression score total score	71965-8
Clinically Useful Depression Outcome Scale (CUDOS) total score	90221-3
Duke Anxiety-Depression Scale (DADS) total score	90853-3
Description	HCPCS
Screening for depression is documented as negative; a follow-up plan is not required	G8510
Screening for depression is documented as being positive, and a follow-up plan is documented	G8431
Screening for depression documented as positive, follow-up plan not documented, reason not given	G8511

Note: The codes listed are informational only; this information does not guarantee reimbursement.

Prenatal Depression Screening and Follow-up (PND-E)

Description	CPT/ HCPCS/SNOMED CT/ICD10
37 weeks gestation	ICD10CM: Z3A.37
	<b>SNOMED CT:</b> 43697006
38 weeks gestation	ICD10CM: Z3A.38
	<b>SNOMED CT:</b> 13798002
39 weeks gestation	ICD10CM: Z3A.39
	<b>SNOMED CT:</b> 80487005

Description	CPT/ HCPCS/SNOMED CT/ICD10
40 weeks gestation	ICD10CM: Z3A.40 SNOMED CT: 46230007
41 weeks gestation	ICD10CM: Z3A.41 SNOMED CT: 63503002
42 weeks gestation	ICD10CM: Z3A.42 SNOMED CT: 36428009
Greater than 42 weeks gestation	ICD10CM: Z3A.49
Weeks of Gestation Less Than 37	ICD10CM: Z3A.01, Z3A.08, Z3A.09, Z3A.10, Z3A.11, Z3A.12, Z3A.13, Z3A.14, Z3A.15, Z3A.16, Z3A.17, Z3A.18, Z3A.19, Z3A.20, Z3A.21, Z3A.22, Z3A.23, Z3A.24, Z3A.25, Z3A.26, Z3A.27, Z3A.28, Z3A.29, Z3A.30, Z3A.31, Z3A.32, Z3A.33, Z3A.34, Z3A.35, Z3A.36  SNOMED CT: 931004, 6678005, 15633004, 23464008, 25026004, 26690008, 37005007, 38039008, 41438001, 44398003, 46906003, 48688005, 50367001, 54318006, 57907009, 62333002, 63110000, 65035007, 65683006, 72544005, 72846000, 74952004, 79992004, 82118009, 86801005, 86883006, 87178007, 313178001, 313179009, 428058009, 428566005, 428567001, 428930004
Length of gestation at birth (observable entity)	<b>SNOMED CT:</b> 412726003
Behavioral health encounter	<b>CPT:</b> 90791, 90792, 90832, 90833, 90834, 90836, 90837, 90838, 90839, 90845, 90846, 90847, 90849, 90853 90865, 90867, 90868, 90869, 90870, 90875, 90876 90880, 90887, 99484, 99492, 99493 <b>HCPCS:</b> G0155, G0176, G0177, G0409, G0410, G0411, G0511, G0512, H0002, H0004, H0031, H0034, H0035, H0036, H0037, H0039, H0040, H2000, H2001, H2010, H2011, H2012, H2013, H2014, H2015, H2016, H2017, H2018, H2019, H2020, S0201, S9480, S9484, S9485 <b>SNOMED:</b> 5694008, 10197000, 10997001, 38756009, 45392008, 79094001, 88848003, 90407005, 91310009, 165171009, 165190001, 225337009, 370803007, 372067001, 385721005, 385724002, 385725001, 385726000, 385727009, 385887004, 385889001, 385890005, 401277000, 410223002, 410224008, 410225009, 410226005, 410227001, 410228006, 410229003, 410230008, 410231007, 410232000, 410233005, 410234004, 439141002
Symptoms of depression (finding)	<b>SNOMED CT:</b> 394924000, 788976000
Depression case manager encounter	<b>CPT:</b> 99366, 99492, 99493, 99494 <b>HCPCS:</b> G0512, T1016, T1017, T2022, T2023 <b>SNOMED CT:</b> 182832007, 225333008, 385828006, 386230005,

Description	CPT/ HCPCS/SNOMED CT/ICD10
	409022004, 410216003, 410219005, 410328009, 410335001,
	410346003, 410347007, 410351009, 410352002, 410353007,
	410354001, 410356004, 410360001, 410363004, 410364005,
	410366007, 416341003, 416584001, 424490002, 425604002 737850002
Depression or other	ICD10PCS: F01.511, F01.518, F06.4, F10.180, F10.280, F10.980, F11.188,
behavioral health	F11.288, F11.988, F12.180, F12.280, F12.980, F13.180, F13.280,
condition	F13.980, F14.180, F14.280, F14.980, F15.180, F15.280, F15.980,
Condition	F16.180, F16.280, F16.980, F18.180, F18.280, F18.980, F19.180,
	F19.280, F19.980, F20.0, F20.1, F20.2, F20.3, F20.5, F20.81, F20.89
	F20.9, F21, F22, F23, F24, F25.0, F25.1, F25.8, F25.9, F28, F29,
	F30.10, F30.11, F30.12, F30.13, F30.2, F30.3, F30.4, F30.8, F30.9,
	F31.0, F31.10, F31.11, F31.12, F31.13, F31.2, F31.30, F31.31, F31.32,
	F31.4, F31.5, F31.60, F31.61, F31.62, F31.63, F31.64, F31.70, F31.71,
	F31.72, F31.73, F31.74, F31.75, F31.76, F31.77, F31.78, F31.81,
	F31.89, F31.9, F32.0, F32.1, F32.2, F32.3, F32.4, F32.5,
	F32.81, F32.89, F32.9, F32.A, F33.0, F33.1, F33.2, F33.3, F33.40,
	F33.41, F33.42, F33.8, F33.9, F34.0, F34.1, F34.81, F34.89,
	F34.9, F39, F40.00, F40.01, F40.02, F40.10, F40.11, F40.210,
	F40.218, F40.220, F40.228, F40.230, F40.231, F40.232, F40.233,
	F40.240, F40.241, F40.242, F40.243, F40.248, F40.290, F40.291,
	F40.298, F40.8, F40.9, F41.0, F41.1, F41.3, F41.8, F41.9, F42.2,
	F42.3, F42.4, F42.8, F42.9, F43.0, F43.10, F43.11, F43.12, F43.20, F43.21, F43.22, F43.23, F43.24, F43.25, F43.29, F43.81, F43.89, F43.9, F44.89,
	F45.21, F43.22, F43.23, F43.24, F43.25, F43.29, F43.01, F43.09, F43.9, F44.09, F45.21, F51.5, F53.0, F53.1, F60.0, F60.1, F60.2, F60.3, F60.4,
	F60.5, F60.6, F60.7, F60.81, F60.89, F60.9, F63.0, F63.1, F63.2,
	F63.3, F63.81, F63.89, F63.9, F68.10, F68.11, F68.12, F68.13, F68.8,
	F68.A, F84.0, F84.2, F84.3, F84.5, F84.8, F84.9, F90.0, F90.1, F90.2,
	F90.8, F90.9, F91.0, F91.1, F91.2, F91.3, F91.8, F91.9, F93.0, F93.8,
	F93.9, F94.0, F94.1, F94.2, F94.8, F94.9, O90.6, O99.340, O99.341,
	099.342, 099.343, 099.344, 099.345
	<b>SNOMED CT:</b> 109006, 162004, 281004, 600009, 832007, 899001,
	1145003, 1196001, 1376001, 1380006, 1383008, 1499003, 1686006,
	1816003, 1855002, 1973000, 2312009, 2403008, 2506003, 2618002,
	2815001, 3109008, 3158007, 3503000, 3530005, 3914008, 4306003,
	4441000, 4926007, 4932002, 4997005, 5095008, 5158005, 5444000,
	5464005, 5507002, 5509004, 5510009, 5703000, 6348008, 7025000,
	7052005, 7200002, 7291006, 7397008, 7461003, 7794004, 8185002,
	8635005, 8837000, 9167000, 9340000, 9674006, 9760005, 10278007,
	10327003, 10586006, 10875004, 10981006, 11061003, 11806006,
	11941006, 12939007, 12969000, 13313007, 13438001, 13581000,
	13601005, 13670005, 13746004, 14070001, 14077003, 14144000, 14183003, 14291003, 14495005, 14784000, 15193003, 15277004,
	15639000, 15945005, 15977008, 16295005, 16506000, 16805009,
	16966009, 16990005, 17155009, 17226007, 17262008, 17496003,
	10700007, 107700005, 17100007, 17220007, 17202000, 174700005,

Description	CPT/ HCPCS/SNOMED CT/ICD10
	17782008, 17961008, 18003009, 18085000, 18260003, 18478005,
	18573003, 18653004, 18689007, 18818009, 18941000, 19300006,
	19445006, 19527009, 19694002, 19766004, 20010003, 20250007,
	20385005, 20876004, 20960007, 21586000, 21634003, 21897009,
	21900002, 22121000, 22230001, 22407005, 22419002, 23148009,
	23560001, 23645006, 24121004, 24125008, 24315006, 24781009,
	25501002, 25766007, 25922000, 26025008, 26203008, 26453000,
	26472000, 26516009, 26530004, 26665006, 26714005, 27387000,
	27544004, 27720003, 27956007, 28357009, 28368009, 28475009,
	28663008, 28676002, 28857002, 28864000, 28884001, 29212009,
	29599000, 29733004, 29929003, 30059008, 30310000, 30336007,
	30491001, 30509009, 30520009, 30605009, 30687003, 30935000
	31027006, 31177006, 31358003, 31373002, 31446002, 31611000,
	31648009, 31658008, 31715000, 31781004, 32009006, 32174002,
	32358001, 32388005, 32552001, 32721004, 32875003, 32880007,
	33078009, 33135002, 33323008, 33380008, 33449004, 33693007,
	33736005, 33871004, 34116005, 34315001, 34938008, 35218008,
	35252006, 35253001, 35481005, 35489007, 35607004, 35722002,
	35827000, 35846004, 35919005, 36170009, 36217008, 36474008,
	36583000, 36622002, 36923009, 37331004, 37739004, 37746008,
	37868008, 37872007, 37941009, 38295006, 38328002, 38368003,
	38451003, 38547003, 38694004, 39003006, 39465007, 39610001,
	39807006, 39809009, 39951001, 40379007, 40568001, 40571009,
	40673001, 40926005, 40987004, 41021005, 41083005, 41526007,
	41552001, 41832009, 41836007, 42344001, 42594001, 42810003,
	42868002, 42925002, 43150009, 43497001, 43568002, 43614003,
	43769008, 44031002, 44124003, 44376007, 44966003, 45479006,
	45677003, 45912004, 46206005, 46229002, 46244001, 46721000,
	46975003, 47372000, 47447001, 47505003, 47664006, 47916000,
	48500005, 48589009, 48826008, 48937005, 49271002, 49468007,
	49481000, 49512000, 49564006, 50026000, 50320000, 50705009,
	50722006, 50878001, 50933003, 50983008, 51133006, 51443000,
	51493001, 51637008, 51771007, 52702003, 52824009, 52866005,
	52910006, 52954000, 53049002, 53050002, 53467004, 53607008,
	53936005, 53956006, 54319003, 54417002, 54502004, 54587008,
	54761006, 55009008, 55341008, 55516002, 55668003, 55967005,
	56576003, 56627002, 56641006, 56882008, 57194009, 57588009,
	57715001, 58214004, 58329000, 58535001, 58647003, 58703003,
	59216005, 59617007, 59645001, 59651006, 59923000, 60099002,
	60123008, 61104008, 61144001, 61157009, 61180001, 61212007,
	61403008, 61569007, 61831009, 61901004, 62239001, 62351001,
	63181006, 63204009, 63249007, 63393005, 63412003, 63649001,
	63701002, 63778009, 63909006, 63983005, 64060000, 64165008,
	64731001, 64905009, 65042007, 65064003, 66307007, 66344007,
	66347000, 66381006, 66590003, 66631006, 66936004, 67002003,
	1

Description	CPT/ HCPCS/SNOMED CT/ICD10
•	67123006, 67195008, 67711008, 68019004, 68569003, 68618008,
	68890003, 68963006, 68995007, 69322001, 69361009, 69392006,
	69479009, 69482004, 70328006, 70546001, 70691001, 70747007,
	70814008, 70932007, 71103003, 71294008, 71328000, 71336009,
	71787009, 71959007, 71961003, 71984005, 72366004, 72861004,
	73097000, 73462009, 73471000, 73867007, 74010007, 74266001,
	74686005, 74732009, 74850006, 74934004, 75084000, 75122001,
	75360000, 75752004, 75837004, 76105009, 76129002, 76236006,
	76441001, 76566000, 76812003, 76868007, 77355000, 77475008,
	77486005, 77675002, 77815007, 77911002, 78004001, 78269000,
	78358001, 78640000, 78667006, 79204003, 79298009, 79524000,
	79584002, 79842004, 79866005, 80711002, 80868005, 81319007,
	81463002, 82096005, 82218004, 82339009, 82415003, 82494000,
	82738004, 82998009, 83168008, 83176005, 83225003, 83253003,
	83367009, 83458005, 83501007, 83631006, 83746006, 83890006,
	84466009, 84760002, 84788008, 84984002, 85061001, 85080004,
	85248005, 85561006, 85821003, 85861002, 86058007, 87132004,
	87203005, 87414006, 87512008, 87798009, 87842000, 87950005,
	87991007, 88740003, 88845000, 88939009, 88975006, 89415002,
	89451009, 89618007, 89948007, 90755006, 90790003, 93461009,
	95637005, 106013002, 106014008, 106015009, 109805003,
	111475002, 111476001, 111477005, 111479008, 111480006, 111482003, 111483008, 111484002, 111485001, 111487009,
	111490003, 111491004, 126943008, 128293007, 129104009,
	129604005, 129606007, 162218007, 162313000, 162702000,
	162722001, 187921002, 191447007, 191455000, 191457008,
	191458003, 191459006, 191466007, 191471000, 191475009,
	191476005, 191478006, 191480000, 191483003, 191484009,
	191485005, 191486006, 191492000, 191493005, 191494004,
	191495003, 191496002,191499009, 191501001, 191508007,
	191526005, 191527001, 191531007, 191542003, 191547009,
	191548004, 191554003, 191555002, 191559008, 191561004,
	191562006, 191563001, 191564007, 191565008, 191567000,
	191569002, 191570001, 191571002, 191572009, 191574005
	191577003, 191583000, 191584006, 191586008, 191588009,
	191590005, 191592002, 191593007, 191595000, 191597008,
	191604000, 191610000, 191611001, 191613003, 191616006,
	191618007, 191620005, 191621009, 191623007, 191625000,
	191627008, 191629006, 191630001, 191634005, 191636007,
	191638008, 91639000, 191641004, 191643001, 191659001,
	191667009, 191668004, 191670008, 191672000, 191676002,
	191678001, 191680007, 191687005, 191689008, 191690004,
	191692007, 191693002, 191696005, 191697001, 191714002,
	191722009, 191724005, 191725006, 191726007, 191736004,
	191737008, 191738003, 191753006, 191765005, 191766006,

Description	CPT/ HCPCS/SNOMED CT/ICD10
•	404770007 404777004 404774007 404707004 404044004
	191772006, 191773001, 191774007, 191787001, 191811004,
	191812006, 191813001, 191966002, 192014006, 192037000,
	192038005, 192039002, 192041001, 192042008, 192044009,
	192046006, 192049004, 192051000, 192052007, 192054008,
	192056005, 192057001, 192058006, 192061007, 192063005,
	192064004, 192065003, 192069009, 192072002, 192073007,
	192079006, 192080009, 192082001, 192092009, 192097003,
	192099000, 192100008, 192108001, 192110004, 192119003,
	192127007, 192131001, 192132008, 192147004, 192362008,
	192527004, 192562009, 192611004, 192616009, 192631000,
	197480006, 199257008, 199259006, 199260001, 199261002,
	199262009, 229623002, 229699006, 229700007, 229701006,
	229715008, 229729009, 229740001, 229744005, 229745006,
	230334008, 230455006, 231437006, 231438001, 231442003,
	231443008, 231444002, 231445001, 231446000, 231449007,
	231450007, 231451006, 231452004, 231453009, 231454003,
	231455002, 231456001, 231467000, 231485007, 231487004,
	231489001, 231494001, 231496004, 231500002, 231504006,
	231516000, 231520001, 231521002, 231522009, 231523004,
	231524005, 231525006, 231526007, 231527003, 231528008,
	231530005, 231536004, 231537008, 231538003, 231539006,
	231540008, 231541007, 231542000, 231864002, 233690008,
	237351003, 237352005, 238961003, 238966008, 238967004,
	238972008, 238973003, 238974009, 238975005, 238976006,
	238977002, 238978007, 238979004, 247803002, 247804008,
	267320004, 268612007, 268617001, 268619003, 268621008,
	268622001, 268624000, 268633003, 268634009, 268658008,
	268661009, 268662002, 268664001, 268666004, 268667008,
	268668003, 268669006, 268673009, 268734000, 270901009,
	270902002, 270905000, 271428004, 271952001, 274948002,
	274952002, 274953007, 275473003, 275474009, 276296007,
	276297003, 278506006, 278508007, 278852008, 278853003,
	279611005, 280032002, 280943007, 280949006, 280994000,
	286933003, 300706003, 300979000, 301643003, 302507002,
	307417003, 310495003, 310496002, 310497006, 311173003,
	312098001, 312936002, 313182004, 313224008, 313915006,
	317816007, 318784009, 319768000, 320751009, 357705009,
	370143000, 371024007, 371026009, 371596008, 371599001,
	371600003, 371604007, 371631005, 373618009, 386701004,
	386810004, 386820009, 386821008, 38682200, 386823006,
	386824000, 386825004, 398066007, 402732001, 402733006,
	402735004, 403578003, 403579006, 403590001, 403593004,
	403594005, 403595006, 404906000, 406506008, 408856003,
	408857007, 416340002, 417143004, 417294004, 420774007,
	425914008, 425919003, 426174008, 426881004, 427469003,
<u> </u>	

Description	CPT/ HCPCS/SNOMED CT/ICD10
Deliveries	<b>CPT:</b> 59400, 59409, 59410, 59510, 59514, 59515, 59610,
	59612, 59614, 59618, 59620, 59622
	ICD10PCS: 10D00Z0, 10D00Z1, 10D00Z2, 10D07Z3, 10D07Z4, 10D07Z5,
	10D07Z6, 10D07Z7, 10D07Z8, 10E0XZZ
	<b>SNOMED CT:</b> 4504004, 5556001, 10745001, 11466000, 14119008,
	15413009, 16819009, 17860005, 18625004, 19390001, 22633006,
	25296001, 25828002, 26313002, 28542003, 28860009, 29613008,
	30476003, 33807004, 38479009, 40219000, 40704000, 40792007,
	41059002, 45718005, 48204000, 54973000, 57271003, 58705005,
	61586001, 62508004, 65243006, 69422002, 71166009, 72492007,
	75928003, 84195007, 85403009, 89053004, 89346004, 89849000
	90438006, 177141003, 177142005, 177143000, 177152009, 177157003,
	177158008, 177161009, 177162002, 177164001,
	177167008, 177168003, 177170007, 177173009, 177174003, 177175002,
	177176001, 177179008, 177180006, 177181005, 177184002, 177185001,
	236974004, 236975003, 236976002, 236977006, 236978001, 236980007,
	236981006, 236982004,
	236983009, 236984003, 236985002, 236986001, 236987005,
	236988000, 236989008, 236990004, 237311001, 265639000, 274130007, 275168001, 275169009, 288042004, 288193006,
	302382009, 302383004, 306727001, 359940006, 359943008, 384729004, 384730009, 398307005, 416055001, 417121007,
	450483001, 450484007, 450798003, 699999008, 700000006,
	709004006, 734275002, 734276001, 736018001, 736020003,
	736026009, 736118004, 788180009

**Note:** The codes listed are informational only; this information does not guarantee reimbursement.

Description	LOINC
Beck Depression Inventory Fast Screen total score	89208-3
Beck Depression Inventory II total score	89209-1
Center for Epidemiologic Studies Depression Scale — Revised total	89205-9
score	
Edinburgh Postnatal Depression Scale total score	71354-5
My Mood Monitor total score	71777-7
Patient Health Questionnaire 2 item (PHQ-2) total score	55758-7
Patient Health Questionnaire 9 item (PHQ-9) total score	44261-6
Patient Health Questionnaire 9: Modified for teens total score	89204-2
PROMIS 29 Depression score total score	71965-8
Clinically Useful Depression Outcome Scale (CUDOS) total score	90221-3
Duke Anxiety-Depression Scale (DADS) total score	90853-3
Description	HCPCS
Screening for depression is documented as negative; a follow-up plan	G8510
is not required	
Screening for depression is documented as being positive, and a	G8431
follow-up plan is documented	
Screening for depression documented as positive, follow-up plan not	G8511
documented, reason not given	

Prenatal Immunization Status (PRS-E)

Description	CPT/CVX/SNOMED CT
Adult influenza	<b>CVX:</b> 88, 135, 140, 141, 144, 150, 153, 155, 158, 166, 168, 171, 185,
immunization	186, 197, 205
Adult influenza vaccine	<b>CPT:</b> 90630, 90653, 90654, 90656, 90658, 90661, 90662, 90673,
procedure	90674, 90682, 90686, 90688, 90689, 90694, 90756
·	<b>SNOMED CT:</b> 46233009, 346524008, 346525009, 348046004,
	348047008, 400564003, 400788004, 408752008, 418707004,
	419562000, 430410002
Tdap immunization	<b>CVX</b> : 115
Tdap vaccine procedure	<b>CPT:</b> 90715
	<b>SNOMED CT:</b> 428251000124104
Length of gestation at birth	<b>SNOMED CT:</b> 412726003
(observable entity)	

**Note:** The codes listed are informational only; this information does not guarantee reimbursement.

Social Need Screening and Intervention (SNS-E)

ocial Need Screening and I	•
Description	CPT/HCPCS/LOINC/SNOWMED CT
Food insecurity procedures	<b>CPT:</b> 96156, 96160, 96161, 97802, 97803, 97804
	<b>HCPCS:</b> S5170, S9470
	<b>SNOWMED CT:</b> 1759002, 61310001, 103699006, 308440001, 385767005,
	710824005, 710925007, 711069006, 713109004, 1002223009,
	1002224003, 1002225002, 1004109000, 1004110005, 1148446004,
	441041000124100, 441201000124108, 441231000124100,
	441241000124105, 441251000124107, 441261000124109,
	441271000124102, 441281000124104, 441291000124101,
	441301000124100, 441311000124102, 441321000124105,
	441331000124108, 441341000124103, 441351000124101,
	445291000124103, 445301000124102, 445641000124105,
	462481000124102, 462491000124104, 464001000124109,
	464011000124107, 464021000124104, 464031000124101,
	464041000124106, 464051000124108, 464061000124105,
	464071000124103, 464081000124100, 464091000124102,
	464101000124108, 464111000124106, 464121000124103,
	464131000124100, 464141000124105, 464151000124107,
	464161000124109, 464171000124102, 464181000124104,
	464191000124101, 464201000124103, 464211000124100,
	464221000124108, 464231000124106, 464241000124101,
	464251000124104, 464261000124102, 464271000124109,
	464281000124107, 464291000124105, 464301000124106,
	464311000124109, 464321000124101, 464331000124103,
	464341000124108, 464351000124105, 464361000124107,
	464371000124100, 464401000124102, 464411000124104,
	464421000124107, 464431000124105, 464611000124102,
	464621000124105, 464631000124108, 464641000124103,
	464651000124101, 464661000124104, 464671000124106,
	464681000124109, 464691000124107, 464701000124107,
	464721000124102, 467591000124102, 467601000124105,
	467611000124108, 467621000124100, 467631000124102,
	467641000124107, 467651000124109, 467661000124106,

Description	CPT/HCPCS/LOINC/SNOWMED CT
	467671000124104, 467681000124101, 467691000124103,
	467711000124100, 467721000124108, 467731000124106,
	467741000124101, 467751000124104, 467761000124102,
	467771000124109, 467781000124107, 467791000124105,
	467801000124106, 467811000124109, 467821000124101,
	470231000124107, 470591000124109, 470601000124101,
	470611000124103, 471111000124101, 471121000124109, 471131000124107,
	472151000124109, 472331000124100
Homelessness procedures	<b>CPT:</b> 96156, 96160, 96161
•	<b>SNOWMED CT:</b> 308440001, 308440001, 710824005, 711069006,
	1148446004, 1148447008, 1148812007, 1148814008, 1148817001,
	1148818006, 462481000124102, 462491000124104, 464001000124109,
	464011000124107, 464021000124104, 464131000124100,
	464161000124109, 464291000124105, 464301000124106,
	464311000124109, 464611000124102, 470231000124107,
	470471000124109, 470481000124107, 470491000124105,
	470501000124102, 470581000124106, 470591000124109,
	470601000124101, 470611000124103, 470781000124104,
	470791000124101, 470801000124100, 470811000124102,
	470821000124105, 470831000124108, 470841000124103,
	471021000124108, 471031000124106, 471041000124101,
	471071000124109, 471081000124107, 471091000124105,
	471101000124104, 4711111000124101, 471121000124109, 471131000124107,
	472031000124103, 472041000124108, 472051000124105,
	472081000124103, 472041000124104, 472101000124105,
	472111000124108, 472121000124100, 472131000124103,
	472141000124107, 472151000124109, 472161000124106,
	472191000124103, 472221000124105, 472241000124103,
	472261000124104, 472301000124108, 472311000124106,
	472321000124103, 472331000124103, 472341000124105,
	472351000124103, 472331000124100, 472341000124103, 472351000124107, 472361000124109, 480791000124106,
	480801000124107, 472301000124109, 480791000124100,
	480801000124107, 480811000124103, 480821000124102, 480831000124104, 480871000124101, 480901000124101,
	480921000124104, 480971000124101, 480901000124101, 480921000124104,
	480961000124100, 480971000124107, 480981000124105, 710824005, 711069006, 1148446004, 1148447008, 1148812007, 1148814008
	1148817001, 1148818006, 462481000124102, 462491000124104,
	464001000124109, 464011000124107, 464021000124104,
	464131000124100, 464161000124109, 464291000124105,
	464301000124106, 464311000124109, 464611000124102,
	470231000124107, 470471000124109, 470481000124107,
	470491000124105, 470501000124102, 470581000124106,
	470591000124109, 470601000124101, 470611000124103,
	470781000124104, 470791000124101, 470801000124100,
	470811000124102, 470821000124105, 470831000124108,
	470841000124103, 471021000124108, 471031000124106,
	471041000124101, 471071000124109, 471081000124107, 71091000124105,
	471101000124104, 471111000124101, 471121000124109, 471131000124107,
	472031000124103, 472041000124108, 472051000124105,

Description	CPT/HCPCS/LOINC/SNOWMED CT
•	472081000124102, 472091000124104, 472101000124105,
	472111000124108, 472121000124100, 472131000124102,
	472141000124107, 472151000124109, 472161000124106,
	472191000124103, 472221000124105, 472241000124103,
	472261000124104, 472301000124108, 472311000124106,
	472321000124103, 472331000124100, 472341000124105,
	472351000124107, 472361000124109, 480791000124106,
	480801000124107, 480811000124105, 480821000124102,
	480831000124104, 480871000124101, 480901000124101,
	480921000124106, 480931000124109, 480941000124104,
	480961000124100, 480971000124107, 480981000124105
Housing instability	<b>CPT:</b> 96156, 96160, 96161
procedures	<b>SNOWMED CT:</b> 308440001, 710824005, 711069006, 1148446004,
•	1148447008, 1148812007, 1148814008, 1148817001, 1148818006,
	462481000124102, 462491000124104, 464001000124109,
	464011000124107, 464021000124104, 464131000124100,
	464161000124109, 464291000124105, 464301000124106,
	464311000124109, 464611000124102, 470231000124107,
	470471000124109, 470481000124107, 470591000124109,
	470601000124101, 470611000124103, 471041000124101,
	471051000124104, 471061000124102, 471071000124109,
	471111000124101, 471121000124109, 471131000124107,
	472081000124102, 472091000124104, 472131000124102,
	472151000124109, 472161000124106, 472191000124103,
	472221000124105, 472241000124103, 472261000124104,
	472271000124106, 472281000124109, 472291000124107,
	472331000124100, 472381000124104, 480841000124109,
	480851000124106, 480861000124108, 480901000124101
Inadequate housing	<b>CPT:</b> 96156, 96160, 96161
procedures	<b>SNOWMED CT:</b> 49919000, 308440001, 710824005, 711069006,
•	1148446004, 1148813002, 1148815009, 1148823006, 462481000124102,
	462491000124104, 464001000124109, 464011000124107,
	464021000124104, 464131000124100, 464161000124109,
	464291000124105, 464301000124106, 464311000124109,
	464611000124102, 470231000124107, 470431000124106,
	470441000124101, 470451000124104, 470461000124102,
	470591000124109, 470601000124101, 470611000124103,
	471111000124101, 471121000124109, 471131000124107, 472151000124109,
	472201000124100, 472211000124102, 472231000124108,
	472251000124101, 472331000124100, 472371000124102,
	480881000124103, 480891000124100, 480911000124103,
	480951000124102

Description	CPT/HCPCS/LOINC/SNOWMED CT
Transportation insecurity procedures	<b>CPT:</b> 96156, 96160, 96161 <b>SNOWMED CT:</b> 308440001, 710824005, 711069006, 1148446004, 462481000124102, 462491000124104, 464001000124109, 464011000124107, 464021000124104, 464131000124100, 464161000124109, 464291000124105, 464301000124106, 464311000124109, 464611000124102, 470231000124107, 470591000124109, 470601000124101, 470611000124103, 471111000124101, 471121000124109, 471131000124107, 472151000124109, 472331000124100

**Note:** The codes listed are informational only; this information does not guarantee reimbursement.

