

HEDIS Benchmarks

and Coding Guidelines for Quality Care

Electronic Clinical Data Systems









Table of contents

| Electronic Clinical Data Systems | 3 | |
|--|---|------------|
| Follow-Up Care for Children Prescribed ADHD Medication (ADD-E) | 5 | |
| Adult Immunization Status (AIS-E) | 6 | |
| Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM-E) | 8 | |
| Unhealthy Alcohol Use Screening and Follow-Up (ASF-E) | | |
| Blood Pressure Control for Patients with Hypertension (BPC-E) | | |
| Cervical Cancer Screening (CCS-E) | | |
| Childhood Immunization Status (CIS-E) | | |
| Colorectal Cancer Screening (COL-E) | | |
| Documented Assessment After Mammogram (DBM-E) | | |
| Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS | | |
| Depression Remission or Response for Adolescents and Adults (DRR-E) | • | |
| Follow-Up After Abnormal Mammogram Assessment (FMA-E) | | |
| Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) | | |
| Immunizations for Adolescents (IMA-E) | | |
| Postpartum Depression Screening and Follow-Up (PDS-E) | | |
| Prenatal Depression Screening and Follow-up (PND-E) | | |
| Prenatal Immunization Status (PRS-E) | | |
| Social Need Screening and Intervention (SNS-E) | | |
| Appendix | | |
| Adult Immunization Status (AIS-E) | | 11 |
| Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM-E) | | |
| Unhealthy Alcohol Use Screening and Follow-Up (ASF-E) | | |
| Breast Cancer Screening (BCS-E) | | |
| Blood Pressure Control for Patients With Hypertension (BPC-E) | | |
| Cervical Cancer Screening (CCS-E) | | |
| Childhood Immunization Status (CIS-E) | | |
| Colorectal Cancer Screening (COL-E) | | 83 |
| Documented Assessment After Mammogram (DBM-E) | | 86 |
| Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E) | | |
| Depression Remission or Response for Adolescents and Adults (DRR-E) | | |
| Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) | | |
| Follow-Up After Abnormal Mammogram Assessment (FMA-E) | | |
| Postpartum Depression Screening and Follow-Up (PDS-E) | | |
| Prenatal Depression Screening and Follow-up (PND-E) | | |
| Prenatal Immunization Status (PRS-E) | | |
| Additional codes | | 102 107 |
| | | |

Electronic Clinical Data Systems

HEDIS® is a widely used set of performance measures developed and maintained by NCQA. These are used to drive improvement efforts surrounding best practices.

The HEDIS quality measures reported using the Electronic Clinical Data Systems (ECDS) inspire innovative use of electronic clinical data to document high-quality patient care that demonstrates commitment to evidence-based practices. Organizations that report HEDIS using ECDS encourage the electronic exchange of the information needed to provide high-quality services, ensuring that the information reaches the right people at the right time:

- ECDS reporting is part of the National Committee for Quality Assurance's (NCQA) larger strategy to enable a digital quality system and is aligned with the industry's move to digital measures.
- The ECDS reporting standard provides a method to collect and report structured electronic clinical data for HEDIS quality measurement and improvement.
- According to the NCQA, the HEDIS hybrid data collection (medical record collection) will be phasedout in the coming years.
- Health plans and healthcare providers will need to take advantage of electronic data streams to ensure accurate reporting of measures that require data not typically found in claims.
- CPT® Category II codes can be used for performance measurement. The use of the CPT II decreases the need for record abstraction and chart review.
- CVX codes (vaccine administered code set) represent the type of product used in an immunization.
 Every immunization that used a given type of product will have the same CVX, regardless of who received it.
- Logical Observation Identifiers Names and Codes (LOINC) and SNOMED CT codes (supports the development of comprehensive high-quality clinical content in electronic health records) do not appear on claims and are quickly becoming vital to HEDIS reporting, especially for ECDS measures:
 - LOINC codes while typically associated with lab data, there are several behavioral health screenings that can only be represented by LOINC codes for the purposes of HEDIS reporting and can be extracted from electronic medical record (EMR) systems.
 - SNOMED CT codes represent both diagnoses and procedures as well as clinical findings.
 SNOMED CT codes are the industry standard for classifying clinical data in EMR systems and can be extracted from EMR systems.
 - Because LOINC codes and SNOMED CT codes can only be obtained through supplemental data feeds, it is important that health plans and the provider community embrace the sharing of these EMR data to ensure the quality of care our members are receiving.

HEDIS® is a registered trademark of the National Committee for Quality Assurance (NCQA).

Helpful tips:

- Utilize this booklet as a reference to understand the ECDS measures and the coding associated with electronic data transmission.
- Contact your health plan representative to establish an electronic data transfer with the plan if your organization does not already have one.

Page 4 of 119

- Make full use of CPT II codes to submit care quality findings, many HEDIS gaps could be closed via claims if CPT II codes were fully utilized.
- Ensure the EMR systems are set up to link the clinical and behavior health entries to LOINC codes and SNOMED CT codes:
 - Ensure that the extracts are inclusive of LOINC codes for BH screenings among other things and SNOMED CT codes.

Our Supplemental Data team is here to help.

For additional support in submitting supplemental data for ECDS measures, send inquiries to supplementaldata@wellpoint.com.

Follow-Up Care for Children Prescribed ADHD Medication (ADD-E)

This measure looks at the percentage of children ages 6 to 12 newly prescribed attention-deficit/hyperactivity disorder (ADHD) medication who had at least three follow-up care visits within a 300-day (10-month) period, one of which was within 30 days of when the first ADHD medication was dispensed during the measurement year.

Two rates are reported:

- Initiation phase: the percentage of members 6 to 12 years of age with a prescription dispensed for ADHD medication, who had one follow-up visit with a practitioner with prescribing authority during the 30-day initiation phase.
- Continuation and maintenance (C&M) phase: the percentage of members 6 to 12 years of age with
 a prescription dispensed for ADHD medication, who remained on the medication for at least 210
 days and who, in addition to the visit in the Initiation Phase, had at least two follow-up visits with a
 practitioner within 270 days (9 months) after the initiation phase ended.

Record your efforts:

When prescribing a new ADHD medication:

- Be sure to schedule a follow-up visit right away within 30 days of ADHD medication initially prescribed or restarted after a 120-day break.
- Schedule follow-up visits while members are still in the office.
- Have your office staff call members at least three days before appointments.
- After the initial follow-up visits, schedule at least two more office visits in the next nine months to monitor patients' progress.
- Be sure that follow-up visits include the diagnosis of ADHD.

Exclusions:

- Members who use hospice services or elect to use a hospice benefit any time during the measurement year
- Members who die any time during the measurement year
- Members with a diagnosis of narcolepsy any time during the member's history through the end of the measurement period. Do not include laboratory claims (claims with POS code 81)

Adult Immunization Status (AIS-E)

This measure looks at the percentage of members 19 years of age and older who are up to date on recommended routine vaccines for influenza, tetanus, and diphtheria (Td) or tetanus, diphtheria, and acellular pertussis (Tdap), zoster and pneumococcal and hepatitis B during the measurement year.

Record your efforts:

Document the required age vaccines were received according to the time interval specified in the measure:

 Members who received an influenza vaccine on or between July 1 of the year prior to the measurement period and June 30 of the measurement period

01

- Members with anaphylaxis due to the influenza vaccine any time before or during the measurement period
- Members who received at least one Td vaccine or one Tdap vaccine between 9 years prior to the start of the measurement period and the end of the measurement period

or

- Members with a history of at least one of the following contraindications any time before or during the measurement period:
 - Anaphylaxis due to the diphtheria, tetanus, or pertussis vaccine.
 - Encephalitis due to the diphtheria, tetanus, or pertussis vaccine.
- Members who received 2 doses of the herpes zoster recombinant vaccine at least 28 days apart, on [Date] through the end of the measurement period

or

- Members with anaphylaxis due to the herpes zoster vaccine any time before or during the measurement period.
- Members who received at least one dose of an adult pneumococcal vaccine) on or after their 19th birthday and before or during the measurement period or members with anaphylaxis due to the pneumococcal vaccine any time before or during the measurement period

or

- Members with anaphylaxis due to the pneumococcal vaccine any time before or during the measurement period.
- Members who received at least three doses of the childhood hepatitis B vaccine with different dates of service on or before their 19th birthday:

Page 7 of 119

- One of the three vaccinations can be a newborn hepatitis B vaccination (ICD-10-PCS code 3E0234Z) during the 8-day period that begins on the date of birth and ends 7 days after the date of birth.
- Members who received a hepatitis B vaccine series on or after their 19th birthday, before or during the measurement period, including either of the following:
 - At least two doses of the recommended two-dose adult hepatitis B vaccine administered at least 28 days apart; or
 - At least three doses of any other recommended adult hepatitis B vaccine administered on different days of service.
- Members who had a hepatitis B surface antigen, hepatitis B surface antibody or total antibody to hepatitis B core antigen test, with a positive result any time before or during the measurement period. Any of the following meet criteria:

A test result greater than 10 mIU/mL:

- A test with a finding of immunity.
- Members with a history of hepatitis B illness any time before or during the measurement period.
 Do not include laboratory claims (POS 81).
- Members with anaphylaxis due to hepatitis B any time before or during the measurement period.

Exclusions:

- Members who use hospice services or elect to use a hospice benefit any time during the measurement year.
- Members who die any time during the measurement year

Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM-E)

This measure looks at the percentage of children and adolescents 1 to 17 years of age who had two or more antipsychotic prescriptions and had metabolic testing during the measurement year. Three rates are reported:

- The percentage of children and adolescents on antipsychotics who received blood glucose testing (blood glucose or HbA1c)
- The percentage of children and adolescents on antipsychotics who received cholesterol testing (LDL-C or cholesterol)
- The percentage of children and adolescents on antipsychotics who received both blood glucose and cholesterol testing.

Record your efforts:

- Members who received at least one test for blood glucose or HbA1c during the measurement period
- Members who received at least one test for LDL-C or cholesterol during the measurement period
- Members who were compliant for both the blood glucose and cholesterol indicators:
 - At least one test for blood glucose or HbA1c
 - At least one test for LDL-C or cholesterol

Exclusions:

- Members who use hospice services or elect to use a hospice benefit any time during the measurement year.
- Members who die any time during the measurement year

Unhealthy Alcohol Use Screening and Follow-Up (ASF-E)

This measure looks at the percentage of members 18 years of age and older who were screened for unhealthy alcohol use using a standardized instrument and, if screened positive, received appropriate follow-up care during the measurement year:

- Unhealthy Alcohol Use Screening: the percentage of members who had a systematic screening for unhealthy alcohol use
- Follow-Up Care on Positive Screen: the percentage of members receiving brief counseling or other follow-up care within 60 days (2 months) of screening positive for unhealthy alcohol use

Record your efforts:

A standard assessment instrument that has been normalized and validated for the adult patient population to include *AUDIT*, *AUDIT-C*, and a *Single-Question Screen*. Screening requires completion of one or more instruments. The threshold for a positive finding is indicated below for each instrument:

| Screening instrument | Total score LOINC codes | Positive finding |
|---|----------------------------|---------------------------|
| Alcohol Use Disorders Identification Test (AUDIT) Screening | 75624-7 | Total score ≥ 8 |
| Instrument | | |
| Alcohol Use Disorders Identification Test Consumption | 75626-2 | Total score ≥ 4 for men |
| (AUDIT-C) Screening Instrument | | Total score ≥ 3 for women |
| Single-question screen (for men): | 88037-7 | Response ≥1 |
| "How many times in the past year have you had 5 or more | | |
| drinks in a day?" | | |
| Single-question screen (for women and all adults older than | 75889-6 | Response ≥1 |
| 65 years): | | |
| "How many times in the past year have you had 4 or more | | |
| drinks in a day?" | | |

Any of the following on or up to 60 days after the first positive screen:

- Feedback on alcohol use and harms
- Identification of high-risk situations for drinking and coping strategies
- Increase the motivation to reduce drinking
- Development of a personal plan to reduce drinking
- Documentation of receiving alcohol misuse treatment

Exclusions:

HEDIS ECDS Coding Booklet 2025

Page 10 of 119

- Members who use hospice services or elect to use a hospice benefit any time during the measurement year.
- Members who die any time during the measurement year
- Members with alcohol use disorder that starts during the year prior to the measurement period. Do not include laboratory claims (claims with POS code 81).
- Members with history of dementia any time during the member's history through the end of the measurement period. Do not include laboratory claims (claims with POS code 81).

Breast Cancer Screening (BCS-E)

This HEDIS measure looks at members 50 to 74 years of age who were recommended for routine breast cancer screening and had a mammogram to screen for breast cancer from October 1, two years prior to the measurement period through the end of the measurement period.

Record your efforts:

Include documentation of all types and methods of mammograms including:

- Screening
- Diagnostic
- Film
- Digital
- Digital breast tomosynthesis

In establishing health history with new members, please make sure you ask about when members last mammogram was performed, document at a minimum, year performed in your health history.

Gaps in care are not closed by the following, as they are performed as an adjunct to mammography:

- Breast ultrasounds
- MRIs
- Biopsies

Exclusions:

- Members who use hospice services or elect to use a hospice benefit any time during the measurement year.
- Members who die any time during the measurement year.
- Members who had a bilateral mastectomy or both right and left unilateral mastectomies any time during the member's history through the end of the measurement period. Any of the following meet the criteria for bilateral mastectomy:
 - Bilateral mastectomy
 - Unilateral mastectomy with a bilateral modifier
 - Unilateral mastectomy found in clinical data with a bilateral qualifier value
 - History of bilateral mastectomy
- Members who had gender-affirming chest surgery with a diagnosis of gender dysphoria any time during the member's history through the end of the measurement period.
- Members 66 years of age and older as of December 31 of the measurement year (all product lines)
 with frailty and advanced illness. Members must meet both frailty and advanced illness criteria to
 be excluded.
- Members receiving palliative care any time during the measurement year
- Members who had an encounter for palliative anytime during the measurement year. Do not include laboratory claims (claims with POS code 81).

Blood Pressure Control for Patients with Hypertension (BPC-E)

This measure looks at the percentage of members 18 to 85 years of age who had a diagnosis of hypertension (HTN) and whose most recent blood pressure (BP) was <140/90 mm Hg during the measurement period.

Record your efforts:

Members who are 18-85 years old as of the last day of the measurement period who meet either of the following criteria:

- At least two outpatient visits, telephone visits, e-visits or virtual check-ins on different dates of service with a diagnosis of hypertension on or between January 1 of the year prior to the measurement period and June 30 of the measurement period.
- At least one outpatient visit, telephone visit, e-visit or virtual check-in with a diagnosis of hypertension and at least one dispensed antihypertensive medication on or between January 1 of the year prior to the measurement period and June 30 of the measurement period.

Exclusions:

- Members who use hospice services or elect to use a hospice benefit any time during the measurement period.
- Members who die any time during the measurement period
- Members receiving palliative care any time during the measurement period.
- Members who had an encounter for palliative care (ICD-10-CM code Z51.5) any time during the measurement period. Do not include laboratory claims (claims with POS code 81).
- Members with a nonacute inpatient admission during the measurement period. To identify nonacute inpatient admissions:
 - Identify all acute and nonacute inpatient stays (Inpatient Stay Value Set).
 - Confirm the stay was for nonacute care based on the presence of a nonacute code the claim.
 - Identify the admission date for the stay
- Members with a diagnosis that indicates end-stage renal disease (ESRD) any time during the member's history on or prior to the last day of the measurement period. Do not include laboratory claims (claims with POS code 81).
- Members with a procedure that indicates ESRD: dialysis or kidney transplant any time during the member's history on or prior to the last day of the measurement period.

Page 13 of 119

- Members with a diagnosis of pregnancy (Pregnancy Value Set) any time during the measurement period. Do not include laboratory claims (claims with POS code 81).
- Members 66 to 80 years of age as of the last day of the measurement period (all product lines) with frailty and advanced illness. Members must meet both frailty and advanced illness criteria to be excluded:
 - Frailty. At least two indications of with different dates of service during the measurement period. Do not include laboratory claims (claims with POS code 81).
 - Advanced Illness. Either of the following during the measurement period or the year prior to the measurement period:
 - Advanced illness on at least two different dates of service. Do not include laboratory claims (claims with POS code 81).
 - Dispensed dementia medication.
- Members 81 years of age and older as of the last day of the measurement period (all product lines) with at least two indications of frailty with different dates of service during the measurement period. Do not include laboratory claims (claims with POS code 81).

Cervical Cancer Screening (CCS-E)

This measure looks at the percentage of members 21-64 years of age who were recommended for routine cervical cancer screening and were screened for cervical cancer using any of the following criteria:

- Members 21 to 64 years of age who were recommended for routine cervical cancer screening and had cervical cytology performed within the last 3 years.
- Members 30 to 64 years of age who were recommended for routine cervical cancer screening and had cervical high-risk human papillomavirus (hrHPV) testing performed within the last 5 years.
- Members 30 to 64 to years of age who were recommended for routine cervical cancer screening and had cervical cytology/high-risk human papillomavirus (hrHPV) cotesting within the last 5 years.

Record your efforts:

Make sure your medical records reflect:

- The date when the cervical cytology was performed.
- The results or findings
- Notes in patient's chart if patient has a history of hysterectomy:
 - Complete details if it was a complete, total, or radical abdominal, vaginal, or unspecified hysterectomy with no residual cervix; also, document history of cervical
 - agenesis or acquired absence of cervix. Include, at a minimum, the year the surgical procedure was performed.

Exclusions:

- Members who use hospice services or elect to use a hospice benefit any time during the measurement year.
- Members who die any time during the measurement year
- Hysterectomy with no residual cervix any time during the member's history through December 31 of the measurement year
- Cervical agenesis or acquired absence of cervix any time during the member's history through the end of the measurement period. Do not include laboratory claims (claims with POS code 81).
- Members receiving palliative care any time during the measurement period.
- Members who had an encounter for palliative care any time during the measurement period. Do not include laboratory claims (claims with POS code 81).
- Members with Sex Assigned at Birth of Male at any time during the patient's history.

Childhood Immunization Status (CIS-E)

The percentage of children turning 2 years of age who had who had appropriate doses of the following vaccines on or before their second birthday:

- At least 4 diphtheria, tetanus, and acellular pertussis, *DTaP* vaccine with different dates of service. Do not count a vaccination administered prior to 42 days after birth.
 - Anaphylaxis due to the diphtheria, tetanus or pertussis vaccine
 - Encephalitis due to the diphtheria, tetanus or pertussis vaccine
- At least 3 polio, *IPV* vaccine with different dates of service. Do not count a vaccination administered prior to 42 days after birth.
 - Anaphylaxis due to the IPV vaccine
- At least 1 measles, mumps and rubella, MMR vaccine (can only be given on or between first and second birthday to close the gap)
 - All of the following any time on or before the child's second birthday (on the same or different date of service). Do not include laboratory claims (claims with POS code 81):
 - History of measles illness
 - History of mumps illness
 - History of rubella illness
 - Anaphylaxis due to the MMR vaccine on or before the child's second birthday.
- At least 3 haemophilus influenza type B, Hib vaccine with different dates of service. Do not count a vaccination administered prior to 42 days after birth.
 - Anaphylaxis due to the HiB vaccine
- At least 3 hepatitis B, *HepB* vaccine (One of the three vaccinations can be a newborn hepatitis B vaccination during the eight-day period that begins on the date of birth and ends 7 days after the date of birth.)
 - History of hepatitis B illness Do not include laboratory claims (claims with POS code 81).
 - Anaphylaxis due to hepatitis B vaccine
- At least 1 chicken pox, VZV vaccine with a date of service on or between first and second birthdays:
 - History of varicella zoster (for example, chicken pox) illness on or before the child's second birthday. Do not include laboratory claims (claims with POS code 81).
 - Anaphylaxis due to the VZV vaccine (SNOMED CT code 471341000124104) on or before the child's second birthday
- At least 4 pneumococcal conjugate, PCV vaccine with different dates of service. Do not count a
 vaccination administered prior to 42 days after birth.
 - Anaphylaxis due to the pneumococcal vaccine
- At least 1 hepatitis A, *HepA* vaccine with a date of service on or between first and second birthday:
 - History of hepatitis A illness on or before the child's second birthday. Do not include laboratory claims (claims with POS code 81).
 - Anaphylaxis due to the hepatitis A vaccine (SNOMED CT code 471311000124103) on or before the child's second birthday.
- At least 2 two-dose rotavirus, *RV* vaccine, on different dates of service on or before the child's second birthday. Do not count a vaccination administered prior to 42 days after birth.

Page 16 of 119

- At least three doses of the three-dose rotavirus, RV vaccine on different dates of service on or before the child's second birthday. Do not count a vaccination administered prior to 42 days after birth.
- At least one dose of the two-dose rotavirus, RV vaccine and at least two doses of the three-dose
 rotavirus, RV vaccine all on different dates of service, on or before the child's second birthday. Do
 not count a vaccination administered prior to 42 days after birth.
 - Anaphylaxis due to the rotavirus vaccine (SNOMED CT code 428331000124103) on or before the child's second birthday.
- At least 2 influenza, *Flu* vaccine with different dates of service. Do not count a vaccination administered prior to 180 days after birth.
 - An influenza vaccination recommended for children 2 years and older (for example, LAIV)
 administered on the child's second birthday meets criteria for one of the two required
 vaccinations.
 - Anaphylaxis due to the influenza vaccine

Record your efforts:

Once you give our members their needed immunizations, let us and the state know by:

- Recording the immunizations in your state registry.
- Documenting the immunizations (historic and current) within medical records to include:
 - A note indicating the name of the specific antigen and the date of the immunization.
 - The certificate of immunization prepared by an authorized health care provider or agency.
 - Parent refusal, documented history of anaphylactic reaction to serum/vaccinations, illnesses, or seropositive test result.
 - The date of the first hepatitis B vaccine given at the hospital and name of the hospital if available.
 - A note that the member is up to date with all immunizations but does not list the dates of all immunizations and the names of the immunization agents does not constitute sufficient evidence of immunization for HEDIS reporting.

Exclusions:

- Members who use hospice services or elect to use a hospice benefit any time during the measurement year.
- Members who die any time during the measurement year.
- Members who had a contraindication to a childhood vaccine on or before their second birthday.

Colorectal Cancer Screening (COL-E)

This measure looks at the percentage of members 45 to 75 years of age who had appropriate screening for colorectal cancer.

Record your efforts:

- Members with one or more screenings for colorectal cancer. Any of the following meet criteria:
 - Fecal occult blood test (FOBT) during the measurement period
 - Flexible sigmoidoscopy during the measurement period or the 4 years prior to the measurement period
 - Colonoscopy during the measurement period or the 9 years prior to the measurement period
 - CT colonography during the measurement period or the 4 years prior to the measurement period
 - Stool DNA (sDNA) with fecal immunochemical test (FIT) test during the measurement period or the 2 years prior to the measurement period

Exclusions:

- Members who use hospice services or elect to use a hospice benefit any time during the measurement year.
- Members who die any time during the measurement year.
- Members 66 years of age and older as of December 31 of the measurement year (all product lines)
 with frailty and advanced illness. Members must meet BOTH frailty and advanced illness criteria to
 be excluded.
- Members receiving palliative care any time during the measurement year.
- Members who had an encounter for palliative care any time during the measurement year. Do not include laboratory claims (claims with POS code 81).
- Members who had colorectal cancer any time during the member's history through December 31 of the measurement year. Do not include laboratory claims (claims with POS code 81).
- Members who had a total colectomy any time during the member's history through December 31 of the measurement period.

Documented Assessment After Mammogram (DBM-E)

This measure looks at the percentage of episodes of mammograms documented in the form of a BI-RADS assessment within 14 days of the mammogram for members 40–74 years of age.

Record your efforts:

The National Comprehensive Cancer Network (NCCN) provides breast cancer screening follow-up and diagnostic guidelines based on the ACR's BI-RADS assessment categories.

- BI-RADS 0: Incomplete- Need Additional Imaging Evaluation and/or Prior Mammograms for Comparison, as needing additional imaging.
- Patients with BI-RADS Category 1: Negative, and Category 2: Benign, are recommended for continued routine screening.
- Patients with BI-RADS Category 3: Probably Benign, are recommended for mammography surveillance.
- Patients with BI-RADS Categories 4: Suspicious, and Category 5: Highly Suggestive of Malignancy, should be managed using core needle biopsy, also called percutaneous core breast biopsy, as the preferred method for tissue diagnosis.
- Patients with Category 6: Known Biopsy- Proven nccn.org/

Exclusions:

- Members who die any time during the measurement period.
- Members who use hospice services or elect to use a hospice benefit any time during the measurement period.

Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E)

This measure looks at the percentage of members 12 years of age and older with a diagnosis of major depression or dysthymia who had an outpatient encounter with a *Patient Health Questionnaire-9* (*PHQ-9*) score present in their record in the same assessment period as the encounter.

Record your efforts:

The identifiers and descriptors for each organization's coverage used to define members' eligibility for measure reporting. Allocation for reporting is based on eligibility during the participation period.

The measurement period is divided into three assessment periods with specific dates of service:

- Assessment Period 1: January 1 to April 30
- Assessment Period 2: May 1 to August 31
- Assessment Period 3: September 1 to December 31

The measure allows the use of two *PHQ-9* assessments. Selection of the appropriate assessment should be based on the member's age:

- PHQ-9: 12 years of age and older
- PHQ-9 Modified for Teens: 12 to 17 years of age

The *PHQ-9* assessment does not need to occur during a face-to-face encounter; it may be completed over the telephone or through a web-based portal.

Exclusions:

- Members with any of the following at any time during member's history through the end measurement period. Do not include laboratory claims (claims with POS code 81):
 - Bipolar disorder
 - Personality disorder
 - Psychotic disorder
 - Pervasive developmental disorder
- Members who use hospice services or elect to use a hospice benefit any time during the measurement period.
- Members who die any time during the measurement year.

Depression Remission or Response for Adolescents and Adults (DRR-E)

This measure looks at the percentage of members 12 years of age and older with a diagnosis of depression and an elevated PHQ-9 score, who had evidence of response or remission within 120 to 240 days (4 to 8 months) of the elevated score during the measurement year.

- Follow-Up PHQ-9. The percentage of members who have a follow-up PHQ-9 score documented within 120 to 240 days (4 to 8 months) after the initial elevated PHQ-9 score.
- Depression Remission. The percentage of members who achieved remission within 120 to 240 days (4 to 8 months) after the initial elevated PHQ-9 score.
- Depression Response. The percentage of members who showed response within 120 to 240 days (4 to 8 months) after the initial elevated PHQ-9 score.

Record your efforts:

The identifiers and descriptors for each organization's coverage used to define members' eligibility for measure reporting. Allocation for reporting is based on eligibility during the participation period:

- May 1 of the year prior to the measurement period through December 31 of the measurement period
- May 1 of the year prior to the measurement period through April 30 of the measurement period
- The 120- to 240-day period after the index episode start date.
- Index episode start date: The earliest date during the intake period when a member has a diagnosis
 of major depression or dysthymia and a PHQ-9 total score > 9 documented within a 31 day period,
 including and around (15 days before and 15 days after) an interactive outpatient encounter with a
 diagnosis of major depression or dysthymia.

The measure allows the use of two *PHQ-9* assessments. Selection of the appropriate assessment should be based on the member's age:

- PHQ-9: 12 years of age and older
- PHQ-9 Modified for Teens: 12 to 17 years of age

The *PHQ-9* assessment does not need to occur during a face-to-face encounter; it may be completed over the telephone or through a web-based portal.

Exclusions:

- Members who use hospice services or elect to use a hospice benefit any time during the measurement year.
- Members who die any time during the measurement year.

HEDIS ECDS Coding Booklet 2025

Page 21 of 119

- Members with any of the following any time during the member's history through the end of the measurement period. Do not include laboratory claims (claims with POS code 81):
 - Bipolar disorder
 - Personality disorder
 - Psychotic disorder
 - Pervasive developmental disorder

Follow-Up After Abnormal Mammogram Assessment (FMA-E)

This measure looks at the percentage of episodes for members 40–74 years of age with inconclusive or high-risk BI-RADS assessments who received appropriate follow-up within 90 days of the assessment.

Record your efforts:

High-risk and inconclusive BI-RADS assessment during the Intake Period that received appropriate follow-up. Appropriate follow-up is defined as either of the following:

- A high-risk BI-RADS assessment result, that received a breast biopsy on or within 90 days after the episode date (91 days total).
- An inconclusive BI-RADS assessment (BI-RADS 0: Incomplete Need Additional Imaging Evaluation and/or Prior Mammograms for Comparison), that received a mammogram or ultrasound on or within 90 days after the episode date (91 days total).

The National Comprehensive Cancer Network (NCCN) provides breast cancer screening follow-up and diagnostic guidelines based on the ACR's BI-RADS assessment categories.

- BI-RADS 0: Incomplete- Need Additional Imaging Evaluation and/or Prior Mammograms for Comparison, as needing additional imaging.
- Patients with BI-RADS Category 1: Negative, and Category 2: Benign, are recommended for continued routine screening.
- Patients with BI-RADS Category 3: Probably Benign, are recommended for mammography surveillance.
- Patients with BI-RADS Categories 4: Suspicious, and Category 5: Highly Suggestive of Malignancy, should be managed using core needle biopsy, also called percutaneous core breast biopsy, as the preferred method for tissue diagnosis.
- Patients with Category 6: Known Biopsy- Proven

nccn.org/

Exclusions:

HEDIS ECDS Coding Booklet 2025

Page 23 of 119

- Members who use hospice services or elect to use a hospice benefit any time during the measurement year.
- Members who die any time during the measurement year.

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E)

This measure looks at the percentage of members 12 years of age and older who were screened for clinical depression using a standardized instrument and, if screened positive, received follow-up care during the measurement year:

- Depression Screening. The percentage of members who were screened for clinical depression using a standardized instrument.
- Follow-Up on Positive Screen. The percentage of members who received follow-up care within 30 days of a positive depression screen finding.

Record your efforts:

The identifiers and descriptors for each organization's coverage used to define members' eligibility for measure reporting. Allocation for HEDIS reporting is based on eligibility during the participation period.

This measure requires the use of an age-appropriate screening instrument. The member's age is used to select the appropriate depression screening instrument.

Depression screening instrument:

• A standard assessment instrument that has been normalized and validated for the appropriate patient population. Eligible screening instruments with thresholds for positive findings include:

| Instruments for adolescents (≤ 17 years) | Total score LOINC codes | Positive finding |
|--|----------------------------|----------------------------|
| Patient Health Questionnaire (PHQ-9)® | 44261-6 | Total score ≥ 10 |
| Patient Health Questionnaire Modified for Teens | 89204-2 | Total score ≥ 10 |
| _(PHQ- 9M) [®] | | |
| Patient Health Questionnaire-2 (PHQ-2)®1 | 55758-7 | Total score ≥ 3 |
| Beck Depression Inventory-Fast Screen (BDI-FS)®1,2 | 89208-3 | Total score ≥ 8 |
| Center for Epidemiologic Studies Depression Scale | 89205-9 | Total score ≥ 17 |
| — Revised (CESD-R) | | |
| Edinburgh Postnatal Depression Scale (EPDS) | 99046-5 | Total score ≥ 10 |
| PROMIS Depression | 71965-8 | Total score (T score) ≥ 60 |

¹ Brief screening instrument. All other instruments are full-length.

² Proprietary; may be cost or licensing requirement associated with use.

| Instruments for adults (18+ years) | Total scoreLOINC codes | Positive finding |
|--|---|------------------|
| Patient Health Questionnaire (PHQ-9)® | 44261-6 | Total score ≥ 10 |
| Patient Health Questionnaire-2 (PHQ-2)®1 | 55758-7 | Total score ≥ 3 |
| Beck Depression Inventory-Fast Screen (BDI-FS)*1,2 | 89208-3 | Total score ≥ 8 |

Page 25 of 119

| Instruments for adults (18+ years) | Total scoreLOINC codes | Positive finding |
|--|---|----------------------------|
| Beck Depression Inventory (BDI-II) | 89209-1 | Total score ≥ 20 |
| Center for Epidemiologic Studies Depression | 89205-9 | Total score ≥ 17 |
| Scale- Revised (CESD-R) | | |
| Duke Anxiety-Depression Scale (DUKE-AD)®2 | 90853-3 | Total score ≥ 30 |
| Geriatric Depression Scale Short Form (GDS) ¹ | 48545-8 | Total score ≥ 5 |
| Geriatric Depression Scale Long Form (GDS) | 48544-1 | Total score ≥ 10 |
| Edinburgh Postnatal Depression Scale (EPDS) | 99046-5 | Total score ≥ 10 |
| My Mood Monitor (M-3)® | 71777-7 | Total score ≥ 5 |
| PROMIS Depression | 71965-8 | Total score (T score) ≥ 60 |
| Clinically Useful Depression Outcome Scale (CUDOS) | 90221-3 | Total score ≥ 31 |

¹ Brief screening instrument. All other instruments are full-length.

Exclusions:

- Members who use hospice services or elect to use a hospice benefit any time during the measurement year.
- Members who die any time during the measurement year.
- Members with a history of bipolar disorder any time during the member's history through the end
 of the year prior to the measurement period. Do not include laboratory claims (claims with POS
 code 81).
- Members with depression that starts during the year prior to the measurement period. Do not include laboratory claims (claims with POS code 81).

² Proprietary; may be cost or licensing requirement associated with use.

Immunizations for Adolescents (IMA-E)

This measure reviews members 13 years of age who had one dose of meningococcal vaccine, one tetanus, diphtheria toxoids and acellular pertussis (Tdap) vaccine, and have completed the human papillomavirus (HPV) vaccine series by their 13th birthday. The measure calculates a rate for each vaccine and two combination rates.

Vaccines administered on or before their 13th birthday:

- At least one meningococcal vaccine with the date of service on or between 11th and 13th birthdays.
- Anaphylaxis due to the meningococcal vaccine (SNOMED CT code 428301000124106) any time on or before the member's 13th birthday.
- At least one tetanus, diphtheria toxoids and acellular pertussis (Tdap) vaccine with a date of service on or between the member's 10th and 13th birthdays
- Anaphylaxis due to the tetanus, diphtheria or pertussis vaccine any time on or before the member's 13th birthday.
- Encephalitis due to the tetanus, diphtheria or pertussis vaccine any time on or before the member's 13th birthday.
- At least two doses of HPV vaccine with on or between the member's 9th and 13th birthdays and with dates of service at least 146 days apart.
- At least three HPV vaccines with different dates of service on or between the member's 9th and 13th birthdays.
- Anaphylaxis due to the HPV vaccine (SNOMED CT code 428241000124101) any time on or before the member's 13th birthday.

Record your efforts:

Immunization information obtained from the medical record:

- A note indicating the name of the specific antigen and the date of the immunization
- A certificate of immunization prepared by an authorized health care provider or agency, including the specific dates and types of immunizations administered
- Document in the medical record parent or guardian refusal

| HFDIS | FCDS | Coding | Booklet | 2025 |
|--------------|-------------|---------|----------------|------|
| ロトレロン | LCDJ | Country | DOUNICE | 2023 |

Page 27 of 119

Exclusions:

- Members who use hospice services or elect to use a hospice benefit any time during the measurement year.
- Members who die any time during the measurement year.

Postpartum Depression Screening and Follow-Up (PDS-E)

This measure assesses the percentage of deliveries in which members were screened for clinical depression during the postpartum period, and if screened positive, received follow-up care during the measurement year:

- Depression Screening. The percentage of deliveries in which members were screened for clinical depression using a standardized instrument during the postpartum period (7 to 84 days following the delivery date).
- Follow-Up on Positive Screen. The percentage of deliveries in which members received follow-up care within 30 days of a positive depression screen finding (31 total days).
 - Any of the following on or up to 30 days after the first positive screen:
 - An outpatient, telephone, e-visit or virtual check-in follow-up visit with a diagnosis of depression or other behavioral health condition.
 - A depression care management encounter that documents assessment for symptoms of depression or a diagnosis of depression or other behavioral health condition.
 - A behavioral health encounter, including assessment, therapy, collaborative care or medication management.
 - A diagnosis of encounter for exercise counseling (ICD-10-CM code Z71.82). Do not include laboratory claims (claims with POS code 81).
 - A dispensed antidepressant medication
 - Or
- Documentation of additional depression screening on a full-length instrument indicating either no depression or no symptoms that require follow-up (in other words, a negative screen) on the same day as a positive screen on a brief screening instrument

Record your efforts:

The identifiers and descriptors for each organization's coverage used to define members' eligibility for measure reporting. Allocation for reporting is based on eligibility during the participation period:

- The delivery date through 60 days following the date of delivery
- Include deliveries that occur in any setting
- Determine the delivery date using the date as of the end of the delivery
- If a member has more than one delivery in a 180-day period, include only the first eligible delivery. Then, if applicable include the next delivery that occurs after the 180-day period. Identify deliveries chronologically, including only one per 180-day period.
 - Note: Removal of multiple deliveries in a 180-day period is based on eligible deliveries.
 Assess each delivery for exclusions and participation before removing multiple deliveries in a 180-day period.

A standard assessment instrument that has been normalized and validated for the appropriate patient population. Eligible screening instruments with thresholds for positive findings include:


| Instruments for adolescents (≤ 17 years) | Total score LOINC codes | Positive finding |
|---|---|--|
| Patient Health Questionnaire (PHQ-9)® | 44261-6 | Total score ≥ 10 |
| Patient Health Questionnaire Modified for Teens (PHQ-9M)® | 89204-2 | Total score ≥ 10 |
| Patient Health Questionnaire-2 (PHQ-2)®1 | 55758-7 | Total score ≥ 3 |
| Beck Depression Inventory-Fast Screen (BDI-FS)®1,2 | 89208-3 | Total score ≥ 8 |
| Center for Epidemiologic Studies Depression Scale-Revised (CESD-R) | 89205-9 | Total score ≥ 17 |
| Edinburgh Postnatal Depression Scale (EPDS) | 99046-5 | Total score ≥ 10 |
| | | |
| PROMIS Depression | 71965-8 | Total score (T score) ≥ 60 |
| Instruments for adults (18+ years) | 71965-8 Total score LOINC codes | Total score (T score) ≥ 60 Positive finding |
| | Total score | . , |
| Instruments for adults (18+ years) | Total score LOINC codes | Positive finding |
| Instruments for adults (18+ years) Patient Health Questionnaire (PHQ-9)* | Total score LOINC codes 44261-6 | Positive finding Total score ≥ 10 |
| Instruments for adults (18+ years) Patient Health Questionnaire (PHQ-9)* Patient Health Questionnaire-2 (PHQ-2)*1 | Total score LOINC codes 44261-6 55758-7 | Positive finding Total score ≥ 10 Total score ≥ 3 |
| Instruments for adults (18+ years) Patient Health Questionnaire (PHQ-9)* Patient Health Questionnaire-2 (PHQ-2)*1 Beck Depression Inventory-Fast Screen (BDI-FS)*1,2 | Total score LOINC codes 44261-6 55758-7 89208-3 | Positive finding Total score ≥ 10 Total score ≥ 3 Total score ≥ 8 |
| Instruments for adults (18+ years) Patient Health Questionnaire (PHQ-9)® Patient Health Questionnaire-2 (PHQ-2)®1 Beck Depression Inventory-Fast Screen (BDI-FS)®1,2 Beck Depression Inventory (BDI-II) Center for Epidemiologic Studies Depression Scale-Revised | Total score LOINC codes 44261-6 55758-7 89208-3 89209-1 | Positive finding Total score ≥ 10 Total score ≥ 3 Total score ≥ 8 Total score ≥ 20 |
| Instruments for adults (18+ years) Patient Health Questionnaire (PHQ-9)® Patient Health Questionnaire-2 (PHQ-2)®1 Beck Depression Inventory-Fast Screen (BDI-FS)®1,2 Beck Depression Inventory (BDI-II) Center for Epidemiologic Studies Depression Scale-Revised (CESD-R) | Total score LOINC codes 44261-6 55758-7 89208-3 89209-1 89205-9 | Positive finding Total score ≥ 10 Total score ≥ 3 Total score ≥ 8 Total score ≥ 20 Total score ≥ 17 |
| Instruments for adults (18+ years) Patient Health Questionnaire (PHQ-9)® Patient Health Questionnaire-2 (PHQ-2)®1 Beck Depression Inventory-Fast Screen (BDI-FS)®1,2 Beck Depression Inventory (BDI-II) Center for Epidemiologic Studies Depression Scale-Revised (CESD-R) Duke Anxiety-Depression Scale (DUKE-AD)®2 | Total score LOINC codes 44261-6 55758-7 89208-3 89209-1 89205-9 | Positive finding Total score ≥ 10 Total score ≥ 3 Total score ≥ 8 Total score ≥ 20 Total score ≥ 17 Total score ≥ 30 |
| Instruments for adults (18+ years) Patient Health Questionnaire (PHQ-9)* Patient Health Questionnaire-2 (PHQ-2)*1 Beck Depression Inventory-Fast Screen (BDI-FS)*1,2 Beck Depression Inventory (BDI-II) Center for Epidemiologic Studies Depression Scale-Revised (CESD-R) Duke Anxiety-Depression Scale (DUKE-AD)*2 Edinburgh Postnatal Depression Scale (EPDS) | Total score LOINC codes 44261-6 55758-7 89208-3 89209-1 89205-9 90853-3 99046-5 | Positive finding Total score ≥ 10 Total score ≥ 3 Total score ≥ 8 Total score ≥ 20 Total score ≥ 17 Total score ≥ 30 Total score ≥ 10 |

¹ Brief screening instrument. All other instruments are full-length.

Exclusions:

- Members who use hospice services or elect to use a hospice benefit any time during the measurement year.
- Members who die any time during the measurement year.

² Proprietary; may be cost or licensing requirement associated with use.



Prenatal Depression Screening and Follow-up (PND-E)

This measure assesses the percentage of deliveries in which members were screened for clinical depression while pregnant and, if screened positive, received follow-up care during the measurement year:

- Depression Screening. The percentage of deliveries in which members were screened for clinical depression during pregnancy using a standardized instrument.
- Follow-Up on Positive Screen. The percentage of deliveries in which members received follow-up care within 30 days of a positive depression screen finding.

Record your efforts:

The identifiers and descriptors for each organization's coverage used to define members' eligibility for measure reporting. Allocation for reporting is based on eligibility during the participation period:

- 28 days prior to the delivery date through the delivery date
- A pregnancy episode in which the delivery date occurs during the measurement period
- Include deliveries that occur in any setting.
- Determine the delivery date using the date as of the end of the delivery.
- If a member has more than one delivery in a 180-day period, include only the first eligible delivery.
 Then, if applicable include the next delivery that occurs after the 180-day period. Identify deliveries chronologically, including only one per 180-day period.
 - Note: Removal of multiple deliveries in a 180-day period is based on eligible deliveries.
 Assess each delivery for exclusions and participation before removing multiple deliveries in a 180-day period.

A standard assessment instrument that has been normalized and validated for the appropriate patient population. Eligible screening instruments with thresholds for positive findings include:

| | | G G |
|---|----------------------------|----------------------------|
| Instruments for adolescents (≤ 17 years) | Total score LOINC codes | Positive finding |
| Patient Health Questionnaire (PHQ-9)® | 44261-6 | Total score ≥ 10 |
| Patient Health Questionnaire Modified for Teens (PHQ- | 89204-2 | Total score ≥ 10 |
| _ 9M)* | | |
| Patient Health Questionnaire-2 (PHQ-2)®1 | 55758-7 | Total score ≥ 3 |
| Beck Depression Inventory-Fast Screen (BDI-FS)®1,2 | 89208-3 | Total score ≥ 8 |
| Center for Epidemiologic Studies Depression Scale- | 89205-9 | Total score ≥ 17 |
| Revised (CESD-R) | | |
| Edinburgh Postnatal Depression Scale (EPDS) | 99046-5 | Total score ≥ 10 |
| PROMIS Depression | 71965-8 | Total score (T score) ≥ 60 |
| Instruments for adults (18+ years) | Total score | Positive finding |
| instruments for addits (10+ years) | LOINC codes | Positive infamig |
| Patient Health Questionnaire (PHQ-9)® | 44261-6 | Total score ≥ 10 |
| Patient Health Questionnaire-2 (PHQ-2)®1 | 55758-7 | Total score ≥ 3 |

Page 32 of 119

| Instruments for adults (18+ years) | Total score LOINC codes | Positive finding |
|--|----------------------------|----------------------------|
| Beck Depression Inventory-Fast Screen (BDI-FS) ^{®1,2} | 89208-3 | Total score ≥ 8 |
| Beck Depression Inventory (BDI-II) | 89209-1 | Total score ≥ 20 |
| Center for Epidemiologic Studies Depression Scale- | 89205-9 | Total score ≥ 17 |
| Revised (CESD-R) | | |
| Duke Anxiety-Depression Scale (DUKE-AD)®2 | 90853-3 | Total score ≥ 30 |
| Edinburgh Postnatal Depression Scale (EPDS) | 99046-5 | Total score ≥ 10 |
| My Mood Monitor (M-3)® | 71777-7 | Total score ≥ 5 |
| PROMIS Depression | 71965-8 | Total score (T score) ≥ 60 |
| Clinically Useful Depression Outcome Scale (CUDOS) | 90221-3 | Total score ≥ 31 |

¹ Brief screening instrument. All other instruments are full-length.

Exclusions:

- Members who use hospice services or elect to use a hospice benefit any time during the measurement year.
- Members who die any time during the measurement year.
- Deliveries that occurred at less than 37 weeks gestation. Length of gestation in weeks is identified by one of two methods:
 - Gestational age assessment (SNOMED CT code 412726003; value <37 weeks), or
 - Gestational age diagnosis

² Proprietary; may be cost or licensing requirement associated with use.

Prenatal Immunization Status (PRS-E)

This measure assesses the percentage of deliveries in the measurement period (January 1 to December 31) in which women had received influenza and tetanus, diphtheria toxoids, and acellular pertussis (Tdap) vaccinations.

Record your efforts:

The identifiers and descriptors for each organization's coverage used to define members' eligibility for measure reporting. Allocation for reporting is based on eligibility during the participation period:

- 28 days prior to the delivery date through the delivery date
- A pregnancy episode in which the delivery date occurs during the measurement period
- Include deliveries that occur in any setting.
- Determine the delivery date using the date as of the end of the delivery.
- If a member has more than one delivery in a 180-day period, include only the first eligible delivery.
 Then, if applicable, include the next delivery that occurs after the 180-day period. Identify deliveries chronologically, including only one per 180-day period.
 - Note: Removal of multiple deliveries in a 180-day period is based on eligible deliveries.
 Assess each delivery for exclusions and participation before removing multiple deliveries in a 180-day period.

Exclusions:

- Members who use hospice services or elect to use a hospice benefit any time during the measurement year.
- Members who die any time during the measurement year.
- Deliveries that occurred at less than 37 weeks gestation. Length of gestation in weeks is identified by one of two methods:
 - Gestational age assessment (SNOMED CT code 412726003; value <37 weeks), or
 - Gestational age diagnosis (Weeks of Gestation Less Than 37 Value Set).

Social Need Screening and Intervention (SNS-E)

This measure assesses the percentage of members who were screened, using prespecified instruments, at least once during the measurement period (January 1-December 31) for unmet food, housing and transportation needs, and received a corresponding intervention if they screened positive:

- Food Screening. The percentage of members who were screened for food insecurity.
- Food Intervention. The percentage of members who received a corresponding intervention within 30 days (1 month) of screening positive for food insecurity.
- Housing Screening. The percentage of members who were screened for housing instability, homelessness or housing inadequacy.
- Housing Intervention. The percentage of members who received a corresponding intervention within 30 days (1 month) of screening positive for housing instability, homelessness or housing inadequacy.
- Transportation Screening. The percentage of members who were screened for transportation insecurity.
- Transportation Intervention. The percentage of members who received a corresponding intervention within 30 days (1 month) of screening positive for transportation insecurity.

Record your efforts:

- Food insecurity: Uncertain, limited, or unstable access to food that is: adequate in quantity and in nutritional quality; culturally acceptable; safe and acquired in socially acceptable ways.
- Housing instability: Currently consistently housed but experiencing any of the following circumstances in the past 12 months: being behind on rent or mortgage, multiple moves, cost burden or risk of eviction.
- Homelessness: Currently living in an environment that is not meant for permanent human habitation (for example, cars, parks, sidewalks, abandoned buildings, on the street), not having a consistent place to sleep at night, or because of economic difficulties, currently living in a shelter, motel, temporary or transitional living situation.
- Housing inadequacy: Housing does not meet habitability standards.

 Transportation insecurity: Uncertain, limited or no access to safe, reliable, accessible, affordable, and socially acceptable transportation infrastructure and modalities necessary for maintaining one's health, well-being, or livelihood.

Eligible screening instruments with thresholds for positive findings include:

| Food insecurity instruments | Screening item LOINC codes | Positive finding LOINC codes |
|--|----------------------------|------------------------------|
| Accountable Health Communities (AHC) Health- | 88122-7 | LA28397-0 |
| Related Social Needs (HRSN) Screening Tool | | LA6729-3 |
| | 88123-5 | LA28397-0 |
| | | LA6729-3 |
| American Academy of Family Physicians (AAFP) | 88122-7 | LA28397-0 |
| Social Needs Screening Tool | | LA6729-3 |
| | 88123-5 | LA28397-0 |
| | | LA6729-3 |
| American Academy of Family Physicians (AAFP) | 88122-7 | LA28397-0 |
| Social Needs Screening Tool—short form | | LA6729-3 |
| | 88123-5 | LA28397-0 |
| | | LA6729-3 |
| Health Leads Screening Panel®1 | 95251-5 | LA33-6 |
| Hunger Vital Sign™1 (HVS) | 88124-3 | LA19952-3 |
| Protocol for Responding to and Assessing Patients' Assets, Risks and Experiences [PRAPARE]®1 | 93031-3 | LA30125-1 |
| Safe Environment for Every Kid (SEEK)®1 | 95400-8 | LA33-6 |
| | 95399-2 | LA33-6 |
| U.S. Household Food Security Survey (U.S. FSS) | 95264-8 | LA30985-8 |
| | | LA30986-6 |
| U.S. Adult Food Security Survey (U.S. FSS) | 95264-8 | LA30985-8 |
| | | LA30986-6 |
| U.S. Child Food Security Survey (U.S. FSS) | 95264-8 | LA30985-8 |
| , | | LA30986-6 |
| U.S. Household Food Security Survey—Six-Item | 95264-8 | LA30985-8 |
| Short Form (U.S. FSS) | | LA30986-6 |

Page 36 of 119

| Food insecurity instruments | Screening item LOINC codes | Positive finding LOINC codes |
|-----------------------------|----------------------------|------------------------------|
| We Care Survey | 96434-6 | LA32-8 |
| | | |
| WellRx Questionnaire | 93668-2 | LA33-6 |

| Housing instability and homelessness instruments | Screening item LOINC codes | Positive finding LOINC codes |
|---|----------------------------|------------------------------|
| Accountable Health Communities (AHC) Health- | 71802-3 | LA31994-9 |
| Related Social Needs (HRSN) Screening Tool | | LA31995-6 |
| American Academy of Family Physicians (AAFP) | 99550-6 | LA33-6 |
| Social Needs Screening Tool | | |
| American Academy of Family Physicians (AAFP) Social | 71802-3 | LA31994-9 |
| Needs Screening Tool—short form | | LA31995-6 |
| Children's Health Watch Housing Stability Vital Signs™1 | 98976-4 | LA33-6 |
| | 98977-2 | ≥3 |
| | 98978-0 | LA33-6 |
| Health Leads Screening Panel®1 | 99550-6 | LA33-6 |
| | | |
| Protocol for Responding to and Assessing Patients' Assets, Risks and Experiences (PRAPARE)®1 | 93033-9 | LA33-6 |
| | 71802-3 | LA30190-5 |
| We Care Survey | 96441-1 | LA33-6 |
| | | |
| WellRx Questionnaire | 93669-0 | LA33-6 |

| Housing inadequacy instruments | Screening item LOINC codes | Positive finding LOINC codes |
|--|----------------------------|------------------------------|
| Accountable Health Communities (AHC) Health- | 96778-6 | LA31996-4 |
| Related Social Needs (HRSN) Screening Tool | | LA28580-1 |
| | | LA31997-2 |
| | | LA31998-0 |
| | | LA31999-8 |

Page 37 of 119

| Housing inadequacy instruments | Screening item LOINC codes | Positive finding LOINC codes |
|---|----------------------------|------------------------------|
| | | LA32000-4 |
| | | LA32001-2 |
| American Academy of Family Physicians (AAFP) | 96778-6 | LA32691-0 |
| Social Needs Screening Tool | | LA28580-1 |
| | | LA32693-6 |
| | | LA32694-4 |
| | | LA32695-1 |
| | | LA32696-9 |
| | | LA32001-2 |
| American Academy of Family Physicians (AAFP) | 96778-6 | LA31996-4 |
| Social Needs Screening Tool—short form | | LA28580-1 |
| | | LA31997-2 |
| | | LA31998-0 |
| | | LA31999-8 |
| | | LA32000-4 |
| | | LA32001-2 |
| Norwalk Community Health Center Screening Tool [NCHC] | 99134-9 | LA33-6 |
| | 99135-6 | LA31996-4 |
| | | LA28580-1 |
| | | LA31997-2 |
| | | LA31998-0 |
| | | LA31999-8 |
| | | LA32000-4 |
| | | LA32001-2 |

| Transportation insecurity instruments | Screening item LOINC codes | Positive finding LOINC codes |
|--|----------------------------|------------------------------|
| Accountable Health Communities (AHC) Health- Related Social Needs (HRSN) Screening Tool | 93030-5 | LA33-6 |
| American Academy of Family Physicians (AAFP) Social Needs Screening Tool | 99594-4 | LA33-6 |
| American Academy of Family Physicians (AAFP) Social Needs Screening Tool—short form | 99594-4 | LA33093-8 LA30134-3 |

Page 38 of 119

| Transportation insecurity instruments | Screening item LOINC codes | Positive finding LOINC codes |
|--|----------------------------|------------------------------|
| Comprehensive Universal Behavior Screen (CUBS) | 89569-8 | LA29232-8 |
| | | LA29233-6 |
| | | LA29234-4 |
| Health Leads Screening Panel®1 | 99553-0 | LA33-6 |
| Inpatient Rehabilitation Facility - Patient Assessment | | LA30133-5 |
| Instrument (IRF-PAI)—version 4.0 [CMS Assessment] | 93030-5 | LA30134-3 |
| Outcome and assessment information set (OASIS) | | LA30133-5 |
| form—version E—Discharge from Agency [CMS Assessment] | 93030-5 | LA30134-3 |
| Outcome and assessment information set (OASIS) | | LA30133-5 |
| form—version E—Resumption of Care [CMS Assessment] | 93030-5 | LA30134-3 |
| Outcome and assessment information set (OASIS) | 02020 5 | LA30133-5 |
| form—version E—Start of Care [CMS Assessment] | 93030-5 | LA30134-3 |
| Protocol for Responding to and Assessing Patients' | 93030-5 | LA30133-5 |
| Assets, Risks and Experiences (PRAPARE)®1 | | LA30134-3 |
| PROMIS*1 | 92358-1 | LA30024-6 |
| | | LA30026-1 |
| | | LA30027-9 |
| WellRx Questionnaire | 93671-6 | LA33-6 |

¹ Proprietary; may be cost or licensing requirement associated with use.

Note: The SNS-E screening numerator counts only screenings that use instruments in the measure specification as identified by the associated LOINC code(s). Allowed screening instruments and LOINC codes for each social need domain are listed above.

Exclusions:

- Members who use hospice services or elect to use a hospice benefit any time during the measurement year
- Members who die any time during the measurement year



Appendix

Coding for ECDS measures

There are many approved NCQA codes used to identify the services included in the measures listed below. The following are just a few of the approved codes. Please see the NCQA website for a complete list ncqa.org/.

| Description | CPT/HCPCS/POS |
|-------------------------------------|---|
| Outpatient POS | POS |
| | 03: School |
| | 05: Indian Health Service Free-standing Facility |
| | 07 - Tribal 638 Free-standing Facility |
| | 09 - Prison / Correctional Facility |
| | 11: Office |
| | 12: Home |
| | 13: Assisted Living Facility |
| | 14: Group Home |
| | 15: Mobile Unit |
| | 16: Temporary Lodging |
| | 17: Walk-in Retail Clinic |
| | 18: Place of Employment-Worksite |
| | 19: Off Campus-Outpatient Hospital |
| | 20: Urgent Care Facility |
| | 22: On-Campus Outpatient Hospital |
| | 33: Custodial Care Facility |
| | 49: Independent Clinic |
| | 50: Federally Qualified Health Center |
| | 71: Public Health Clinic |
| | 72: Rural Health Clinic |
| Health and Behavioral Assessment or | CPT |
| Intervention | 96156 |
| Online Assessments | CPT |
| | 99422HCPCS |
| | G0071: Payment for communication technology-based services |
| | for 5 minutes or more of a virtual (non-face-to-face) |
| | communication between an rural health clinic (RHC) or federally |
| | qualified health center (FQHC) practitioner and RHC or FQHC |

Page 41 of 119

| Description | CPT/HCPCS/POS |
|---------------------------|---|
| | patient, or 5 minutes or more of remote evaluation of recorded video and/or images by an RHC or FQHC practitioner, occurring in lieu of an office visit; RHC or FQHC only G2251: Brief communication technology-based service, e.g.for example, virtual check-in, by a qualified health carehealthcare professional who cannot report evaluation and management services, provided to an established patient, not originating from a related service provided within the previous 7 days nor leading to a service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of clinical discussion G2252: Brief communication technology-based service, e.g.for example virtual check-in, by a physician or other qualified health carehealthcare professional who can report evaluation and management services, provided to an established patient, not originating from a related e/m service provided within the previous 7 days nor leading to an e/m service or procedure within the next 24 hours or soonest available appointment; 11-20 minutes of medical discussion |
| Telehealth POS | POS 02: Telehealth Provided Other than in Patient's Home 10: Telehealth Provided in Patient's Home |
| Visit Setting Unspecified | CPT 90791, 90792, 90832, 90833, 90834, 90836, 90837, , 90839, 90840, , 90847, , 90853, 90875, 90876, 99221, 99222, 99223, 99231, 99232, 99233, 99238, 99239, 99252, 99253, 99254, 99255 |

Note: The codes listed are informational only; this information does not guarantee reimbursement.

Adult Immunization Status (AIS-E)

| Immunization | CPT/HCPCS/CVX/SNOMED CTSNOMED CT |
|-----------------------------------|--|
| Adult Influenza Vaccine procedure | CPT 0, 90653, , , 90658, 90661, 90662, , 90674, , 90686, 90688, 90689, 90694, 90756 SNOMED CTSNOMED CT 86198006: Administration of vaccine product containing only Influenza virus antigen (procedure) |
| Adult Influenza Immunization | CVX 88: influenza virus vaccine, unspecified formulation 135: influenza, high dose seasonal, preservative-free 140: Influenza, seasonal, injectable, preservative free |

| Immunization | CPT/HCPCS/CVX/SNOMED CTSNOMED CT |
|----------------------------|---|
| | 141: Influenza, seasonal, injectable |
| | 144: seasonal influenza, intradermal, preservative free |
| | 150: Influenza, injectable, quadrivalent, preservative free |
| | 153: Influenza, injectable, Madin Darby Canine Kidney, preservative free |
| | 155: Seasonal, trivalent, recombinant, injectable influenza vaccine, preservative |
| | free 158: influenza, injectable, quadrivalent, contains preservative |
| | 166: influenza, intradermal, quadrivalent, preservative free, injectable |
| | 168: Seasonal trivalent influenza vaccine, adjuvanted, preservative free |
| | |
| | 171: Influenza, injectable, Madin Darby Canine Kidney, preservative free, quadrivalent |
| | 185: Seasonal, quadrivalent, recombinant, injectable influenza vaccine, preservative free |
| | 186: Influenza, injectable, Madin Darby Canine Kidney, quadrivalent with preservative |
| | 197: influenza, high-dose seasonal, quadrivalent, 0.7mL dose, preservative free |
| | 205: influenza, seasonal vaccine, quadrivalent, adjuvanted, 0.5mL dose, |
| | preservative free |
| Adult Pneumococcal | CVX |
| Immunization | 33: pneumococcal polysaccharide vaccine, 23 valent |
| | 109: pneumococcal vaccine, unspecified formulation |
| | 133: pneumococcal conjugate vaccine, 13 valent |
| | 152: Pneumococcal Conjugate, unspecified formulation |
| | 215: Pneumococcal conjugate vaccine 15-valent (PCV15), polysaccharide CRM197 |
| | conjugate, adjuvant, preservative free |
| | 216: Pneumococcal conjugate vaccine 20-valent (PCV20), polysaccharide CRM197 |
| | conjugate, adjuvant, preservative free |
| Adult Pneumococcal Vaccine | |
| Procedure | 90670, 90671, 90677, 90732 |
| | HCPCS |
| | G0009: Administration of pneumococcal vaccine |
| | SNOMED CTSNOMED CT |
| | 12866006: Administration of vaccine product containing only Streptococcus |
| | pneumoniae antigen (procedure) |
| | 394678003: Administration of booster dose of vaccine product containing only |
| | Streptococcus pneumoniae antigen (procedure) |
| | 871833000: Subcutaneous injection of pneumococcal vaccine (procedure) |
| | (p. 2004) |

| Immunization | CPT/HCPCS/CVX/SNOMED CTSNOMED CT |
|------------------------------|--|
| | 1119366009: Administration of vaccine product containing only Streptococcus pneumoniae Danish serotype 1, 3, 4, 5, 6A, 6B, 7F, 9V, 14, 18C, 19A, 19F, and 23F capsular polysaccharide antigens (procedure) 1119367000: Administration of vaccine product containing only Streptococcus pneumoniae Danish serotype 1, 2, 3, 4, 5, 6B, 7F, 8, 9N, 9V, 10A, 11A, 12F, 14, 15B, 17F, 18C, 19A, 19F, 20, 22F, 23F, and 33F capsular polysaccharide antigens (procedure) 1119368005: Administration of vaccine product containing only Streptococcus pneumoniae Danish serotype 4, 6B, 9V, 14, 18C, 19F, and 23F capsular polysaccharide antigens conjugated (procedure) 1296904008: Administration of vaccine product containing only Streptococcus pneumoniae Danish serotype 1, 3, 4, 5, 6A, 6B, 7F, 9V, 14, 18C, 19A, 19F, and 23F |
| | capsular polysaccharide antigens conjugated (procedure) |
| | 434751000124102: Pneumococcal conjugate vaccination (procedure) |
| Influenza Virus LAIV Vaccine | CPT |
| Procedure | 90660, 90672 |
| | SNOMED CTSNOMED CT |
| | 787016008: Administration of vaccine product containing only Influenza virus |
| - | antigen in nasal dose form (procedure) |
| Influenza Virus LAIV | CVX |
| Immunization | 111: influenza virus vaccine, live, attenuated, for intranasal use |
| | 149: influenza, live, intranasal, quadrivalent |
| Td Vaccine Procedure | CPT 90714 SNOMED CTSNOMED CT 73152006: Administration of vaccine product containing only Clostridium tetani and Corynebacterium diphtheriae antigens (procedure) 312869001: Administration of vaccine product containing only Clostridium tetani and Corynebacterium diphtheriae and Haemophilus influenzae type b and Human poliovirus antigens (procedure) 395178008: Administration of first dose of vaccine product containing only Clostridium tetani and low dose Corynebacterium diphtheriae antigens (procedure) 395179000: Administration of second dose of vaccine product containing only Clostridium tetani and low dose Corynebacterium diphtheriae antigens (procedure) |

Immunization

CPT/HCPCS/CVX/SNOMED CTSNOMED CT

395180002: Administration of third dose of vaccine product containing only Clostridium tetani and low dose Corynebacterium diphtheriae antigens (procedure)

395181003: Administration of booster dose of vaccine product containing only Clostridium tetani and low dose Corynebacterium diphtheriae antigens (procedure)

414619005: Administration of vaccine product containing only Clostridium tetani and low dose Corynebacterium diphtheriae and inactivated Human poliovirus antigens (procedure)

416144004: Administration of third dose of vaccine product containing only Clostridium tetani and low dose Corynebacterium diphtheriae and inactivated Human poliovirus antigens (procedure)

416591003: Administration of first dose of vaccine product containing only Clostridium tetani and low dose Corynebacterium diphtheriae and inactivated Human poliovirus antigens (procedure)

417211006: Administration of first booster of vaccine product containing only Clostridium tetani and low dose Corynebacterium diphtheriae and inactivated Human poliovirus antigens (procedure)

417384007: Administration of second booster of vaccine product containing only Clostridium tetani and low dose Corynebacterium diphtheriae and inactivated Human poliovirus antigens (procedure)

417615007: Administration of second dose of vaccine product containing only Clostridium tetani and low dose Corynebacterium diphtheriae and inactivated Human poliovirus antigens (procedure)

866161006: Administration of booster dose of vaccine product containing only Clostridium tetani and Corynebacterium diphtheriae antigens (procedure) 866184004: Administration of second dose of vaccine product containing only Clostridium tetani and Corynebacterium diphtheriae antigens (procedure) 866185003: Administration of first dose of vaccine product containing only Clostridium tetani and Corynebacterium diphtheriae antigens (procedure) 866186002: Administration of vaccine product containing only Clostridium tetani and Corynebacterium diphtheriae and Human poliovirus antigens (procedure) 866227002: Administration of booster dose of vaccine product containing only Clostridium tetani and Corynebacterium diphtheriae and Human poliovirus antigens (procedure)

868266002: Administration of second dose of vaccine product containing only Clostridium tetani and Corynebacterium diphtheriae and Human poliovirus antigens (procedure)

| Immunization | CPT/HCPCS/CVX/SNOMED CTSNOMED CT |
|------------------------|---|
| Immunization | 868267006: Administration of first dose of vaccine product containing only Clostridium tetani and Corynebacterium diphtheriae and Human poliovirus antigens (procedure) 868268001: Administration of third dose of vaccine product containing only Clostridium tetani and Corynebacterium diphtheriae and Human poliovirus antigens (procedure) 870668008: Administration of third dose of vaccine product containing only Clostridium tetani and Corynebacterium diphtheriae antigens (procedure) 870669000: Preschool administration of vaccine product containing only Clostridium tetani and Corynebacterium diphtheriae antigens (procedure) 870670004: Preschool administration of vaccine product containing only Clostridium tetani and Corynebacterium diphtheriae and Human poliovirus antigens (procedure) 871828004: Administration of vaccine product containing only Clostridium tetani |
| | and low dose Corynebacterium diphtheriae antigens (procedure) 632481000119106: Administration of vaccine product containing only Clostridium tetani and Corynebacterium diphtheriae antigens, less than 7 years of age |
| | (procedure) |
| Td Immunization | CVX 09: tetanus and diphtheria toxoids, adsorbed, preservative free, for adult use (2 Lf of tetanus toxoid and 2 Lf of diphtheria toxoid) 113: tetanus and diphtheria toxoids, adsorbed, preservative free, for adult use (5 Lf of tetanus toxoid and 2 Lf of diphtheria toxoid) 115: tetanus toxoid, reduced diphtheria toxoid, and acellular pertussis vaccine, adsorbed 138: tetanus and diphtheria toxoids, not adsorbed, for adult use 139: Td(adult) unspecified formulation |
| Tdap Vaccine Procedure | CPT 90715 SNOMED CTSNOMED CT 390846000: Administration of booster dose of vaccine product containing only acellular Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae antigens (procedure) 412755006: Administration of first dose of vaccine product containing only acellular Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae antigens (procedure) 412756007: Administration of second dose of vaccine product containing only acellular Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae antigens (procedure) |

| Immunization | CPT/HCPCS/CVX/SNOMED CTSNOMED CT |
|----------------------------|---|
| | 412757003: Administration of third dose of vaccine product containing only acellular Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae antigens (procedure) |
| | 428251000124104: Tetanus, diphtheria, and acellular pertussis vaccination (procedure) |
| | 571571000119105: Administration of vaccine product containing only acellular Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae antigens (procedure) |
| Herpes Zoster Live Vaccine | CPT |
| Procedure | 90736 |
| | SNOMED CTSNOMED CT |
| | 871898007: Administration of vaccine product containing only live attenuated |
| | Human alphaherpesvirus 3 antigen (procedure) |
| | 871899004: Administration of vaccine product containing only live attenuated |
| | Human alphaherpesvirus 3 antigen via subcutaneous route (procedure) |
| Herpes Zoster Recombinant | CPT |
| Vaccine Procedure | 90750 |
| | SNOMED CTSNOMED CT |
| | 722215002: Administration of vaccine product containing only Human |
| | alphaherpesvirus 3 antigen for shingles (procedure) |
| CDC Race and Ethnicity | 1002-5: American Indian or Alaska Native |
| | 2028-9: Asian |
| | 2054-5: Black or African American |
| | 2076-8: Native Hawaiian or Other Pacific Islander |
| | 2106-3: White |
| | 2135-2: Hispanic or Latino |
| | 2186-5: Not Hispanic or Latino |

Note: The codes listed are informational only; this information does not guarantee reimbursement.

Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM-E)

| Description | CPT/CAT II/LOINC/SNOMED CTSNOMED CT |
|----------------------|---|
| Cholesterol Lab Test | CPT |
| | 82465, 83718, , 84478 |
| | LOINC |
| | 2085-9: Cholesterol in HDL [Mass/volume] in Serum or Plasma |
| | 2093-3: Cholesterol [Mass/volume] in Serum or Plasma |
| | 2571-8: Triglyceride [Mass/volume] in Serum or Plasma |
| | 3043-7: Triglyceride [Mass/volume] in Blood |

CPT/CAT II/LOINC/SNOMED CTSNOMED CT Description 9830-1: Cholesterol. Total/Cholesterol in HDL [Mass Ratio] in Serum or Plasma SNOMED CTSNOMED CT 14740000: Triglycerides measurement (procedure) 28036006: High density lipoprotein cholesterol measurement (procedure) 77068002: Cholesterol measurement (procedure) 104583003: High density lipoprotein/total cholesterol ratio measurement (procedure) 104584009: Intermediate density lipoprotein cholesterol measurement (procedure) 104586006: Cholesterol/triglyceride ratio measurement (procedure) 104784006: Lipids, triglycerides measurement (procedure) 104990004: Triglyceride and ester in high density lipoprotein measurement (procedure) 104991000: Triglyceride and ester in intermediate density lipoprotein measurement (procedure) 121868005: Total cholesterol measurement (procedure) 166832000: Serum high density lipoprotein cholesterol measurement (procedure) 166838001: Serum fasting high density lipoprotein cholesterol measurement (procedure) 166839009: Serum random high density lipoprotein cholesterol measurement (procedure) 166849007: Serum fasting triglyceride measurement (procedure) 166850007: Serum random triglyceride measurement (procedure) 167072001: Plasma random high density lipoprotein cholesterol measurement (procedure) 167073006: Plasma fasting high density lipoprotein cholesterol measurement (procedure) 167082000: Plasma triglyceride measurement (procedure) 167083005: Plasma random triglyceride measurement (procedure) 167084004: Plasma fasting triglyceride measurement (procedure) 271245006: Measurement of serum triglyceride level (procedure) 275972003: Cholesterol screening (procedure) 314035000: Plasma high density lipoprotein cholesterol measurement (procedure) 315017003: Fasting cholesterol level (procedure) 390956002: Plasma total cholesterol level (procedure) 412808005: Serum total cholesterol measurement (procedure)

The codes and measure tips listed are informational only, not clinical guidelines or standards of medical care, and do not guarantee reimbursement. All member care and related decisions of treatment are the sole responsibility of the provider. This information does not dictate or control your clinical decisions regarding the appropriate care of members. Your state/provider contract(s), Medicaid, member benefits and several other guidelines determine reimbursement for the applicable codes. Proper coding and providing appropriate care decrease the need for high volume of medical record review requests and provider audits. It also helps us review your performance on the quality of care that is provided to our members and meet the HEDIS measure for quality reporting based on the care you provide our members. Please note: The information provided is based on HEDIS MY2025 technical specifications and is subject to change based on guidance given by the National Committee for Quality Assurance (NCQA), the Centers for Medicare & Medicaid Services (CMS) and state recommendations. Please refer to the appropriate agency for additional guidance.

412827004: Fluid sample triglyceride measurement (procedure)

| Description | CPT/CAT II/LOINC/SNOMED CTSNOMED CT |
|----------------------------|---|
| - Secon parent | 443915001: Measurement of total cholesterol and triglycerides (procedure) |
| Cholesterol Test Result or | SNOMED CT |
| Finding | 166830008: Serum cholesterol above reference range (finding) |
| G | 166848004: Serum triglycerides above reference range (finding) |
| | 259557002: High density lipoprotein triglyceride (substance) |
| | 365793008: Finding of cholesterol level (finding) |
| | 365794002: Finding of serum cholesterol level (finding) |
| | 365795001: Finding of triglyceride level (finding) |
| | 365796000: Finding of serum triglyceride levels (finding) |
| | 439953004: Cholesterol/high density lipoprotein ratio above reference range (finding) |
| | 707122004: Triglyceride in high density lipoprotein subfraction 2 (substance) |
| | 707123009: Triglyceride in high density lipoprotein subfraction 3 (substance) |
| | 1162800007: Cholesterol esters within reference range (finding) |
| | 1172655006: Low density lipoprotein cholesterol below reference range |
| | (finding) |
| | 1172656007: Low density lipoprotein cholesterol within reference range |
| | (finding) |
| | 67991000119104: Serum cholesterol outside reference range (finding) |
| Glucose Lab Test | CPT |
| | 80047, 80048, 80050, 80053, 80069, 82947, 82950, 82951 |
| | LOINC |
| | 10450-5: Glucose [Mass/volume] in Serum or Plasma10 hours fasting |
| | 1492-8: Glucose [Mass/volume] in Serum or Plasma1.5 hours post 0.5 g/kg glucose IV |
| | 1494-4: Glucose [Mass/volume] in Serum or Plasma1.5 hours post 100 g glucose PO |
| | 1496-9: Glucose [Mass/volume] in Serum or Plasma1.5 hours post 75 g glucose PO |
| | 1499-3: Glucose [Mass/volume] in Serum or Plasma1 hour post 0.5 g/kg glucose IV |
| | 1501-6: Glucose [Mass/volume] in Serum or Plasma1 hour post 100 g glucose PO |
| | 1504-0: Glucose [Mass/volume] in Serum or Plasma1 hour post 50 g glucose |
| | PO 1507-3: Glucose [Mass/volume] in Serum or Plasma1 hour post 75 g glucose PO |
| | 1514-9: Glucose [Mass/volume] in Serum or Plasma2 hours post 100 g glucose PO |
| | |

CPT/CAT II/LOINC/SNOMED CTSNOMED CT 1518-0: Glucose [Mass/volume] in Serum or Plasma -- 2 hours post 75 g glucose PO 1530-5: Glucose [Mass/volume] in Serum or Plasma -- 3 hours post 100 g glucose 1533-9: Glucose [Mass/volume] in Serum or Plasma --3 hours post 75 g glucose 1554-5: Glucose [Mass/volume] in Serum or Plasma --12 hours fasting 1557-8: Fasting glucose [Mass/volume] in Venous blood 1558-6: Fasting glucose [Mass/volume] in Serum or Plasma 17865-7: Glucose [Mass/volume] in Serum or Plasma --8 hours fasting 20436-2: Glucose [Mass/volume] in Serum or Plasma --2 hours post dose glucose 20437-0: Glucose [Mass/volume] in Serum or Plasma -- 3 hours post dose glucose 20438-8: Glucose [Mass/volume] in Serum or Plasma --1 hour post dose glucose 20440-4: Glucose [Mass/volume] in Serum or Plasma -- 1.5 hours post dose glucose 2345-7: Glucose [Mass/volume] in Serum or Plasma 26554-6: Glucose [Mass/volume] in Serum or Plasma --2.5 hours post dose glucose 41024-1: Glucose [Mass/volume] in Serum or Plasma -- 2 hours post 50 g glucose 49134-0: Glucose [Mass/volume] in Blood -- 2 hours post dose glucose 6749-6: Glucose [Mass/volume] in Serum or Plasma --2.5 hours post 75 g glucose 9375-7: Glucose [Mass/volume] in Serum or Plasma --2.5 hours post 100 g glucose PO SNOMED CTSNOMED CT 22569008: Glucose measurement, serum (procedure) 33747003: Glucose measurement, blood (procedure) 52302001: Glucose measurement, fasting (procedure) 72191006: Glucose measurement, plasma (procedure) 73128004: Glucose measurement, random (procedure) 88856000: Glucose measurement, 2 hour post prandial (procedure) 104686004: Glucose measurement, blood, test strip (procedure) 167086002: Serum random glucose measurement (procedure) 167087006: Serum fasting glucose measurement (procedure) 167088001: Serum 2-hr post-prandial glucose measurement (procedure) 167095005: Plasma random glucose measurement (procedure) 167096006: Plasma fasting glucose measurement (procedure) 167097002: Plasma 2-hr post-prandial glucose measurement (procedure)

| Description | CPT/CAT II/LOINC/SNOMED CTSNOMED CT |
|------------------------|---|
| | 250417005: Glucose concentration, test strip measurement (procedure) |
| | 271061004: Random blood glucose measurement (procedure) |
| | 271062006: Fasting blood glucose measurement (procedure) |
| | 271063001: Lunch time blood sugar measurement (procedure) |
| | 271064007: Supper time blood sugar measurement (procedure) |
| | 271065008: Bedtime blood sugar measurement (procedure) |
| | 275810004: BM stix glucose measurement (procedure) |
| | 302788006: Post-prandial blood glucose measurement (procedure) |
| | 302789003: Capillary blood glucose measurement (procedure) |
| | 308113006: Self-monitoring of blood glucose (procedure) |
| | 313474007: 60-minute blood glucose measurement (procedure) |
| | 313545000: 120-minute blood glucose measurement (procedure) |
| | 313546004: 90-minute blood glucose measurement (procedure) |
| | 313624000: 150-minute blood glucose measurement (procedure) |
| | 313626003: 60-minute plasma glucose measurement (procedure) |
| | 313627007: 120-minute plasma glucose measurement (procedure) |
| | 313628002: 150-minute plasma glucose measurement (procedure) |
| | 313630000: 60-minute serum glucose measurement (procedure) |
| | 313631001: 120-minute serum glucose measurement (procedure) |
| | 313697000: 90-minute plasma glucose measurement (procedure) |
| | 313698005: 90-minute serum glucose measurement (procedure) |
| | 313810002: 150-minute serum glucose measurement (procedure) |
| | 412928005: Blood glucose series (procedure) |
| | 440576000: 240-minute plasma glucose measurement (procedure) |
| | 443780009: Quantitative measurement of mass concentration of glucose in |
| | serum or plasma specimen 120 minutes after 75-gram oral glucose challenge |
| | (procedure) |
| | 444008003: Quantitative measurement of mass concentration of glucose in |
| | serum or plasma specimen 6 hours after glucose challenge (procedure) |
| | 444127006: Quantitative measurement of mass concentration of glucose in |
| | postcalorie fasting serum or plasma specimen (procedure) |
| Glucose Test Result or | SNOMED CT |
| Finding | 166890005: Random blood glucose within reference range (finding) |
| | 166891009: Random blood sugar below reference range (finding) |
| | 166892002: Random blood sugar above reference range (finding) |
| | 166914001: Blood glucose 0-1.4 mmol/L (finding) |
| | 166915000: Blood glucose 1.5-2.4 mmol/L (finding) |
| | 166916004: Blood glucose 2.5-4.9 mmol/L (finding) |
| | 166917008: Blood glucose 5-6.9 mmol/L (finding) |
| | |

| Description | CPT/CAT II/LOINC/SNOMED CTSNOMED CT |
|-----------------------|---|
| - Description | 166918003: Blood glucose 7-9.9 mmol/L (finding) |
| | 166919006: Blood glucose 10-13.9 mmol/L (finding) |
| | 166921001: Blood glucose within reference range (finding) |
| | 166922008: Blood glucose outside reference range (finding) |
| | 166923003: Blood glucose 14+ mmol/L (finding) |
| | 442545002: Random blood glucose outside reference range (finding) |
| | 444780001: Glucose in blood specimen above reference range (finding) |
| | 1179458001: Blood glucose below reference range (finding) |
| HbA1c Lab Test | CPT CPT |
| | 83036, 83037 |
| | LOINC |
| | 17855-8: Hemoglobin A1c/Hemoglobin. Total in Blood by calculation |
| | 17856-6: Hemoglobin A1c/Hemoglobin. Total in Blood by HPLC |
| | 4548-4: Hemoglobin A1c/Hemoglobin. Total in Blood |
| | 4549-2: Hemoglobin A1c/Hemoglobin. Total in Blood by Electrophoresis |
| | 96595-4: Hemoglobin A1c/Hemoglobin. Total in DBS |
| | SNOMED CTSNOMED CT |
| | 43396009: Hemoglobin A1c measurement (procedure) |
| | 313835008: Hemoglobin A1c measurement aligned to the Diabetes Control and |
| | Complications Trial (procedure) |
| HbA1c Test Result or | CPT |
| LINUTE LESE MESALL OL | CFI |
| Finding | 83036, 83037 |
| | |
| | 83036, 83037 |
| | 83036, 83037 CAT II |
| | 83036, 83037 CAT II 3044F: Most recent hemoglobin A1c (HbA1c) level less than 7.0% (DM) |
| | 83036, 83037 CAT II 3044F: Most recent hemoglobin A1c (HbA1c) level less than 7.0% (DM) 3046F: Most recent hemoglobin A1c level greater than 9.0% (DM) |
| | 83036, 83037 CAT II 3044F: Most recent hemoglobin A1c (HbA1c) level less than 7.0% (DM) 3046F: Most recent hemoglobin A1c level greater than 9.0% (DM) 3051F: Most recent hemoglobin A1c (HbA1c) level greater than or equal to 7.0% |
| | 83036, 83037 CAT II 3044F: Most recent hemoglobin A1c (HbA1c) level less than 7.0% (DM) 3046F: Most recent hemoglobin A1c level greater than 9.0% (DM) 3051F: Most recent hemoglobin A1c (HbA1c) level greater than or equal to 7.0% and less than 8.0% (DM) |
| | 83036, 83037 CAT II 3044F: Most recent hemoglobin A1c (HbA1c) level less than 7.0% (DM) 3046F: Most recent hemoglobin A1c level greater than 9.0% (DM) 3051F: Most recent hemoglobin A1c (HbA1c) level greater than or equal to 7.0% and less than 8.0% (DM) 3052F: Most recent hemoglobin A1c (HbA1c) level greater than or equal to 8.0% |
| | 83036, 83037 CAT II 3044F: Most recent hemoglobin A1c (HbA1c) level less than 7.0% (DM) 3046F: Most recent hemoglobin A1c level greater than 9.0% (DM) 3051F: Most recent hemoglobin A1c (HbA1c) level greater than or equal to 7.0% and less than 8.0% (DM) 3052F: Most recent hemoglobin A1c (HbA1c) level greater than or equal to 8.0% and less than or equal to 9.0% (DM) |
| | 83036, 83037 CAT II 3044F: Most recent hemoglobin A1c (HbA1c) level less than 7.0% (DM) 3046F: Most recent hemoglobin A1c level greater than 9.0% (DM) 3051F: Most recent hemoglobin A1c (HbA1c) level greater than or equal to 7.0% and less than 8.0% (DM) 3052F: Most recent hemoglobin A1c (HbA1c) level greater than or equal to 8.0% and less than or equal to 9.0% (DM) SNOMED CTSNOMED CT |
| | 83036, 83037 CAT II 3044F: Most recent hemoglobin A1c (HbA1c) level less than 7.0% (DM) 3046F: Most recent hemoglobin A1c level greater than 9.0% (DM) 3051F: Most recent hemoglobin A1c (HbA1c) level greater than or equal to 7.0% and less than 8.0% (DM) 3052F: Most recent hemoglobin A1c (HbA1c) level greater than or equal to 8.0% and less than or equal to 9.0% (DM) SNOMED CTSNOMED CT 451051000124101: Hemoglobin A1c less than 77 percent % indicating good |
| | 83036, 83037 CAT II 3044F: Most recent hemoglobin A1c (HbA1c) level less than 7.0% (DM) 3046F: Most recent hemoglobin A1c level greater than 9.0% (DM) 3051F: Most recent hemoglobin A1c (HbA1c) level greater than or equal to 7.0% and less than 8.0% (DM) 3052F: Most recent hemoglobin A1c (HbA1c) level greater than or equal to 8.0% and less than or equal to 9.0% (DM) SNOMED CTSNOMED CT 451051000124101: Hemoglobin A1c less than 77 percent % indicating good diabetic control (finding) |
| | 83036, 83037 CAT II 3044F: Most recent hemoglobin A1c (HbA1c) level less than 7.0% (DM) 3046F: Most recent hemoglobin A1c level greater than 9.0% (DM) 3051F: Most recent hemoglobin A1c (HbA1c) level greater than or equal to 7.0% and less than 8.0% (DM) 3052F: Most recent hemoglobin A1c (HbA1c) level greater than or equal to 8.0% and less than or equal to 9.0% (DM) SNOMED CTSNOMED CT 451051000124101: Hemoglobin A1c less than 77 percent % indicating good diabetic control (finding) 451061000124104: Hemoglobin A1c greater than nine percent indicating poor |
| Finding | 83036, 83037 CAT II 3044F: Most recent hemoglobin A1c (HbA1c) level less than 7.0% (DM) 3046F: Most recent hemoglobin A1c level greater than 9.0% (DM) 3051F: Most recent hemoglobin A1c (HbA1c) level greater than or equal to 7.0% and less than 8.0% (DM) 3052F: Most recent hemoglobin A1c (HbA1c) level greater than or equal to 8.0% and less than or equal to 9.0% (DM) SNOMED CTSNOMED CT 451051000124101: Hemoglobin A1c less than 77 percent % indicating good diabetic control (finding) 451061000124104: Hemoglobin A1c greater than nine percent indicating poor diabetic control (finding) |
| Finding | 83036, 83037 CAT II 3044F: Most recent hemoglobin A1c (HbA1c) level less than 7.0% (DM) 3046F: Most recent hemoglobin A1c level greater than 9.0% (DM) 3051F: Most recent hemoglobin A1c (HbA1c) level greater than or equal to 7.0% and less than 8.0% (DM) 3052F: Most recent hemoglobin A1c (HbA1c) level greater than or equal to 8.0% and less than or equal to 9.0% (DM) SNOMED CTSNOMED CT 451051000124101: Hemoglobin A1c less than 77 percent % indicating good diabetic control (finding) 451061000124104: Hemoglobin A1c greater than nine percent indicating poor diabetic control (finding) CPT |
| Finding | 83036, 83037 CAT II 3044F: Most recent hemoglobin A1c (HbA1c) level less than 7.0% (DM) 3046F: Most recent hemoglobin A1c level greater than 9.0% (DM) 3051F: Most recent hemoglobin A1c (HbA1c) level greater than or equal to 7.0% and less than 8.0% (DM) 3052F: Most recent hemoglobin A1c (HbA1c) level greater than or equal to 8.0% and less than or equal to 9.0% (DM) SNOMED CTSNOMED CT 451051000124101: Hemoglobin A1c less than 77 percent % indicating good diabetic control (finding) 451061000124104: Hemoglobin A1c greater than nine percent indicating poor diabetic control (finding) CPT 80061, 83700, 83701, 83704, 83721 |

| Description | CPT/CAT II/LOINC/SNOMED CTSNOMED CT |
|----------------------|--|
| _ | 13457-7: Cholesterol in LDL [Mass/volume] in Serum or Plasma by calculation |
| | 18261-8: Cholesterol in LDL [Mass/volume] in Serum or Plasma ultracentrifugate |
| | 18262-6: Cholesterol in LDL [Mass/volume] in Serum or Plasma by Direct assay |
| | 2089-1: Cholesterol in LDL [Mass/volume] in Serum or Plasma |
| | 49132-4: Cholesterol in LDL [Mass/volume] in Serum or Plasma by |
| | Electrophoresis |
| | 55440-2: Cholesterol.in LDL (real) [Mass/volume] in Serum or Plasma by VAP |
| | 96259-7: Cholesterol in LDL [Mass/volume] in Serum or Plasma by Calculated by |
| | Martin-Hopkins |
| | SNOMED CTSNOMED CT |
| | 113079009: Low density lipoprotein cholesterol measurement (procedure) |
| | 166833005: Serum low density lipoprotein cholesterol measurement |
| | (procedure) |
| | 166840006: Serum fasting low density lipoprotein cholesterol measurement |
| | (procedure) |
| | 166841005: Serum random low density lipoprotein cholesterol measurement |
| | (procedure) |
| | 167074000: Plasma random low density lipoprotein cholesterol measurement |
| | (procedure) |
| | 167075004: Plasma fasting low density lipoprotein cholesterol measurement |
| | (procedure) |
| | 314036004: Plasma low density lipoprotein cholesterol measurement |
| | (procedure) |
| LDL-C Test Result or | CAT II |
| Finding | 3048F, 3049F, 3050F |

Note: The codes listed are informational only; this information does not guarantee reimbursement.

Unhealthy Alcohol Use Screening and Follow-Up (ASF-E)

| Officeriting According 036 3 | creening and ronow-op (A3r-L) |
|------------------------------|---|
| Description | CPT/HCPCS/ICD10CM/ SNOMED CTSNOMED CT |
| Alcohol Counseling or | CPT |
| Other Follow Up Care | 99408, 99409 |
| | HCPCS |
| | H0015: Alcohol and/or drug services; intensive outpatient (treatment program |
| | that operates at least 3 hours/day and at least 3 days/week and is based on an individualized treatment plan), including assessment, counseling; crisis |
| | intervention, and activity therapies or education |
| | H0050: Alcohol and/or drug services, brief intervention, per 15 minutes |
| | H2036: Alcohol and/or other drug treatment program, per diem |

| Description | CPT/HCPCS/ICD10CM/ SNOMED CTSNOMED CT |
|----------------------|---|
| - Description- | SNOMED CTSNOMED CT |
| | 20093000: Alcohol rehabilitation and detoxification (regime/therapy) |
| | 23915005: Combined alcohol and drug rehabilitation and detoxification |
| | (regime/therapy) |
| | 24165007: Alcoholism counseling (procedure) |
| | 64297001: Detoxication psychiatric therapy for alcoholism (regime/therapy) |
| | 386449006: Substance use treatment: alcohol withdrawal (regime/therapy) |
| | 408945004: Alcohol abuse prevention (procedure) |
| | 408947007: Alcohol abuse prevention education (procedure) |
| | 408948002: Alcohol abuse prevention management (procedure) |
| | 413473000: Counseling about alcohol consumption (procedure) |
| | 707166002: Alcohol reduction program (regime/therapy) |
| | 429291000124102: Alcohol brief intervention (procedure) |
| Alcohol Use Disorder | ICD10CM |
| | F10.10: Alcohol abuse, uncomplicated |
| | F10.120: Alcohol abuse with intoxication, uncomplicated |
| | F10.121: Alcohol abuse with intoxication delirium |
| | F10.129: Alcohol abuse with intoxication, unspecified |
| | F10.130: Alcohol abuse with withdrawal, uncomplicated |
| | F10.131: Alcohol abuse with withdrawal delirium |
| | F10.132: Alcohol abuse with withdrawal with perceptual disturbance |
| | F10.139: Alcohol abuse with withdrawal, unspecified |
| | F10.14: Alcohol abuse with alcohol-induced mood disorder |
| | F10.150: Alcohol abuse with alcohol-induced psychotic disorder with delusions |
| | F10.151: Alcohol abuse with alcohol-induced psychotic disorder with |
| | hallucinations |
| | F10.159: Alcohol abuse with alcohol-induced psychotic disorder, unspecified |
| | F10.180: Alcohol abuse with alcohol-induced anxiety disorder |
| | F10.181: Alcohol abuse with alcohol-induced sexual dysfunction |
| | F10.182: Alcohol abuse with alcohol-induced sleep disorder |
| | F10.188: Alcohol abuse with other alcohol-induced disorder |
| | F10.20: Alcohol dependence, uncomplicated |
| | F10.220: Alcohol dependence with intoxication, uncomplicated |
| | F10.221: Alcohol dependence with intoxication delirium |
| | F10.229: Alcohol dependence with intoxication, unspecified |
| | F10.230: Alcohol dependence with withdrawal, uncomplicated F10.231: Alcohol dependence with withdrawal delirium |
| | F10.231: Alcohol dependence with withdrawal delinum F10.232: Alcohol dependence with withdrawal with perceptual disturbance |
| | F10.232: Alcohol dependence with withdrawal, unspecified |
| | 1 10.200. Alcohol dependence with withdrawal, unspecified |

Description CPT/HCPCS/ICD10CM/ SNOMED CTSNOMED CT

F10.24: Alcohol dependence with alcohol-induced mood disorder

F10.250: Alcohol dependence with alcohol-induced psychotic disorder with delusions

F10.251: Alcohol dependence with alcohol-induced psychotic disorder with hallucinations

F10.259: Alcohol dependence with alcohol-induced psychotic disorder, unspecified

F10.26: Alcohol dependence with alcohol-induced persisting amnestic disorder

F10.27: Alcohol dependence with alcohol-induced persisting dementia

F10.280: Alcohol dependence with alcohol-induced anxiety disorder

F10.281: Alcohol dependence with alcohol-induced sexual dysfunction

F10.282: Alcohol dependence with alcohol-induced sleep disorder

F10.288: Alcohol dependence with other alcohol-induced disorder

F10.29: Alcohol dependence with unspecified alcohol-induced disorder

F10.90: Alcohol use, unspecified, uncomplicated

F10.920: Alcohol use, unspecified with intoxication, uncomplicated

F10.921: Alcohol use, unspecified with intoxication delirium

F10.929: Alcohol use, unspecified with intoxication, unspecified

F10.930: Alcohol use, unspecified with withdrawal, uncomplicated

F10.931: Alcohol use, unspecified with withdrawal delirium

F10.932: Alcohol use, unspecified with withdrawal with perceptual disturbance

F10.939: Alcohol use, unspecified with withdrawal, unspecified

F10.94: Alcohol use, unspecified with alcohol-induced mood disorder

F10.950: Alcohol use, unspecified with alcohol-induced psychotic disorder with delusions

F10.951: Alcohol use, unspecified with alcohol-induced psychotic disorder with hallucinations

F10.959: Alcohol use, unspecified with alcohol-induced psychotic disorder, unspecified

F10.96: Alcohol use, unspecified with alcohol-induced persisting amnestic disorder

F10.97: Alcohol use, unspecified with alcohol-induced persisting dementia

F10.980: Alcohol use, unspecified with alcohol-induced anxiety disorder

F10.981: Alcohol use, unspecified with alcohol-induced sexual dysfunction

F10.982: Alcohol use, unspecified with alcohol-induced sleep disorder

F10.988: Alcohol use, unspecified with other alcohol-induced disorder

F10.99: Alcohol use, unspecified with unspecified alcohol-induced disorder

K29.20: Alcoholic gastritis without bleeding

K29.21: Alcoholic gastritis with bleeding

CPT/HCPCS/ICD10CM/ SNOMED CTSNOMED CT Description K70.10: Alcoholic hepatitis without ascites K70.11: Alcoholic hepatitis with ascites SNOMED CTSNOMED CT 281004: Dementia associated with alcoholism (disorder) 7052005: Alcohol hallucinosis (disorder) 7200002: Alcoholism (disorder) 8635005: Alcohol withdrawal delirium (disorder) 15167005: Alcohol abuse (disorder) 18653004: Alcohol intoxication delirium (disorder) 29212009: Organic mental disorder caused by ingestible alcohol (disorder) 34938008: Anxiety disorder caused by alcohol (disorder) 41083005: Sleep disorder caused by ingestible alcohol (disorder) 42344001: Psychosis caused by ingestible alcohol (disorder) 53936005: Mood disorder caused by ingestible alcohol (disorder) 61144001: Alcohol-induced psychotic disorder with delusions (disorder) 66590003: Alcohol dependence (disorder) 69482004: Korsakoff's psychosis (disorder) 73097000: Alcohol amnestic disorder (disorder) 78524005: Alcohol-induced sexual dysfunction (finding) 85561006: Alcohol withdrawal syndrome without complication (disorder) 87810006: Megaloblastic anemia due to alcoholism (disorder) 191471000: Korsakov's alcoholic psychosis with peripheral neuritis (disorder) 191475009: Chronic alcoholic brain syndrome (disorder) 191476005: Alcohol withdrawal hallucinosis (disorder) 191478006: Alcoholic paranoia (disorder) 191480000: Alcohol withdrawal syndrome (disorder) 191811004: Continuous chronic alcoholism (disorder) 191812006: Episodic chronic alcoholism (disorder) 191813001: Chronic alcoholism in remission (disorder) 191882002: Nondependent alcohol abuse, continuous (disorder) 191883007: Nondependent alcohol abuse, episodic (disorder) 191884001: Nondependent alcohol abuse in remission (disorder) 231467000: Absinthe addiction (disorder) 268645007: Nondependent alcohol abuse (disorder) 284591009: Persistent alcohol abuse (disorder)

The codes and measure tips listed are informational only, not clinical guidelines or standards of medical care, and do not guarantee reimbursement. All member care and related decisions of treatment are the sole responsibility of the provider. This information does not dictate or control your clinical decisions regarding the appropriate care of members. Your state/provider contract(s), Medicaid, member benefits and several other guidelines determine reimbursement for the applicable codes. Proper coding and providing appropriate care decrease the need for high volume of medical record review requests and provider audits. It also helps us review your performance on the quality of care that is provided to our members and meet the HEDIS measure for quality reporting based on the care you provide our members. Please note: The information provided is based on HEDIS MY2025 technical specifications and is subject to change based on guidance given by the National Committee for Quality Assurance (NCQA), the Centers for Medicare & Medicaid Services (CMS) and state recommendations. Please refer to the appropriate agency for additional guidance.

713583005: Mild alcohol dependence (disorder) 713862009: Severe alcohol dependence (disorder) 714829008: Moderate alcohol dependence (disorder)

| Description | CPT/HCPCS/ICD10CM/ SNOMED CTSNOMED CT |
|-------------|---|
| | 723926008: Perceptual disturbances and seizures co-occurrent and due to alcohol withdrawal (disorder) |
| | 723927004: Psychotic disorder caused by alcohol with schizophreniform symptoms (disorder) |
| | 723928009: Mood disorder with depressive symptoms caused by alcohol (disorder) |
| | 723929001: Mood disorder with manic symptoms caused by alcohol (disorder) |
| | 723930006: Mood disorder with mixed manic and depressive symptoms caused by alcohol (disorder) |
| | 97571000119109: Thrombocytopenia co-occurrent and due to alcoholism (disorder) |
| | 135311000119100: Insomnia caused by alcohol (disorder) |
| | 288031000119105: Alcohol induced disorder co-occurrent and due to alcohol dependence (disorder) |
| | 10741871000119101: Alcohol dependence in pregnancy (disorder) |
| | 10755041000119100: Alcohol dependence in childbirth (disorder) |

Note: The codes listed are informational only; this information does not guarantee reimbursement.

Breast Cancer Screening (BCS-E)

| Description | CPT/LOINC/SNOMED CTSNOMED CT |
|-------------|---|
| Mammography | СРТ |
| | , , 77063, 77065, 77066, 77067 |
| | LOINC |
| | 24604-1: MG Breast Diagnostic Limited Views |
| | 24605-8: MG Breast Diagnostic |
| | 24606-6: MG Breast Screening |
| | 24610-8: MG Breast Limited Views |
| | 26175-0: MG Breast - bilateral Screening |
| | 26176-8: MG Breast - left Screening |
| | 26177-6: MG Breast - right Screening |
| | 26287-3: MG Breast - bilateral Limited Views |
| | 26289-9: MG Breast - left Limited Views |
| | 26291-5: MG Breast - right Limited Views |
| | 26346-7: MG Breast - bilateral Diagnostic |
| | 26347-5: MG Breast - left Diagnostic |
| | 26348-3: MG Breast - right Diagnostic |
| | 26349-1: MG Breast - bilateral Diagnostic Limited Views |
| | 26350-9: MG Breast - left Diagnostic Limited Views |

| Description | CPT/LOINC/SNOMED CTSNOMED CT |
|-------------|---|
| | 26351-7: MG Breast - right Diagnostic Limited Views |
| | 36319-2: MG Breast 4 Views |
| | 36625-2: MG Breast Views |
| | 36626-0: MG Breast - bilateral Views |
| | 36627-8: MG Breast - left Views |
| | 36642-7: MG Breast - left 2 Views |
| | 36962-9: MG Breast Axillary |
| | 37005-6: MG Breast - left Magnification |
| | 37006-4: MG Breast - bilateral MLO |
| | 37016-3: MG Breast - bilateral Rolled Views |
| | 37017-1: MG Breast - left Rolled Views |
| | 37028-8: MG Breast Tangential |
| | 37029-6: MG Breast - bilateral Tangential |
| | 37030-4: MG Breast - left Tangential |
| | 37037-9: MG Breast True lateral |
| | 37038-7: MG Breast - bilateral True lateral |
| | 37052-8: MG Breast - bilateral XCCL |
| | 37053-6: MG Breast - left XCCL |
| | 37539-4: MG Breast Grid Views |
| | 37542-8: MG Breast Magnification Views |
| | 37543-6: MG Breast - bilateral Magnification Views |
| | 37551-9: MG Breast Spot Views |
| | 37552-7: MG Breast - bilateral Spot Views |
| | 37553-5: MG Breast - left Spot Views compression |
| | 37554-3: MG Breast - bilateral Magnification and Spot |
| | 37768-9: MG Breast - right 2 Views |
| | 37769-7: MG Breast - right Magnification and Spot |
| | 37770-5: MG Breast - right Tangential |
| | 37771-3: MG Breast - right True lateral |
| | 37772-1: MG Breast - right XCCL |
| | 37773-9: MG Breast - right Magnification |
| | 37774-7: MG Breast - right Views |
| | 37775-4: MG Breast - right Rolled Views |
| | 38070-9: MG Breast Views for implant |
| | 38071-7: MG Breast - bilateral Views for implant |
| | 38072-5: MG Breast - left Views for implant |
| | 38090-7: MG Breast - bilateral Air gap Views |
| | 38091-5: MG Breast - left Air gap Views |
| | 38807-4: MG Breast - right Spot Views |
| | |

| Description | CPT/LOINC/SNOMED CTSNOMED CT |
|-------------|---|
| Description | 38820-7: MG Breast - right Views for implant |
| | 38854-6: MG Breast - left Magnification and Spot |
| | 38855-3: MG Breast - left True lateral |
| | 39150-8: FFD mammogram Breast Views Post Localization |
| | - |
| | 39152-4: FFD mammogram Breast Diagnostic |
| | 39153-2: FFD mammogram Breast Screening |
| | 39154-0: FFD mammogram Breast - bilateral Diagnostic |
| | 42168-5: FFD mammogram Breast - right Diagnostic |
| | 42169-3: FFD mammogram Breast - left Diagnostic |
| | 42174-3: FFD mammogram Breast - bilateral Screening |
| | 42415-0: MG Breast - bilateral Views Post Wire Placement |
| | 42416-8: MG Breast - left Views Post Wire Placement |
| | 46335-6: MG Breast - bilateral Single view |
| | 46336-4: MG Breast - left Single view |
| | 46337-2: MG Breast - right Single view |
| | 46338-0: MG Breast - unilateral Single view |
| | 46339-8: MG Breast - unilateral Views |
| | 46342-2: FFD mammogram Breast Views |
| | 46350-5: MG Breast - unilateral Diagnostic |
| | 46351-3: MG Breast - bilateral Displacement Views for Implant |
| | 46354-7: FFD mammogram Breast - right Screening |
| | 46355-4: FFD mammogram Breast - left Screening |
| | 46356-2: MG Breast - unilateral Screening |
| | 46380-2: MG Breast - unilateral Views for implant |
| | 48475-8: MG Breast - bilateral Diagnostic for implant |
| | 48492-3: MG Breast - bilateral Screening for implant |
| | 69150-1: MG Breast - left Diagnostic for implant |
| | 69251-7: MG Breast Views Post Wire Placement |
| | 69259-0: MG Breast - right Diagnostic for implant |
| | 72137-3: DBT Breast - right diagnostic |
| | 72138-1: DBT Breast - left diagnostic |
| | 72139-9: DBT Breast - bilateral diagnostic |
| | 72140-7: DBT Breast - right screening |
| | 72141-5: DBT Breast - left screening |
| | 72142-3: DBT Breast - bilateral screening |
| | 86462-9: DBT Breast - unilateral |
| | 86463-7: DBT Breast - bilateral |
| | 91517-3: DBT Breast - right diagnostic for implant |
| | 91518-1: DBT Breast - left diagnostic for implant |
| | |

| Description | CPT/LOINC/SNOMED CTSNOMED CT |
|-------------|---|
| Description | 91519-9: DBT Breast - bilateral diagnostic for implant |
| | 91520-7: DBT Breast - right screen for implant |
| | 91521-5: DBT Breast - left screen for implant |
| | • |
| | 91522-3: DBT Breast - bilateral screen for implant |
| | 103885-0: MG Breast - left Screening for implant |
| | 103886-8: MG Breast - right Screening for implant |
| | 103892-6: DBT Breast screening |
| | 103893-4: MG Breast Screening for implant |
| | 103894-2: MG Breast Diagnostic for implant |
| | SNOMED CT |
| | 12389009: Xeromammography (procedure) |
| | 24623002: Screening mammography (procedure) |
| | 43204002: Mammography of bilateral breasts (procedure) |
| | 71651007: Mammography (procedure) |
| | 241055006: Mammogram - symptomatic (procedure) |
| | 241057003: Mammogram coned (procedure) |
| | 241058008: Mammogram magnification (procedure) |
| | 258172002: Stereotactic mammography (procedure) |
| | 439324009: Mammogram in compression view (procedure) |
| | 450566007: Digital breast tomosynthesis (procedure) |
| | 709657006: Fluoroscopy of breast (procedure) |
| | 723778004: Digital tomosynthesis of right breast (procedure) |
| | 723779007: Digital tomosynthesis of left breast (procedure) |
| | 723780005: Digital tomosynthesis of bilateral breasts (procedure) |
| | 726551006: Contrast enhanced spectral mammography (procedure) |
| | 833310007: Contrast enhanced dual energy spectral mammography |
| | (procedure) |
| | 866234000: Mammography of breast implant (procedure) |
| | 866235004: Mammography of bilateral breast implants (procedure) |
| | 866236003: Mammography of left breast implant (procedure) |
| | 866237007: Mammography of right breast implant (procedure) |
| | 384151000119104: Screening mammography of bilateral breasts |
| | (procedure) |
| | 392521000119107: Screening mammography of right breast |
| | (procedure) |
| | 392531000119105: Screening mammography of left breast |
| | (procedure) |
| | 566571000119105: Mammography of right breast (procedure) |
| | 572701000119102: Mammography of left breast (procedure) |
| | |

| Description | CPT/LOINC/SNOMED CTSNOMED CT |
|------------------------|---|
| CDC race and ethnicity | 1002-5: American Indian or Alaska Native |
| | 2028-9: Asian |
| | 2054-5: Black or African American |
| | 2076-8: Native Hawaiian or Other Pacific Islander |
| | 2106-3: White |
| | 2135-2: Hispanic or Latino |
| | 2186-5: Not Hispanic or Latino |

Note: The codes listed are informational only; this information does not guarantee reimbursement.

Blood Pressure Control for Patients With Hypertension (BPC-E)

| Description | CPT/CVX/SNOMED CTSNOMED CT |
|--------------------------|---|
| Diastolic Blood Pressure | CAT II |
| | 3079F: Most recent diastolic blood pressure 80-89 mm Hg |
| | 3080F: Most recent diastolic blood pressure greater than or equal to 90 mm Hg |
| | 3078F: Most recent diastolic blood pressure less than 80 mm Hg |
| | LOINC |
| | 8514-2: Brachial artery - left Diastolic blood pressure |
| | 8515-9: Brachial artery - right Diastolic blood pressure |
| | 8496-2: Brachial artery Diastolic blood pressure |
| | 8462-4: Diastolic blood pressure |
| | 75995-1: Diastolic blood pressure by Continuous non-invasive monitoring |
| | 89267-9: Diastolic blood pressurelying in L-lateral position |
| | 8453-3: Diastolic blood pressuresitting |
| | 8454-1: Diastolic blood pressurestanding |
| | 8455-8: Diastolic blood pressuresupine |
| | SNOMED CTSNOMED CT |
| | 271650006: Diastolic blood pressure (observable entity) |
| Diastolic Less Than 90 | CAT II |
| | 3079F: Most recent diastolic blood pressure 80-89 mm Hg |
| | 3078F: Most recent diastolic blood pressure less than 80 mm Hg |
| Systolic and Diastolic | CAT II |
| Result | 3079F: Most recent diastolic blood pressure 80-89 mm Hg |
| | 3080F: Most recent diastolic blood pressure greater than or equal to 90 mm Hg |
| | 3078F: Most recent diastolic blood pressure less than 80 mm Hg |
| | 3075F: Most recent systolic blood pressure 130-139 mm Hg |
| | 3077F: Most recent systolic blood pressure greater than or equal to 140 mm Hg |

| CPT/CVX/SNOMED CTSNOMED CT |
|---|
| 3074F: Most recent systolic blood pressure less than 130 mm Hg |
| |
| CAT II |
| 3075F: Most recent systolic blood pressure 130-139 mm Hg |
| 3077F: Most recent systolic blood pressure greater than or equal to 140 mm |
| 3074F: Most recent systolic blood pressure less than 130 mm Hg |
| LOINC |
| 8546-4: Brachial artery - left Systolic blood pressure |
| 8547-2: Brachial artery - right Systolic blood pressure |
| 8508-4: Brachial artery Systolic blood pressure |
| 8480-6: Systolic blood pressure |
| 75997-7: Systolic blood pressure by Continuous non-invasive monitoring |
| 89268-7: Systolic blood pressurelying in L-lateral position 8459-0: Systolic blood pressuresitting |
| 8460-8: Systolic blood pressurestanding |
| 8461-6: Systolic blood pressuresupine |
| SNOMED CT |
| 271649006: Systolic blood pressure (observable entity) |
| |
| CAT II |
| 3075F: Most recent systolic blood pressure 130-139 mm Hg |
| 3074F: Most recent systolic blood pressure less than 130 mm Hg |
| |
| ICD10CM |
| I10: Essential (primary) hypertension |
| SNOMED CTSNOMED CT |
| 1201005: Benign essential hypertension (disorder) |
| 71874008: Benign essential hypertension complicating AND/OR reason for care during childbirth (disorder) |
| 23717007: Benign essential hypertension complicating AND/OR reason for care during pregnancy (disorder) |
| 35303009: Benign essential hypertension complicating AND/OR reason for care during puerperium (disorder) |
| 63287004: Benign essential hypertension in obstetric context (disorder) 59621000: Essential hypertension (disorder) |
| 18416000: Essential hypertension complicating AND/OR reason for care during |
| childbirth (disorder) |
| 78808002: Essential hypertension complicating AND/OR reason for care during pregnancy (disorder) |
| |

| Description | CPT/CVX/SNOMED CTSNOMED CT |
|------------------------|--|
| | 9901000: Essential hypertension complicating AND/OR reason for care during |
| | puerperium (disorder) |
| | 72022006: Essential hypertension in obstetric context (disorder) |
| | 19769006: High-renin essential hypertension (disorder) |
| | 371125006: Labile essential hypertension (disorder) |
| | 46481004: Low-renin essential hypertension (disorder) |
| | 78975002: Malignant essential hypertension (disorder) |
| | 40511000119107: Postpartum pre-existing essential hypertension (disorder) |
| | 429457004: Systolic essential hypertension (disorder) |
| CDC Race and Ethnicity | 1002-5: American Indian or Alaska Native |
| | 2028-9: Asian |
| | 2054-5: Black or African American |
| | 2076-8: Native Hawaiian or Other Pacific Islander |
| | 2106-3: White |
| | 2135-2: Hispanic or Latino |
| | 2186-5: Not Hispanic or Latino |

Note: The codes listed are informational only; this information does not guarantee reimbursement.

Cervical Cancer Screening (CCS-E)

| Cervical Cancer Screening (CCS-E) | |
|-----------------------------------|---|
| Description | CPT/HCPCS/LOINC/SNOMED CTSNOMED CT |
| Cervical Cytology Lab Test | LOINC |
| | 10524-7: Microscopic observation [Identifier] in Cervix by Cyto stain |
| | 18500-9: Microscopic observation [Identifier] in Cervix by Cyto stain.thin prep |
| | 19762-4: General categories [Interpretation] of Cervical or vaginal smear or scraping by Cyto stain |
| | 19764-0: Statement of adequacy [Interpretation] of Cervical or vaginal smear or scraping by Cyto stain |
| | 19765-7: Microscopic observation [Identifier] in Cervical or vaginal smear or scraping by Cyto stain |
| | 19766-5: Microscopic observation [Identifier] in Cervical or vaginal smear or scraping by Cyto stain Narrative |
| | 19774-9: Cytology study comment Cervical or vaginal smear or scraping Cyto stain 33717-0 Cervical and/or vaginal cytology study |
| | 47527-7: Cytology report of Cervical or vaginal smear or scraping Cyto stain.thin prep |
| | 47528-5: Cytology report of Cervical or vaginal smear or scraping Cyto stain |

| Description | CPT/HCPCS/LOINC/SNOMED CTSNOMED CT |
|-----------------------------|---|
| | SNOMED CTSNOMED CT |
| | 171149006: Screening for malignant neoplasm of cervix (procedure) |
| | 416107004: Cervical cytology test (procedure) |
| | 417036008: Liquid based cervical cytology screening (procedure) |
| | 440623000: Microscopic examination of cervical Papanicolaou smear (procedure) |
| | 448651000124104: Microscopic examination of cervical Papanicolaou smear and |
| | Human papillomavirus deoxyribonucleic acid detection cotesting (procedure) |
| | |
| Cervical Cytology Result or | SNOMED CT |
| Finding | 168406009: Severe dyskaryosis on cervical smear cannot exclude invasive |
| | carcinoma (finding) |
| | 168407000: Cannot exclude glandular neoplasia on cervical smear (finding) |
| | 168408005: Cervical smear - atrophic changes (finding) |
| | 168410007: Cervical smear - borderline changes (finding) |
| | 168414003: Cervical smear - inflammatory change (finding) |
| | 168415002: Cervical smear - no inflammation (finding) |
| | 168416001: Cervical smear - severe inflammation (finding) |
| | 168424006: Cervical smear - koilocytosis (finding) |
| | 250538001: Dyskaryosis on cervical smear (finding) |
| | 269957009: Cervical smear result (finding) |
| | 269958004: Cervical smear - negative (finding) |
| | 269959007: Cervical smear - mild dyskaryosis (finding) |
| | 269960002: Cervical smear - severe dyskaryosis (finding) |
| | 269961003: Cervical smear - moderate dyskaryosis (finding) |
| | 275805003: Viral changes on cervical smear (finding) |
| | 281101005: Smear: no abnormality detected - no endocervical cells (finding) |
| | 309081009: Abnormal cervical smear (finding) |
| | 310841002: Cervical smear - mild inflammation (finding) |
| | 310842009: Cervical smear - moderate inflammation (finding) |
| | 416030007: Cervicovaginal cytology: Low grade squamous intraepithelial lesion |
| | (finding) |
| | 416032004: Cervicovaginal cytology normal or benign (finding) |
| | 416033009: Cervicovaginal cytology: High grade squamous intraepithelial lesion or |
| | carcinoma (finding) |
| | 439074000: Dysplasia on cervical smear (finding) |
| | 439776006: Cervical Papanicolaou smear positive for malignant neoplasm (finding) |
| | 439888000: Abnormal cervical Papanicolaou smear (finding) |
| | 441087007: Atypical squamous cells of undetermined significance on cervical |
| | Papanicolaou smear (finding) |
| | |

| Description | CPT/HCPCS/LOINC/SNOMED CTSNOMED CT |
|------------------------|---|
| Description | 441088002: Atypical squamous cells on cervical Papanicolaou smear cannot |
| | exclude high grade squamous intraepithelial lesion (finding) |
| | 441094005: Atypical endocervical cells on cervical Papanicolaou smear (finding) |
| | 441219009: Atypical glandular cells on cervical Papanicolaou smear (finding) |
| | 441667007: Abnormal cervical Papanicolaou smear with positive human |
| | papillomavirus deoxyribonucleic acid test (finding) |
| | 700399008: Cervical smear - borderline change in squamous cells (finding) |
| | 700400001: Cervical smear - borderline change in endocervical cells (finding) |
| | 1155766001: Nuclear abnormality in cervical smear (finding) |
| | 62051000119105: Low grade squamous intraepithelial lesion on cervical |
| | Papanicolaou smear (finding) |
| | 62061000119107: High grade squamous intraepithelial lesion on cervical |
| | Papanicolaou smear (finding) |
| | 98791000119102: Cytological evidence of malignancy on cervical Papanicolaou |
| | smear (finding) |
| High Risk HPV Lab Test | CPT |
| J | 87624, 87625 |
| | HCPCS |
| | |
| | LOINC |
| | 21440-3: Human papilloma virus 16+18+31+33+35+45+51+52+56 DNA [Presence] |
| | in Cervix by Probe |
| | 30167-1: Human papilloma virus 16+18+31+33+35+39+45+51+52+56+58+59+68 |
| | DNA [Presence] in Cervix by Probe with signal amplification |
| | 38372-9: Human papilloma virus |
| | 6+11+16+18+31+33+35+39+42+43+44+45+51+52+56+58+59+68 DNA [Presence] in |
| | Cervix by Probe with signal amplification |
| | 59263-4: Human papilloma virus 16 DNA [Presence] in Cervix by Probe with signal |
| | amplification |
| | 59264-2: Human papilloma virus 18 DNA [Presence] in Cervix by Probe with signal amplification |
| | 59420-0: Human papilloma virus |
| | 16+18+31+33+35+39+45+51+52+56+58+59+66+68 DNA [Presence] in Cervix by |
| | Probe with signal amplification |
| | 69002-4: Human papilloma virus E6+E7 mRNA [Presence] in Cervix by NAA with |
| | probe detection |
| | 71431-1: Human papilloma virus 31+33+35+39+45+51+52+56+58+59+66+68 DNA |
| | [Presence] in Cervix by NAA with probe detection |
| | [1 Tesence] III cervix by two with probe detection |

| Description | CPT/HCPCS/LOINC/SNOMED CTSNOMED CT |
|------------------------|---|
| | 75694-0: Human papilloma virus 18+45 E6+E7 mRNA [Presence] in Cervix by NAA |
| | with probe detection |
| | 77379-6 Human papilloma virus 16 and 18 and |
| | 31+33+35+39+45+51+52+56+58+59+66+68 DNA [Interpretation] in Cervix |
| | 77399-4: Human papilloma virus 16 DNA [Presence] in Cervix by NAA with probe detection |
| | 77400-0: Human papilloma virus 18 DNA [Presence] in Cervix by NAA with probe detection |
| | 82354-2: Human papilloma virus 16 and 18+45 E6+E7 mRNA [Identifier] in Cervix by NAA with probe detection |
| | 82456-5: Human papilloma virus 16 E6+E7 mRNA [Presence] in Cervix by NAA with probe detection |
| | 82675-0: Human papilloma virus |
| | 16+18+31+33+35+39+45+51+52+56+58+59+66+68 DNA [Presence] in Cervix by NAA with probe detection |
| | 95539-3: Human papilloma virus 31 DNA [Presence] in Cervix by NAA with probe |
| | detection |
| | SNOMED CTSNOMED CT |
| | 35904009: Human papillomavirus deoxyribonucleic acid detection (procedure) |
| | 44865100012410: Microscopic examination of cervical Papanicolaou smear and Human papillomavirus deoxyribonucleic acid detection cotesting (procedure) |
| | 104132-6: Human papilloma virus 16 and 18 and 31 and 45+33+52+58 and |
| | 35+39+51+56+59+66+68 DNA [Interpretation] in Cervix by NAA with probe detection |
| | 104170-6: Human papilloma virus 31+33+52+58 DNA [Presence] in Cervix by NAA with probe detection |
| | 1002-5: American Indian or Alaska Native |
| | 2028-9: Asian |
| | 2054-5: Black or African American |
| CDC Race and Ethnicity | 2076-8: Native Hawaiian or Other Pacific Islander |
| , | 2106-3: White |
| | 2135-2: Hispanic or Latino |
| | 2186-5: Not Hispanic or Latino |

Note: The codes listed are informational only; this information does not guarantee reimbursement.

Childhood Immunization Status (CIS-E)

Codes to identify immunizations:

| Description | CPT/HCPCS/SNOMEDSNOMED CT/CVX |
|------------------------|--|
| DTaP Immunization | CVX 20: diphtheria, tetanus toxoids and acellular pertussis vaccine 50: DTaP-Haemophilus influenzae type b conjugate vaccine 106: diphtheria, tetanus toxoids and acellular pertussis vaccine, 5 pertussis antigens 107: diphtheria, tetanus toxoids and acellular pertussis vaccine, unspecified formulation 110: DTaP-hepatitis B and poliovirus vaccine 120: diphtheria, tetanus toxoids and acellular pertussis vaccine, Haemophilus influenzae type b conjugate, and poliovirus vaccine, inactivated (DTaP-Hib-IPV) 146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine. 198: Diphtheria, pertussis, tetanus, hepatitis B, Haemophilus Influenza Type b, (Pentavalent) |
| DTaP Vaccine Procedure | CPT , 90698, , 90723 SNOMED CTSNOMED CT 310306005: Administration of first dose of vaccine product containing only Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae and Haemophilus influenzae type b and Human poliovirus antigens (procedure) 310307001: Administration of second dose of vaccine product containing only Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae and Haemophilus influenzae type b and Human poliovirus antigens (procedure) 310308006: Administration of third dose of vaccine product containing only Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae and Haemophilus influenzae type b and Human poliovirus antigens (procedure) 312870000: Administration of vaccine product containing only Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae and Haemophilus influenzae type b and Human poliovirus antigens (procedure) |

CPT/HCPCS/SNOMEDSNOMED CT/CVX

313383003: Administration of fourth dose of vaccine product containing only Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae and Haemophilus influenzae type b and Human poliovirus antigens (procedure)

390846000: Administration of booster dose of vaccine product containing only acellular Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae antigens (procedure) 390865008: Administration of booster dose of vaccine product containing only acellular Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae and Human poliovirus antigens (procedure)

399014008: Administration of vaccine product containing only Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae antigens (procedure)

412755006: Administration of first dose of vaccine product containing only acellular Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae antigens (procedure) 412756007: Administration of second dose of vaccine product containing only acellular Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae antigens (procedure) 412757003: Administration of third dose of vaccine product containing only acellular Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae antigens (procedure) 412762002: Administration of first dose of vaccine product containing only acellular Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae and Human poliovirus antigens (procedure)

412763007: Administration of second dose of vaccine product containing only acellular Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae and Human poliovirus antigens (procedure)

412764001: Administration of third dose of vaccine product containing only acellular Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae and Human poliovirus antigens (procedure)

414001002: Administration of vaccine product containing only five component acellular Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae and Haemophilus

CPT/HCPCS/SNOMEDSNOMED CT/CVX

influenzae type b and inactivated whole Human poliovirus antigens (procedure)

414259000: Administration of first dose of vaccine product containing only five component acellular Bordetella pertussis, Clostridium tetani, Corynebacterium diphtheriae, Haemophilus influenzae type b and inactivated whole Human poliovirus antigens (procedure)

414620004: Administration of vaccine product containing only acellular Bordetella pertussis five component and Clostridium tetani and low dose Corynebacterium diphtheriae and inactivated whole Human poliovirus antigens (procedure) 415507003: Administration of second dose of vaccine product containing only five component acellular Bordetella pertussis, Clostridium tetani, Corynebacterium diphtheriae, Haemophilus influenzae type b and inactivated whole Human poliovirus antigens (procedure)

415712004: Administration of third dose of vaccine product containing only five component acellular Bordetella pertussis, Clostridium tetani, Corynebacterium diphtheriae, Haemophilus influenzae type b and inactivated whole Human poliovirus antigens (procedure)

770608009: Administration of vaccine product containing only Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae and Haemophilus influenzae type b and Hepatitis B virus antigens (procedure)

770616000: Administration of first dose of vaccine product containing only Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae and Haemophilus influenzae type b and Hepatitis B virus antigens (procedure)

770617009: Administration of second dose of vaccine product containing only Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae and Haemophilus influenzae type b and Hepatitis B virus antigens (procedure)

770618004: Administration of third dose of vaccine product containing only Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae and Haemophilus influenzae type b and Hepatitis B virus antigens (procedure)

787436003: Administration of vaccine product containing only Bordetella pertussis and Clostridium tetani and Corynebacterium

CPT/HCPCS/SNOMEDSNOMED CT/CVX

diphtheriae and Haemophilus influenzae type b antigens (procedure)

866158005: Administration of first dose of vaccine product containing only Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae antigens (procedure) 866159002: Administration of second dose of vaccine product containing only Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae antigens (procedure)

866226006: Administration of third dose of vaccine product containing only Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae antigens (procedure)

868273007: Administration of vaccine product containing only Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae and Human poliovirus antigens (procedure) 868274001: Administration of second dose of vaccine product containing only Bordetella pertussis and Clostridium tetani and

containing only Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae and Human poliovirus antigens (procedure)

868276004: Administration of third dose of vaccine product containing only Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae and Human poliovirus antigens (procedure)

868277008: Administration of first dose of vaccine product containing only Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae and Human poliovirus antigens (procedure)

1162640003: Administration of vaccine product containing only acellular Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae and Haemophilus influenzae type b and Hepatitis B virus and inactivated Human poliovirus antigens (procedure)

428251000124104: Tetanus, diphtheria, and acellular pertussis vaccination (procedure)

571571000119105: Administration of vaccine product containing only acellular Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae antigens (procedure) 572561000119108: Administration of vaccine product containing

only acellular Bordetella pertussis and Clostridium tetani and

| Description | CPT/HCPCS/SNOMEDSNOMED CT/CVX |
|--|---|
| | Corynebacterium diphtheriae and Hepatitis B virus and inactivated whole Human poliovirus antigens (procedure) 16290681000119103: Administration of vaccine product containing only acellular Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae and inactivated whole Human poliovirus antigens (procedure) |
| Haemophilus Influenzae Type B (HiB) | CVX |
| Immunization | 17: Haemophilus influenzae type b vaccine, conjugate unspecified formulation 46: Haemophilus influenzae type b vaccine, PRP-D conjugate 47: Haemophilus influenzae type b vaccine, HbOC conjugate 48: Haemophilus influenzae type b vaccine, PRP-T conjugate 49: Haemophilus influenzae type b vaccine, PRP-OMP conjugate 50: DTaP-Haemophilus influenzae type b conjugate vaccine 51: Haemophilus influenzae type b conjugate and Hepatitis B vaccine 120: diphtheria, tetanus toxoids and acellular pertussis vaccine, Haemophilus influenzae type b conjugate, and poliovirus vaccine, inactivated (DTaP-Hib-IPV) 146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine. 148: Meningococcal Groups C and Y and Haemophilus b Tetanus Toxoid Conjugate Vaccine 198: Diphtheria, pertussis, tetanus, hepatitis B, Haemophilus |
| | Influenza Type b, (Pentavalent) |
| Haemophilus Influenzae Type B (HiB) Vaccine Procedure | CPT , 90647, 90648, , 90698, 90748 SNOMED CTSNOMED CT 127787002: Administration of vaccine product containing only Haemophilus influenzae type b antigen (procedure) 170343007: Administration of first dose of vaccine product containing only Haemophilus influenzae type b antigen (procedure) 170344001: Administration of second dose of vaccine product containing only Haemophilus influenzae type b antigen (procedure) |

CPT/HCPCS/SNOMEDSNOMED CT/CVX

170345000: Administration of third dose of vaccine product containing only Haemophilus influenzae type b antigen (procedure)

170346004: Administration of booster dose of vaccine product containing only Haemophilus influenzae type b antigen (procedure)

310306005: Administration of first dose of vaccine product containing only Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae and Haemophilus influenzae type b and Human poliovirus antigens (procedure)

310307001: Administration of second dose of vaccine product containing only Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae and Haemophilus influenzae type b and Human poliovirus antigens (procedure)

310308006: Administration of third dose of vaccine product containing only Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae and Haemophilus influenzae type b and Human poliovirus antigens (procedure)

312869001: Administration of vaccine product containing only Clostridium tetani and Corynebacterium diphtheriae and Haemophilus influenzae type b and Human poliovirus antigens (procedure)

312870000: Administration of vaccine product containing only Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae and Haemophilus influenzae type b and Human poliovirus antigens (procedure)

313383003: Administration of fourth dose of vaccine product containing only Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae and Haemophilus influenzae type b and Human poliovirus antigens (procedure)

414001002: Administration of vaccine product containing only five component acellular Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae and Haemophilus influenzae type b and inactivated whole Human poliovirus antigens (procedure)

414259000: Administration of first dose of vaccine product containing only five component acellular Bordetella pertussis, Clostridium tetani, Corynebacterium diphtheriae, Haemophilus

Description

CPT/HCPCS/SNOMEDSNOMED CT/CVX

influenzae type b and inactivated whole Human poliovirus antigens (procedure)

415507003: Administration of second dose of vaccine product containing only five component acellular Bordetella pertussis, Clostridium tetani, Corynebacterium diphtheriae, Haemophilus influenzae type b and inactivated whole Human poliovirus antigens (procedure)

415712004: Administration of third dose of vaccine product containing only five component acellular Bordetella pertussis, Clostridium tetani, Corynebacterium diphtheriae, Haemophilus influenzae type b and inactivated whole Human poliovirus antigens (procedure)

428975001: Administration of vaccine product containing only Haemophilus influenzae type b and Neisseria meningitidis serogroup C antigens (procedure)

712833000: Administration of second dose of vaccine product containing only Haemophilus influenzae type b and Neisseria meningitidis serogroup C antigens (procedure)

712834006: Administration of first dose of vaccine product containing only Haemophilus influenzae type b and Neisseria meningitidis serogroup C antigens (procedure)

770608009: Administration of vaccine product containing only Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae and Haemophilus influenzae type b and Hepatitis B virus antigens (procedure)

770616000: Administration of first dose of vaccine product containing only Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae and Haemophilus influenzae type b and Hepatitis B virus antigens (procedure)

770617009: Administration of second dose of vaccine product containing only Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae and Haemophilus influenzae type b and Hepatitis B virus antigens (procedure)

770618004: Administration of third dose of vaccine product containing only Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae and Haemophilus influenzae type b and Hepatitis B virus antigens (procedure)

| Description | CPT/HCPCS/SNOMEDSNOMED CT/CVX |
|---------------------------------|--|
| | 786846001: Administration of vaccine product containing only Haemophilus influenzae type b and Hepatitis B virus antigens (procedure) |
| | 787436003: Administration of vaccine product containing only Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae and Haemophilus influenzae type b antigens (procedure) |
| | 1119364007: Administration of vaccine product containing only Haemophilus influenzae type b and Neisseria meningitidis serogroup C and Y antigens (procedure) |
| | 1162640003: Administration of vaccine product containing only acellular Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae and Haemophilus influenzae type b |
| | and Hepatitis B virus and inactivated Human poliovirus antigens (procedure) 16292241000119109: Administration of booster dose of vaccine product containing only Haemophilus influenzae type b |
| I la catiti a A la casa cainata | capsular polysaccharide polyribosylribitol phosphate conjugated to Clostridium tetani toxoid protein (procedure) |
| Hepatitis A Immunization | CVX 31: hepatitis A vaccine, pediatric dosage, unspecified formulation 83: hepatitis A vaccine, pediatric/adolescent dosage, 2 dose schedule 85: hepatitis A vaccine, unspecified formulation |
| Hepatitis A Vaccine Procedure | CPT SNOMED CTSNOMED CT 17037+D909+D90971:E185331: Administration of first dose of pediatric vaccine product containing only Hepatitis A virus antigen (procedure) 170379004: Administration of second dose of vaccine product containing only Hepatitis A virus antigen (procedure) 170380001: Administration of third dose of vaccine product containing only Hepatitis A virus antigen (procedure) 170381002: Administration of booster dose of vaccine product containing only Hepatitis A virus antigen (procedure) 170434002: Administration of first dose of vaccine product |
| | containing only Hepatitis A and Hepatitis B virus antigens (procedure) |

| Description | CPT/HCPCS/SNOMEDSNOMED CT/CVX |
|-----------------------------|--|
| - Везеприон | 170435001: Administration of second dose of vaccine product |
| | containing only Hepatitis A and B virus antigens (procedure) |
| | 170436000: Administration of third dose of vaccine product |
| | containing only Hepatitis A and Hepatitis B virus antigens |
| | (procedure) |
| | 170437009: Administration of booster dose of vaccine product |
| | containing only Hepatitis A and Hepatitis B virus antigens (procedure) |
| | |
| | 243789007: Administration of vaccine product containing only |
| | Hepatitis A virus antigen (procedure) |
| | 312868009: Administration of vaccine product containing only |
| | Hepatitis A and Hepatitis B virus antigens (procedure) |
| | 314177003: Administration of vaccine product containing only |
| | Hepatitis A virus and Salmonella enterica subspecies enterica |
| | serovar Typhi antigens (procedure) |
| | 314178008: Administration of first dose of vaccine product |
| | containing only Hepatitis A virus and Salmonella enterica |
| | subspecies enterica serovar Typhi antigens (procedure) 314179000: Administration of second dose of vaccine product |
| | • |
| | containing only Hepatitis A virus and Salmonella enterica |
| | subspecies enterica serovar Typhi antigens (procedure) |
| | 394691002: Administration of booster dose of vaccine product |
| | containing only Hepatitis A virus and Salmonella enterica |
| | subspecies enterica serovar Typhi antigens (procedure) |
| | 871752004: Administration of second dose of pediatric vaccine |
| | product containing only Hepatitis A virus antigen (procedure) |
| | 871753009: Administration of third dose of pediatric vaccine product containing only Hepatitis A virus antigen (procedure) |
| | , |
| | 871754003: Administration of booster dose of pediatric vaccine |
| | product containing only Hepatitis A virus antigen (procedure) 571511000119102: Administration of adult vaccine product |
| | containing only Hepatitis A virus antigen (procedure) |
| Hepatitis B Immunization | CVX |
| riepatitis B illinanization | 08: hepatitis B vaccine, pediatric or pediatric/adolescent dosage |
| | 44: hepatitis B vaccine, dialysis patient dosage |
| | 45: hepatitis B vaccine, unspecified formulation |
| | 51: Haemophilus influenzae type b conjugate and Hepatitis B |
| | vaccine |
| | 110: DTaP-hepatitis B and poliovirus vaccine |
| | 2201 D tal Tropatitio D and ponovirus vaccine |

| Description | CPT/HCPCS/SNOMEDSNOMED CT/CVX |
|-------------------------------|--|
| Description | 146: Diphtheria and Tetanus Toxoids and Acellular Pertussis |
| | Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate |
| | (Meningococcal Protein Conjugate), and Hepatitis B |
| | (Recombinant) Vaccine. |
| | 198: Diphtheria, pertussis, tetanus, hepatitis B, Haemophilus |
| | Influenza Type b, (Pentavalent) |
| Hepatitis B Vaccine Procedure | СРТ |
| | 90723, 90740, 90744, 90747, 90748 |
| | HCPCS |
| | G0010: Administration of hepatitis b vaccine |
| | SNOMED CTSNOMED CT |
| | 16584000: Administration of vaccine product containing only |
| | Hepatitis B virus antigen (procedure) |
| | 170370000: Administration of first dose of vaccine product |
| | containing only Hepatitis B virus antigen (procedure) |
| | 170371001: Administration of second dose of vaccine product |
| | containing only Hepatitis B virus antigen (procedure) |
| | 170372008: Administration of third dose of vaccine product |
| | containing only Hepatitis B virus antigen (procedure) |
| | 170373003: Administration of booster dose of vaccine product |
| | containing only Hepatitis B virus antigen (procedure) |
| | 170374009: Administration of fourth dose of vaccine product |
| | containing only Hepatitis B virus antigen (procedure) |
| | 170375005: Administration of fifth dose of vaccine product |
| | containing only Hepatitis B virus antigen (procedure) 170434002: Administration of first dose of vaccine product |
| | containing only Hepatitis A and Hepatitis B virus antigens |
| | (procedure) |
| | 170435001: Administration of second dose of vaccine product |
| | containing only Hepatitis A and B virus antigens (procedure) |
| | 170436000: Administration of third dose of vaccine product |
| | containing only Hepatitis A and Hepatitis B virus antigens |
| | (procedure) |
| | 170437009: Administration of booster dose of vaccine product |
| | containing only Hepatitis A and Hepatitis B virus antigens |
| | (procedure) |
| | 312868009: Administration of vaccine product containing only |
| | Hepatitis A and Hepatitis B virus antigens (procedure) |
| | - h = 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 |

Description

CPT/HCPCS/SNOMEDSNOMED CT/CVX

396456003: Administration of vaccine product containing only acellular Bordetella pertussis and Corynebacterium diphtheriae and Hepatitis B virus and inactivated whole Human poliovirus antigens (procedure)

416923003: Administration of sixth dose of vaccine product containing only Hepatitis B virus antigen (procedure) 770608009: Administration of vaccine product containing only Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae and Haemophilus influenzae type b and Hepatitis B virus antigens (procedure)

770616000: Administration of first dose of vaccine product containing only Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae and Haemophilus influenzae type b and Hepatitis B virus antigens (procedure)

770617009: Administration of second dose of vaccine product containing only Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae and Haemophilus influenzae type b and Hepatitis B virus antigens (procedure)

770618004: Administration of third dose of vaccine product containing only Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae and Haemophilus influenzae type b and Hepatitis B virus antigens (procedure)

786846001: Administration of vaccine product containing only Haemophilus influenzae type b and Hepatitis B virus antigens (procedure)

1162640003: Administration of vaccine product containing only acellular Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae and Haemophilus influenzae type b and Hepatitis B virus and inactivated Human poliovirus antigens (procedure)

572561000119108: Administration of vaccine product containing only acellular Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae and Hepatitis B virus and inactivated whole Human poliovirus antigens (procedure)

Inactivated polio vaccine (IPV) immunization

CVX

10: poliovirus vaccine, inactivated

89: poliovirus vaccine, unspecified formulation

110: DTaP-hepatitis B and poliovirus vaccine

| Description | CDT/LICDCC/CNONEDCNONED CT/CLAY |
|---|---|
| Description | CPT/HCPCS/SNOMEDSNOMED CT/CVX |
| | 120: diphtheria, tetanus toxoids and acellular pertussis vaccine, |
| | Haemophilus influenzae type b conjugate, and poliovirus vaccine, |
| | inactivated (DTaP-Hib-IPV) |
| | 146: Diphtheria and Tetanus Toxoids and Acellular Pertussis |
| | Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate |
| | (Meningococcal Protein Conjugate), and Hepatitis B |
| | (Recombinant) Vaccine. |
| Inactivated polio vaccine (IPV) procedure | CPT |
| | , 90698, 90713, 90723 |
| | SNOMED CTSNOMED CT |
| | 310306005: Administration of first dose of vaccine product |
| | containing only Bordetella pertussis and Clostridium tetani and |
| | Corynebacterium diphtheriae and Haemophilus influenzae type b |
| | and Human poliovirus antigens (procedure) |
| | 310307001: Administration of second dose of vaccine product |
| | containing only Bordetella pertussis and Clostridium tetani and |
| | Corynebacterium diphtheriae and Haemophilus influenzae type b |
| | and Human poliovirus antigens (procedure) |
| | 310308006: Administration of third dose of vaccine product |
| | containing only Bordetella pertussis and Clostridium tetani and |
| | Corynebacterium diphtheriae and Haemophilus influenzae type b |
| | and Human poliovirus antigens (procedure) |
| | 312869001: Administration of vaccine product containing only |
| | Clostridium tetani and Corynebacterium diphtheriae and |
| | Haemophilus influenzae type b and Human poliovirus antigens |
| | (procedure) |
| | 312870000: Administration of vaccine product containing only |
| | Bordetella pertussis and Clostridium tetani and Corynebacterium |
| | |
| | diphtheriae and Haemophilus influenzae type b and Human |
| | poliovirus antigens (procedure) |
| | 313383003: Administration of fourth dose of vaccine product |
| | containing only Bordetella pertussis and Clostridium tetani and |
| | Corynebacterium diphtheriae and Haemophilus influenzae type b |
| | and Human poliovirus antigens (procedure) |
| | 390865008: Administration of booster dose of vaccine product |
| | containing only acellular Bordetella pertussis and Clostridium |
| | tetani and Corynebacterium diphtheriae and Human poliovirus |
| | antigens (procedure) |

Description

CPT/HCPCS/SNOMEDSNOMED CT/CVX

396456003: Administration of vaccine product containing only acellular Bordetella pertussis and Corynebacterium diphtheriae and Hepatitis B virus and inactivated whole Human poliovirus antigens (procedure)

412762002: Administration of first dose of vaccine product containing only acellular Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae and Human poliovirus antigens (procedure)

412763007: Administration of second dose of vaccine product containing only acellular Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae and Human poliovirus antigens (procedure)

412764001: Administration of third dose of vaccine product containing only acellular Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae and Human poliovirus antigens (procedure)

414001002: Administration of vaccine product containing only five component acellular Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae and Haemophilus influenzae type b and inactivated whole Human poliovirus antigens (procedure)

414259000: Administration of first dose of vaccine product containing only five component acellular Bordetella pertussis, Clostridium tetani, Corynebacterium diphtheriae, Haemophilus influenzae type b and inactivated whole Human poliovirus antigens (procedure)

414619005: Administration of vaccine product containing only Clostridium tetani and low dose Corynebacterium diphtheriae and inactivated Human poliovirus antigens (procedure) 414620004: Administration of vaccine product containing only acellular Bordetella pertussis five component and Clostridium tetani and low dose Corynebacterium diphtheriae and inactivated whole Human poliovirus antigens (procedure) 415507003: Administration of second dose of vaccine product containing only five component acellular Bordetella pertussis, Clostridium tetani, Corynebacterium diphtheriae, Haemophilus influenzae type b and inactivated whole Human poliovirus antigens (procedure)

Description

CPT/HCPCS/SNOMEDSNOMED CT/CVX

415712004: Administration of third dose of vaccine product containing only five component acellular Bordetella pertussis, Clostridium tetani, Corynebacterium diphtheriae, Haemophilus influenzae type b and inactivated whole Human poliovirus antigens (procedure)

416144004: Administration of third dose of vaccine product containing only Clostridium tetani and low dose Corynebacterium diphtheriae and inactivated Human poliovirus antigens (procedure)

416591003: Administration of first dose of vaccine product containing only Clostridium tetani and low dose Corynebacterium diphtheriae and inactivated Human poliovirus antigens (procedure)

417211006: Administration of first booster of vaccine product containing only Clostridium tetani and low dose Corynebacterium diphtheriae and inactivated Human poliovirus antigens (procedure)

417384007: Administration of second booster of vaccine product containing only Clostridium tetani and low dose Corynebacterium diphtheriae and inactivated Human poliovirus antigens (procedure)

417615007: Administration of second dose of vaccine product containing only Clostridium tetani and low dose Corynebacterium diphtheriae and inactivated Human poliovirus antigens (procedure)

866186002: Administration of vaccine product containing only Clostridium tetani and Corynebacterium diphtheriae and Human poliovirus antigens (procedure)

866227002: Administration of booster dose of vaccine product containing only Clostridium tetani and Corynebacterium diphtheriae and Human poliovirus antigens (procedure) 868266002: Administration of second dose of vaccine product containing only Clostridium tetani and Corynebacterium diphtheriae and Human poliovirus antigens (procedure) 868267006: Administration of first dose of vaccine product containing only Clostridium tetani and Corynebacterium diphtheriae and Human poliovirus antigens (procedure)

| Description | CPT/HCPCS/SNOMEDSNOMED CT/CVX |
|------------------------|---|
| | 868268001: Administration of third dose of vaccine product containing only Clostridium tetani and Corynebacterium diphtheriae and Human poliovirus antigens (procedure) 868273007: Administration of vaccine product containing only Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae and Human poliovirus antigens (procedure) 868274001: Administration of second dose of vaccine product containing only Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae and Human poliovirus antigens (procedure) 868276004: Administration of third dose of vaccine product containing only Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae and Human poliovirus antigens (procedure) 868277008: Administration of first dose of vaccine product containing only Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae and Human poliovirus antigens (procedure) 870670004: Preschool administration of vaccine product containing only Clostridium tetani and Corynebacterium diphtheriae and Human poliovirus antigens (procedure) 572561000119108: Administration of vaccine product containing only acellular Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae and Hepatitis B virus and inactivated whole Human poliovirus antigens (procedure) 16290681000119103 : Administration of vaccine product containing only acellular Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae and Inactivated whole |
| Influenza Immunization | CVX 88: influenza virus vaccine, unspecified formulation 140: Influenza, seasonal, injectable, preservative free 141: Influenza, seasonal, injectable 150: Influenza, injectable, quadrivalent, preservative free 153: Influenza, injectable, Madin Darby Canine Kidney, preservative free 155: Seasonal, trivalent, recombinant, injectable influenza vaccine, preservative free 158: influenza, injectable, quadrivalent, contains preservative |

Page 81 of 119

| Description | CPT/HCPCS/SNOMEDSNOMED CT/CVX |
|---|--|
| | 161: Influenza, injectable, quadrivalent, preservative free, |
| | pediatric |
| | 171: Influenza, injectable, Madin Darby Canine Kidney, |
| | preservative free, quadrivalent |
| | 186: Influenza, injectable, Madin Darby Canine Kidney, |
| | quadrivalent with preservative88, 140, 141, 150, 153, 155, 158, |
| | 161 |
| Influenza Vaccine Procedure | СРТ |
| | 90655, , 90661, , 90674, 90685, 90686, 90687, |
| | 90688, 90689, 90756 |
| | HCPCS |
| | SNOMED CTSNOMED CT |
| | 86198006: Administration of vaccine product containing only |
| | Influenza virus antigen (procedure) |
| Influenza Virus LAIV Immunization | CVX |
| | 111: influenza virus vaccine, live, attenuated, for intranasal use |
| | 149: influenza, live, intranasal, quadrivalent |
| Influenza Virus LAIV Vaccine Procedure | CPT |
| | 90660, 90672 |
| | SNOMED CTSNOMED CT |
| | 787016008: Administration of vaccine product containing only |
| | Influenza virus antigen in nasal dose form (procedure) |
| Measles, Mumps and Rubella (MMR) Immunization | CVX: 03, 94 |
| Measles, Mumps and Rubella (MMR) Vaccine | CPT: 90707, 90710 |
| Procedure | SNOMEDSNOMED CT: 38598009, 170433008, 432636005, |
| | 433733003, 150971000119104, 571591000119106 |
| | 572511000119105 |
| Pneumococcal Conjugate Immunization | CVX |
| | 109: pneumococcal vaccine, unspecified formulation |
| | 133: pneumococcal conjugate vaccine, 13 valent |
| | 152: Pneumococcal Conjugate, unspecified formulation |
| | 215: Pneumococcal conjugate vaccine 15-valent (PCV15), |
| | polysaccharide CRM197 conjugate, adjuvant, preservative free |
| Pneumococcal Conjugate Vaccine Procedure | CPT |
| | 90670, 90671 |
| | HCPCS |
| | SNOMED CTSNOMED CT |

| Description | CPT/HCPCS/SNOMEDSNOMED CT/CVX |
|--|---|
| | 1119368005: Administration of vaccine product containing only |
| | Streptococcus pneumoniae Danish serotype 4, 6B, 9V, 14, 18C, |
| | 19F, and 23F capsular polysaccharide antigens conjugated |
| | (procedure) |
| | 1296904008: Administration of vaccine product containing only |
| | Streptococcus pneumoniae Danish serotype 1, 3, 4, 5, 6A, 6B, 7F, |
| | 9V, 14, 18C, 19A, 19F, and 23F capsular polysaccharide antigens conjugated (procedure) |
| | 434751000124102: Pneumococcal conjugate vaccination |
| | (procedure) |
| Rotavirus (3 Dose Schedule) Immunization | CVX |
| | 116: rotavirus, live, pentavalent vaccine |
| | 122: rotavirus vaccine, unspecified formulation |
| Rotavirus Vaccine (2 Dose Schedule) | CPT |
| Procedure | 90681 |
| | SNOMED CTSNOMED CT |
| | 434741000124104: Rotavirus vaccination, 2 dose schedule |
| | (procedure) |
| Rotavirus Vaccine (3 Dose Schedule) | CPT |
| Procedure | SNOMED CTSNOMED CT |
| | 434731000124109: Rotavirus vaccination, 3 dose schedule |
| | (procedure) |
| Varicella zoster (VZV) immunization | CVX |
| | 21: varicella virus vaccine |
| | 94: measles, mumps, rubella, and varicella virus vaccine |
| Varicella zoster (VZV) vaccine procedure | CPT |
| | 90710, 90716 |
| | SNOMED CTSNOMED CT |
| | 425897001: Administration of first dose of vaccine product |
| | containing only Human alphaherpesvirus 3 antigen for |
| | chickenpox (procedure) |
| | 428502009: Administration of second dose of vaccine product |
| | containing only Human alphaherpesvirus 3 antigen for |
| | chickenpox (procedure) |
| | 432636005: Administration of vaccine product containing only Human alphaherpesvirus 3 and Measles morbillivirus and Mumps orthorubulavirus and Rubella virus antigens (procedure) 433733003: Administration of second dose of vaccine product |
| | containing only Human alphaherpesvirus 3 and Measles |

| Description | CPT/HCPCS/SNOMEDSNOMED CT/CVX |
|--------------------------------------|---|
| | morbillivirus and Mumps orthorubulavirus and Rubella virus |
| | antigens (procedure) |
| | 737081007: Administration of vaccine product containing only |
| | Human alphaherpesvirus 3 antigen for chickenpox (procedure) |
| | 871898007: Administration of vaccine product containing only |
| | live attenuated Human alphaherpesvirus 3 antigen (procedure) |
| | 871899004: Administration of vaccine product containing only |
| | live attenuated Human alphaherpesvirus 3 antigen via |
| | subcutaneous route (procedure) |
| | 871909005: Administration of first dose of vaccine product |
| | containing only Human alphaherpesvirus 3 and Measles |
| | morbillivirus and Mumps orthorubulavirus and Rubella virus |
| | antigens (procedure) |
| | 572511000119105: Administration of vaccine product containing |
| | only live attenuated Measles morbillivirus and Mumps |
| | orthorubulavirus and Rubella virus and Human alphaherpesvirus |
| | 3 antigens (procedure) |
| CDC Race and Ethnicity | 1002-5: American Indian or Alaska Native |
| · | 2028-9: Asian |
| | 2054-5: Black or African American |
| | 2076-8: Native Hawaiian or Other Pacific Islander |
| | 2106-3: White |
| | 2135-2: Hispanic or Latino |
| | 2186-5: Not Hispanic or Latino |
| Note: The codes listed are informati | onal only: this information does not guarantee reimbursement. |

Note: The codes listed are informational only; this information does not guarantee reimbursement.

Colorectal Cancer Screening (COL-E)

| Description | CPT/HCPCS/LOINC/SNOMED CTSNOMED CT |
|-------------|---|
| Colonoscopy | CPT 44388, 44389, 44390, 44391, 44392, 44394, 44401, 44402, 44403, 44404, 44405, 44406, 44407, 44408, 45378, 45379, 45380, 45381, 45382,45384, 45385, 45386, 45388, 45389, 45390, 45391, 45392, 45393, 45398 HCPCS G0105: Colorectal cancer screening; colonoscopy on individual at high risk : Colorectal cancer screening; colonoscopy on individual not meeting criteria for |
| | high risk SNOMED CTSNOMED CT |

| Description | CPT/HCPCS/LOINC/SNOMED CTSNOMED CT |
|-----------------|--|
| | 8180007: Fiberoptic colonoscopy through colostomy (procedure) |
| | 12350003: Colonoscopy with rigid sigmoidoscope through colotomy (procedure) |
| | 25732003: Fiberoptic colonoscopy with biopsy (procedure) |
| | 34264006: Intraoperative colonoscopy (procedure) |
| | 73761001: Colonoscopy (procedure) |
| | 174158000: Open colonoscopy (procedure) |
| | 174185007: Diagnostic fiberoptic endoscopic examination of colon and biopsy of |
| | lesion of colon (procedure) |
| | 235150006: Total colonoscopy (procedure) |
| | 235151005: Limited colonoscopy (procedure) |
| | 275251008: Diagnostic endoscopic examination of colon using fiberoptic |
| | sigmoidoscope (procedure) |
| | 302052009: Endoscopic biopsy of lesion of colon (procedure) |
| | 367535003: Fiberoptic colonoscopy (procedure) [367535003] |
| | 443998000: Colonoscopy through colostomy with endoscopic biopsy of colon |
| | (procedure) |
| | 444783004: Screening colonoscopy (procedure) |
| | 446521004: Colonoscopy and excision of mucosa of colon (procedure) |
| | 446745002: Colonoscopy and biopsy of colon (procedure) |
| | 447021001: Colonoscopy and tattooing (procedure) |
| | 709421007: Colonoscopy and dilatation of stricture of colon (procedure) |
| | 710293001: Colonoscopy using fluoroscopic guidance (procedure) |
| | 711307001: Colonoscopy using X-ray guidance (procedure) |
| | 789778002: Colonoscopy and fecal microbiota transplantation (procedure) |
| | 1209098000: Fiberoptic colonoscopy with biopsy of lesion of colon (procedure) |
| | 48021000087103: Colonoscopy using cecal retroflexion technique (procedure) |
| | 48031000087101: Colonoscopy using rectal retroflexion technique (procedure) |
| CT Colonography | CPT |
| | 74261, 74262, 74263 |
| | LOINC |
| | 60515-4: CT Colon and Rectum W air contrast PR |
| | 72531-7: CT Colon and Rectum W contrast IV and W air contrast PR |
| | 79069-1: CT Colon and Rectum for screening WO contrast IV and W air contrast |
| | PR |
| | 79071-7: CT Colon and Rectum WO contrast IV and W air contrast PR |
| | 79101-2: CT Colon and Rectum for screening W air contrast PR |
| | 82688-3: CT Colon and Rectum WO and W contrast IV and W air contrast PR |
| | SNOMED CTSNOMED CT |
| | 418714002: Virtual computed tomography colonoscopy (procedure) |

Page 85 of 119

| Description | CPT/HCPCS/LOINC/SNOMED CTSNOMED CT |
|------------------------|---|
| Flexible sigmoidoscopy | CPT |
| | 45330, 45331, 45332, 45333, 45334, 45335, 45337, |
| | 45338, 45340, 45341, 45342, 45346, 45347, 45349, 45350 |
| | HCPCS |
| | G0104: Colorectal cancer screening; flexible sigmoidoscopy |
| | SNOMED CTSNOMED CT |
| | 44441009: Flexible fiberoptic sigmoidoscopy (procedure) |
| | 396226005: Flexible fiberoptic sigmoidoscopy with biopsy (procedure) |
| | 425634007: Diagnostic endoscopic examination of lower bowel and sampling for |
| | bacterial overgrowth using fiberoptic sigmoidoscope (procedure) |
| FOBT Lab Test | CPT |
| | 82270, 82274 |
| | HCPCS |
| | Colorectal cancer screening; fecal occult blood test, immunoassay, 1-3 |
| | simultaneous |
| | LOINC |
| | 12503-9: Hemoglobin.gastrointestinal [Presence] in Stool4th specimen |
| | 12504-7: Hemoglobin. Gastrointestinal [Presence] in Stool5th specimen |
| | 14563-1: Hemoglobin. Gastrointestinal [Presence] in Stool1st specimen |
| | 14564-9: Hemoglobin. Gastrointestinal [Presence] in Stool2nd specimen |
| | 14565-6: Hemoglobin. Gastrointestinal [Presence] in Stool3rd specimen |
| | 2335-8: Hemoglobin. Gastrointestinal [Presence] in Stool |
| | 27396-1: Hemoglobin. Gastrointestinal [Mass/mass] in Stool |
| | 27401-9: Hemoglobin. Gastrointestinal [Presence] in Stool6th specimen |
| | 27925-7: Hemoglobin. Gastrointestinal [Presence] in Stool7th specimen |
| | 27926-5: Hemoglobin. Gastrointestinal [Presence] in Stool8th specimen |
| | 29771-3: Hemoglobin.gastrointestinal.lower [Presence] in Stool by Immunoassay |
| | 56490-6: Hemoglobin.gastrointestinal.lower [Presence] in Stool by Immunoassay |
| | 2nd specimen |
| | 56491-4: Hemoglobin.gastrointestinal.lower [Presence] in Stool by Immunoassay |
| | 3rd specimen |
| | 57905-2: Hemoglobin.gastrointestinal.lower [Presence] in Stool by Immunoassay |
| | 1st specimen |
| | 58453-2: Hemoglobin.gastrointestinal.lower [Mass/volume] in Stool by |
| | Immunoassay |
| | 80372-6: Hemoglobin. Gastrointestinal [Presence] in Stool by Rapid |
| | immunoassay |
| | SNOMED CTSNOMED CT |
| | 104435004: Screening for occult blood in feces (procedure) |

Page 86 of 119

| Description | CPT/HCPCS/LOINC/SNOMED CTSNOMED CT |
|------------------------|--|
| | 441579003: Measurement of occult blood in stool specimen using immunoassay |
| | (procedure) |
| | 442067009: Measurement of occult blood in two separate stool specimens |
| | (procedure) |
| | 442516004: Measurement of occult blood in three separate stool specimens (procedure) |
| | 442554004: Guaiac test for occult blood in feces specimen (procedure) |
| | 442563002: Measurement of occult blood in single stool specimen (procedure |
| FOBT Test Result or | SNOMED CT |
| Finding | 59614000: Occult blood in stools (finding) |
| S | 167667006: Fecal occult blood: negative (finding) |
| | 389076003: Fecal occult blood: trace (finding) |
| | 71711000112103: Occult blood detected in feces by immunoassay (finding) |
| sDNA FIT Lab Test | CPT |
| | 81528 |
| | LOINC |
| | 77353-1: Noninvasive colorectal cancer DNA and occult blood screening |
| | [Interpretation] in Stool Narrative |
| | 77354-9: Noninvasive colorectal cancer DNA and occult blood screening |
| | [Presence] in Stool |
| CDC Race and Ethnicity | 1002-5: American Indian or Alaska Native |
| | 2028-9: Asian |
| | 2054-5: Black or African American |
| | 2076-8: Native Hawaiian or Other Pacific Islander |
| | 2106-3: White |
| | 2135-2: Hispanic or Latino |
| | 2186-5: Not Hispanic or Latino |

Note: The codes listed are informational only; this information does not guarantee reimbursement.

Documented Assessment After Mammogram (DBM-E)

| Description | SNOMED CT |
|-------------------------------|---|
| Description BIRADS Assessment | SNOMED CT 397138000: Mammography assessment (Category 0) - Need additional imaging evaluation (finding) 397140005: Mammography assessment (Category 1) - Negative (finding) 397141009: Mammography assessment (Category 2) - Benign finding (finding) 397143007: Mammography assessment (Category 3) - Probably benign finding, short interval follow-up (finding) 397144001: Mammography assessment (Category 4) - Suspicious abnormality, biopsy should be considered (finding) 6121000179106: Mammography assessment (Category 4A) - Suspicious abnormality, biopsy should be considered, low suspicion of malignancy (finding) 6131000179108: Mammography assessment (Category 4B) - Suspicious abnormality, biopsy should be considered, moderate suspicion of malignancy (finding) 6141000179100: Mammography assessment (Category 4C) - Suspicious abnormality, biopsy should be considered, high suspicion of malignancy (finding) 397145000: Mammography assessment (Category 5) - Highly suggestive of |
| | malignancy (finding) 6111000179101: Mammography assessment (Category 6) - known biopsy, proven malignancy (finding) |

Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E)

| Description | ICD10CM/SNOMED CTSNOMED CT |
|---------------------|--|
| Major Depression or | ICD10CM |
| Dysthymia | F32.0: Major depressive disorder, single episode, mild |
| | F32.1: Major depressive disorder, single episode, moderate |
| | F32.2: Major depressive disorder, single episode, severe without psychotic |
| | features |
| | F32.3: Major depressive disorder, single episode, severe with psychotic features |
| | F32.4: Major depressive disorder, single episode, in partial remission |
| | F32.5: Major depressive disorder, single episode, in full remission |
| | F32.9: Major depressive disorder, single episode, unspecified |
| | F33.0: Major depressive disorder, recurrent, mild |
| | F33.1: Major depressive disorder, recurrent, moderate |
| | F33.2: Major depressive disorder, recurrent severe without psychotic features |
| | F33.3: Major depressive disorder, recurrent, severe with psychotic symptoms |
| | F33.40: Major depressive disorder, recurrent, in remission, unspecified |
| | F33.41: Major depressive disorder, recurrent, in partial remission |

Description ICD10CM/SNOMED CTSNOMED CT F33.42: Major depressive disorder, recurrent, in full remission F33.9: Major depressive disorder, recurrent, unspecified F34.1: Dysthymic disorder SNOMED CTSNOMED CT 832007: Moderate major depression (disorder) 2506003: Early onset dysthymia (disorder) 2618002: Chronic recurrent major depressive disorder (disorder) 3109008: Secondary dysthymia early onset (disorder) 14183003: Chronic major depressive disorder, single episode (disorder) 15193003: Severe recurrent major depression with psychotic features, moodincongruent (disorder) 15639000: Moderate major depression, single episode (disorder) 18818009: Moderate recurrent major depression (disorder) 19527009: Single episode of major depression in full remission (disorder) 19694002: Late onset dysthymia (disorder) 20250007: Severe major depression, single episode, with psychotic features, mood-incongruent (disorder) 25922000: Major depressive disorder, single episode with postpartum onset (disorder) 28475009: Severe recurrent major depression with psychotic features (disorder) 30605009: Major depression in partial remission (disorder) 33078009: Severe recurrent major depression with psychotic features, moodcongruent (disorder) 33135002: Recurrent major depression in partial remission (disorder) 33736005: Severe major depression with psychotic features, mood-congruent (disorder) 36170009: Secondary dysthymia late onset (disorder) 36474008: Severe recurrent major depression without psychotic features (disorder) 36923009: Major depression, single episode (disorder) 38451003: Primary dysthymia early onset (disorder) 38694004: Recurrent major depressive disorder with atypical features (disorder) 39809009: Recurrent major depressive disorder with catatonic features (disorder) 40379007: Mild recurrent major depression (disorder) 42810003: Major depression in remission (disorder) 42925002: Major depressive disorder, single episode with atypical features

The codes and measure tips listed are informational only, not clinical guidelines or standards of medical care, and do not guarantee reimbursement. All member care and related decisions of treatment are the sole responsibility of the provider. This information does not dictate or control your clinical decisions regarding the appropriate care of members. Your state/provider contract(s), Medicaid, member benefits and several other guidelines determine reimbursement for the applicable codes. Proper coding and providing appropriate care decrease the need for high volume of medical record review requests and provider audits. It also helps us review your performance on the quality of care that is provided to our members and meet the HEDIS measure for quality reporting based on the care you provide our members. Please note: The information provided is based on HEDIS MY2025 technical specifications and is subject to change based on guidance given by the National Committee for Quality Assurance (NCQA), the Centers for Medicare & Medicaid Services (CMS) and state recommendations. Please refer to the appropriate agency for additional guidance.

46244001: Recurrent major depression in full remission (disorder)

(disorder)

| Description | ICD10CM/SNOMED CTSNOMED CT |
|-------------|---|
| | 60099002: Severe major depression with psychotic features, mood-incongruent |
| | (disorder) |
| | 63412003: Major depression in full remission (disorder) |
| | 63778009: Major depressive disorder, single episode with melancholic features |
| | (disorder) |
| | 66344007: Recurrent major depression (disorder) |
| | 67711008: Primary dysthymia late onset (disorder) |
| | 69392006: Major depressive disorder, single episode with catatonic features (disorder) |
| | 70747007: Major depression single episode, in partial remission (disorder) |
| | 71336009: Recurrent major depressive disorder with postpartum onset |
| | (disorder) |
| | 73867007: Severe major depression with psychotic features (disorder) |
| | 75084000: Severe major depression without psychotic features (disorder) |
| | 76441001: Severe major depression, single episode, without psychotic features |
| | (disorder) |
| | 77911002: Severe major depression, single episode, with psychotic features, |
| | mood-congruent (disorder) |
| | 78667006: Dysthymia (disorder) |
| | 79298009: Mild major depression, single episode (disorder) |
| | 83176005: Primary dysthymia (disorder) |
| | 85080004: Secondary dysthymia (disorder) |
| | 87512008: Mild major depression (disorder) |
| | 191604000: Single major depressive episode, severe, with psychosis (disorder) 191610000: Recurrent major depressive episodes, mild (disorder) |
| | 191611001: Recurrent major depressive episodes, moderate (disorder) |
| | 191613003: Recurrent major depressive episodes, moderate (disorder) |
| | (disorder) |
| | 231499006: Endogenous depression first episode (disorder) |
| | 268621008: Recurrent major depressive episodes (disorder) |
| | 274948002: Endogenous depression - recurrent (disorder) |
| | 300706003: Endogenous depression (disorder) |
| | 319768000: Recurrent major depressive disorder with melancholic features |
| | (disorder) |
| | 320751009: Major depression, melancholic type (disorder) |
| | 370143000: Major depressive disorder (disorder) |
| | 430852001: Severe major depression, single episode, with psychotic features (disorder) |
| | |

Depression Remission or Response for Adolescents and Adults (DRR-E)

| Description | SNOMED CT |
|---------------------|---|
| Major Depression or | SNOMED CT |
| Dysthymia | 832007: Moderate major depression (disorder) |
| | 2506003: Early onset dysthymia (disorder) |
| | 2618002: Chronic recurrent major depressive disorder (disorder) |
| | 3109008: Secondary dysthymia early onset (disorder) |
| | 14183003: Chronic major depressive disorder, single episode (disorder) |
| | 15193003: Severe recurrent major depression with psychotic features, mood-incongruent (disorder) |
| | 15639000: Moderate major depression, single episode (disorder) |
| | 18818009: Moderate recurrent major depression (disorder) |
| | 19527009: Single episode of major depression in full remission (disorder) |
| | 19694002: Late onset dysthymia (disorder) |
| | 20250007: Severe major depression, single episode, with psychotic features, mood-incongruent (disorder) |
| | 25922000: Major depressive disorder, single episode with postpartum onset (disorder) |
| | 28475009: Severe recurrent major depression with psychotic features (disorder) |
| | 30605009: Major depression in partial remission (disorder) |
| | 33078009: Severe recurrent major depression with psychotic features, mood-congruent (disorder) |
| | 33135002: Recurrent major depression in partial remission (disorder) |
| | 33736005: Severe major depression with psychotic features, mood-congruent (disorder) |
| | 36170009: Secondary dysthymia late onset (disorder) |
| | 36474008: Severe recurrent major depression without psychotic features (disorder) |
| | 36923009: Major depression, single episode (disorder) |
| | 38451003: Primary dysthymia early onset (disorder) |
| | 38694004: Recurrent major depressive disorder with atypical features (disorder) |
| | 39809009: Recurrent major depressive disorder with catatonic features (disorder) |
| | 40379007: Mild recurrent major depression (disorder) |
| | 42810003: Major depression in remission (disorder) |
| | 42925002: Major depressive disorder, single episode with atypical features |
| | (disorder) |
| | 46244001: Recurrent major depression in full remission (disorder) |
| | (4.55 |

| Description | SNOMED CT |
|-------------|---|
| | 60099002: Severe major depression with psychotic features, mood-incongruent |
| | (disorder) |
| | 63412003: Major depression in full remission (disorder) |
| | 63778009: Major depressive disorder, single episode with melancholic features |
| | (disorder) |
| | 66344007: Recurrent major depression (disorder) |
| | 67711008: Primary dysthymia late onset (disorder) |
| | 69392006: Major depressive disorder, single episode with catatonic features |
| | (disorder) |
| | 70747007: Major depression single episode, in partial remission (disorder) |
| | 71336009: Recurrent major depressive disorder with postpartum onset |
| | (disorder) |
| | 73867007: Severe major depression with psychotic features (disorder) |
| | 75084000: Severe major depression without psychotic features (disorder) |
| | 76441001: Severe major depression, single episode, without psychotic features |
| | (disorder) |
| | 77911002: Severe major depression, single episode, with psychotic features, |
| | mood-congruent (disorder) |
| | 78667006: Dysthymia (disorder) |
| | 79298009: Mild major depression, single episode (disorder) |
| | 83176005: Primary dysthymia (disorder) |
| | 85080004: Secondary dysthymia (disorder) |
| | 87512008: Mild major depression (disorder) |
| | 191604000: Single major depressive episode, severe, with psychosis (disorder) |
| | 191610000: Recurrent major depressive episodes, mild (disorder) |
| | 191611001: Recurrent major depressive episodes, moderate (disorder) |
| | 191613003: Recurrent major depressive episodes, severe, with psychosis |
| | (disorder) |
| | 231499006: Endogenous depression first episode (disorder) |
| | 268621008: Recurrent major depressive episodes (disorder) |
| | 274948002: Endogenous depression - recurrent (disorder) |
| | 300706003: Endogenous depression (disorder) |
| | 319768000: Recurrent major depressive disorder with melancholic features |
| | (disorder) 320751009: Major depression, melancholic type (disorder) |
| | 370143000: Major depression, melancholic type (disorder) |
| | 430852001: Severe major depression, single episode, with psychotic features |
| | (disorder) |
| | (disorder) |

Page 92 of 119

Note: The codes listed are informational only; this information does not guarantee reimbursement.

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E)

| Depression Screening and | Follow-Up for Adolescents and Adults (DSF-E) |
|--------------------------|--|
| Description | CPT/HCPCS/SNOMED CTSNOMED CT |
| Depression Case | CPT |
| Management Encounter | 111 |
| | HCPCS |
| | : Rural health clinic or federally qualified health center (RHC/FQHC) only, |
| | psychiatric collaborative care model (psychiatric COCM), 60 minutes or more of |
| | clinical staff time for psychiatric COCM services directed by an RHC or FQHC |
| | practitioner (physician, NP, PA, or CNM) and including services furnished by a |
| | behavioral health care manager and consultation with a psychiatric consultant, |
| | per calendar month |
| | T1016: Case Management, each 15 minutes |
| | T1017: Targeted Case Management, each 15 minutes |
| | : Case Management, per month |
| | : Targeted Case Management; per month |
| | SNOMED CTSNOMED CT |
| | 182832007: Procedure related to management of drug administration |
| | (procedure) |
| | 225333008: Behavior management (regime/therapy) |
| | 385828006: Health promotion management (procedure) |
| | 386230005: Case Management (procedure) |
| | 409022004: Dispensing medication management (procedure) |
| | 410216003: Communication care management (procedure) |
| | 410219005: Personal care management (procedure) |
| | 410328009: Coping skills Case Management (procedure) |
| | 410335001: Exercises Case Management (procedure) |
| | 410346003: Medication action/side effects Case Management (procedure) |
| | 410347007: Medication set-up Case Management (procedure) |
| | 410351009: Relaxation/breathing techniques Case Management (procedure) |
| | 410352002: Rest/sleep Case Management (procedure) |
| | 410353007: Safety Case Management (procedure) |
| | 410354001: Screening Case Management (procedure) |
| | 410356004: Signs/symptoms-mental/emotional Case Management (procedure) |
| | 410360001: Spiritual care Case Management (procedure) |
| | 410363004: Support group Case Management (procedure) |
| | 410364005: Support system Case Management (procedure) |
| | 410366007: Wellness Case Management (procedure) |
| | |

| Barrell attention | CDT (LICECC (CNICA AFE CTCNICA AFE CT |
|-------------------------------|---|
| Description | CPT/HCPCS/SNOMED CTSNOMED CT |
| | 416341003: Case Management started (situation) |
| | 416584001: Case Management ended (situation) |
| | 424490002: Medication prescription Case Management (procedure) |
| | 425604002: Case Management follow up (procedure) |
| | 737850002: Day care Case Management (procedure) |
| | 621561000124106: Psychiatric Case Management (procedure) |
| | 661051000124109: Education about Department of Veterans Affairs Military2VA |
| | Case Management Program (procedure) |
| | 662081000124106: Assistance with application for Department of Veterans Affairs |
| | Military2VA Case Management Program (procedure) |
| | 662541000124107: Evaluation of eligibility for Department of Veterans Affairs |
| | Military2VA Case Management Program (procedure) |
| | 84290100000108: Multidisciplinary Case Management (procedure) |
| Symptoms of Depression | SNOMED CT |
| | 394924000: Symptoms of depression (finding) |
| | 788976000: Leaden paralysis (finding) |
| Note: The codes listed are in | nformational only; this information does not guarantee reimbursement. |

Follow-Up After Abnormal Mammogram Assessment (FMA-E)

| Description | SNOMED CT |
|---------------------|--|
| High Risk BIRADS | 397144001: Mammography assessment (Category 4) - Suspicious abnormality, biopsy should be considered (finding) 6121000179106: Mammography assessment (Category 4A) - Suspicious abnormality, biopsy should be considered, low suspicion of malignancy (finding) 6131000179108: Mammography assessment (Category 4B) - Suspicious abnormality, biopsy should be considered, moderate suspicion of malignancy (finding) 6141000179100: Mammography assessment (Category 4C) - Suspicious abnormality, biopsy should be considered, high suspicion of malignancy (finding) 397145000: Mammography assessment (Category 5) - Highly suggestive of malignancy (finding) |
| Inconclusive BIRADS | 397138000: Mammography assessment (Category 0) - Need additional imaging evaluation (finding) |

Immunizations for Adolescents (IMA-E)

| Description | CPT/CVX/SNOMED CTSNOMED CT |
|------------------------|--|
| Meningococcal | CVX |
| Immunization | 32: meningococcal polysaccharide vaccine (MPSV4) |
| | 108: meningococcal ACWY vaccine, unspecified formulation |
| | 114: meningococcal polysaccharide (groups A, C, Y and W-135) diphtheria toxoid |
| | conjugate vaccine (MCV4P) |
| | 136: meningococcal oligosaccharide (groups A, C, Y and W-135) diphtheria toxoid conjugate vaccine (MCV4O) |
| | 147: Meningococcal, MCV4, unspecified conjugate formulation(groups A, C, Y and W-135) |
| | 167: meningococcal vaccine of unknown formulation and unknown serogroups |
| | 203: meningococcal polysaccharide (groups A, C, Y, W-135) tetanus toxoid |
| | conjugate vaccine 0.5mL dose, preservative free |
| | 316: Meningococcal polysaccharide (groups A, C, Y, W) tetanus toxoid conjugate, |
| | meningococcal B recombinant vaccine, 0.5mL, preservative free |
| Meningococcal Vaccine | CPT |
| Procedure | , 90733, 90734 |
| | SNOMED CTSNOMED CT |
| | 871874000: Administration of vaccine product containing only Neisseria |
| | meningitidis serogroup A, C, W135 and Y antigens (procedure) |
| | 428271000124109: Meningococcal conjugate vaccination (procedure) |
| | 16298691000119102: Administration of vaccine product containing only Neisseria |
| | meningitidis serogroup A, C, W135 and Y capsular oligosaccharide conjugated |
| | antigens (procedure) |
| Tdap Vaccine Procedure | CPT |
| | 90715 |
| | SNOMED CTSNOMED CT |
| | 390846000: Administration of booster dose of vaccine product containing only acellular Bordetella pertussis and Clostridium tetani and Corynebacterium |
| | diphtheriae antigens (procedure) |
| | 412755006: Administration of first dose of vaccine product containing only |
| | acellular Bordetella pertussis and Clostridium tetani and Corynebacterium |
| | diphtheriae antigens (procedure) |
| | 412756007: Administration of second dose of vaccine product containing only |
| | acellular Bordetella pertussis and Clostridium tetani and Corynebacterium |
| | diphtheriae antigens (procedure) |
| | 412757003: Administration of third dose of vaccine product containing only |
| | acellular Bordetella pertussis and Clostridium tetani and Corynebacterium |
| | diphtheriae antigens (procedure) |
| | |

Page 95 of 119

| Description | CPT/CVX/SNOMED CTSNOMED CT |
|-------------------------|--|
| | 428251000124104: Tetanus, diphtheria, and acellular pertussis vaccination |
| | (procedure) |
| | 571571000119105: Administration of vaccine product containing only acellular |
| | Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae |
| | antigens (procedure) |
| HPV Immunization | CVX |
| | 62: Human papilloma virus vaccine, quadrivalent |
| | 118: Human papilloma virus vaccine, bivalent |
| | 137: HPV, unspecified formulation |
| | 165: Human Papillomavirus 9-valent vaccine |
| HPV Vaccine Procedure | CPT |
| | 90649, 90650, 90651 |
| | SNOMED CTSNOMED CT |
| | 428741008: Administration of first dose of vaccine product containing only |
| | Human papillomavirus antigen (procedure) |
| | 428931000: Administration of third dose of vaccine product containing only |
| | Human papillomavirus antigen (procedure) |
| | 429396009: Administration of second dose of vaccine product containing only |
| | Human papillomavirus antigen (procedure) |
| | 717953009: Administration of vaccine product containing only Human |
| | papillomavirus 16 and 18 antigens (procedure) |
| | 724332002: Administration of vaccine product containing only Human |
| | papillomavirus 9 antigen (procedure) |
| | 734152003: Administration of vaccine product containing only Human |
| | papillomavirus 6, 11, 16 and 18 antigens (procedure) |
| | 761841000: Administration of vaccine product containing only Human |
| | papillomavirus antigen (procedure) |
| | 1209198003: Administration of vaccine product containing only Human |
| | papillomavirus 6, 11, 16, 18, 31, 33, 45, 52 and 58 antigen (procedure) |
| CDC Race and Ethnicity | 1002-5: American Indian or Alaska Native |
| | 2028-9: Asian |
| | 2054-5: Black or African American |
| | 2076-8: Native Hawaiian or Other Pacific Islander |
| | 2106-3: White |
| | |
| | 2135-2: Hispanic or Latino |

Note: The codes listed are informational only; this information does not guarantee reimbursement.

Postpartum Depression Screening and Follow-Up (PDS-E)

| Description | CPT/ HCPCS/SNOMEDSNOMED CT |
|----------------------|--|
| Deliveries | CPT |
| | , 59409, 59410, , 59514, 59515, , 59612, 59614, , 59620, 59622 |
| | SNOMED CT |
| | 2321005: Delivery by Ritgen maneuver (procedure) |
| | 199771001: Piper forceps delivery by application to aftercoming head (procedure) |
| Depression Case | CPT |
| Management Encounter | HCPCS |
| | T1016: Case Management, each 15 minutes |
| | T1017: Targeted Case Management, each 15 minutes |
| | Case Management, per month |
| | Targeted Case Management; per month |
| | SNOMED CTSNOMED CT |
| | 182832007: Procedure related to management of drug administration |
| | (procedure) |
| | 225333008: Behavior management (regime/therapy) |
| | 385828006: Health promotion management (procedure) |
| | 386230005: Case Management (procedure) |
| | 409022004: Dispensing medication management (procedure) |
| | 410216003: Communication care management (procedure) |
| | 410219005: Personal care management (procedure) |
| | 410328009: Coping skills Case Management (procedure) |
| | 410335001: Exercises Case Management (procedure) |
| | 410346003: Medication action/side effects Case Management (procedure) |
| | 410347007: Medication set-up Case Management (procedure) |
| | 410351009: Relaxation/breathing techniques Case Management (procedure) |
| | 410352002: Rest/sleep Case Management (procedure) |
| | 410353007: Safety Case Management (procedure) |
| | 410354001: Screening Case Management (procedure) |
| | 410356004: Signs/symptoms-mental/emotional Case Management (procedure) |
| | 410360001: Spiritual care Case Management (procedure) |
| | 410363004: Support group Case Management (procedure) |
| | 410364005: Support system Case Management (procedure) |
| | 410366007: Wellness Case Management (procedure) |
| | 416341003: Case Management started (situation) |
| | 416584001: Case Management ended (situation) |
| | 424490002: Medication prescription Case Management (procedure) |
| | 425604002: Case Management follow up (procedure) |
| | 737850002: Day care Case Management (procedure) |

Page 97 of 119

| Description | CPT/ HCPCS/SNOMEDSNOMED CT |
|------------------------|---|
| | 621561000124106: Psychiatric Case Management (procedure) |
| | 661051000124109: Education about Department of Veterans Affairs Military2VA |
| | Case Management Program (procedure) |
| | 662081000124106: Assistance with application for Department of Veterans |
| | Affairs Military2VA Case Management Program (procedure) |
| | 662541000124107: Evaluation of eligibility for Department of Veterans Affairs |
| | Military2VA Case Management Program (procedure) |
| | 842901000000108: Multidisciplinary Case Management (procedure) |
| Symptoms of Depression | SNOMED CT |
| | 394924000: Symptoms of depression (finding) |
| | 788976000: Leaden paralysis (finding) |
| CDC Race and Ethnicity | 1002-5: American Indian or Alaska Native |
| | 2028-9: Asian |
| | 2054-5: Black or African American |
| | 2076-8: Native Hawaiian or Other Pacific Islander |
| | 2106-3: White |
| | 2135-2: Hispanic or Latino |
| | 2186-5: Not Hispanic or Latino |

Note: The codes listed are informational only; this information does not guarantee reimbursement.

Prenatal Depression Screening and Follow-up (PND-E)

| • | |
|--------------------|--|
| Description | CPT/ HCPCS/SNOMED CTSNOMED CT |
| Deliveries | CPT |
| | 59409, 59410, 59510, 59514, 59515, , 59612, 59614, , 59620, 59622 |
| | SNOMED CT |
| | 2321005: Delivery by Ritgen maneuver (procedure) |
| | 199771001: Piper forceps delivery by application to aftercoming head (procedure) |
| 37 weeks gestation | SNOMED CT |
| - | 43697006: Gestation period, 37 weeks (finding) |
| 38 weeks gestation | SNOMED CT |
| | 13798002: Gestation period, 38 weeks (finding) |
| 39 weeks gestation | SNOMED CT |
| | 80487005: Gestation period, 39 weeks (finding) |
| 40 weeks gestation | SNOMED CT |
| | 46230007: Gestation period, 40 weeks (finding) |
| 41 weeks gestation | SNOMED CT |
| | 63503002: Gestation period, 41 weeks (finding) |

| Description | CPT/ HCPCS/SNOMED CTSNOMED CT |
|-------------------------|---|
| 42 weeks gestation | SNOMED CT |
| - | 36428009: Gestation period, 42 weeks (finding) |
| Weeks of Gestation Less | SNOMED CT |
| Than 37 | 931004: Gestation period, 9 weeks (finding) |
| | 6678005: Gestation period, 15 weeks (finding) |
| | 15633004: Gestation period, 16 weeks (finding) |
| | 23464008: Gestation period, 20 weeks (finding) |
| | 25026004: Gestation period, 18 weeks (finding) |
| | 26690008: Gestation period, 8 weeks (finding) |
| | 37005007: Gestation period, 5 weeks (finding) |
| | 38039008: Gestation period, 10 weeks (finding) |
| | 41438001: Gestation period, 21 weeks (finding) |
| | 44398003: Gestation period, 4 weeks (finding) |
| | 46906003: Gestation period, 27 weeks (finding) |
| | 48688005: Gestation period, 26 weeks (finding) |
| | 50367001: Gestation period, 11 weeks (finding) |
| | 54318006: Gestation period, 19 weeks (finding) |
| | 57907009: Gestation period, 36 weeks (finding) |
| | 62333002: Gestation period, 13 weeks (finding) |
| | 63110000: Gestation period, 7 weeks (finding) |
| | 65035007: Gestation period, 22 weeks (finding) |
| | 65683006: Gestation period, 17 weeks (finding) |
| | 72544005: Gestation period, 25 weeks (finding) |
| | 72846000: Gestation period, 14 weeks (finding) |
| | 74952004: Gestation period, 3 weeks (finding) |
| | 79992004: Gestation period, 12 weeks (finding) |
| | 82118009: Gestation period, 2 weeks (finding) |
| | 86801005: Gestation period, 6 weeks (finding) |
| | 86883006: Gestation period, 23 weeks (finding) |
| | 87178007: Gestation period, 1 week (finding) |
| | 313178001: Gestation less than 24 weeks (finding) |
| | 313179009: Gestation period, 24 weeks (finding) |
| | 428058009: Gestation less than 9 weeks (finding) |
| | 428566005: Gestation less than 20 weeks (finding) |
| | 428567001: Gestation 14 - 20 weeks (finding) |
| | 428930004: Gestation 9- 13 weeks (finding) |

| Description | CPT/ HCPCS/SNOMED CTSNOMED CT |
|----------------------|---|
| Depression Case | CPT |
| Management Encounter | HCPCS |
| | T1016: Case Management, each 15 minutes |
| | T1017: Targeted Case Management, each 15 minutes |
| | Case Management, per month |
| | Targeted Case Management; per month |
| | SNOMED CTSNOMED CT |
| | 182832007: Procedure related to management of drug administration |
| | (procedure) |
| | 225333008: Behavior management (regime/therapy) |
| | 385828006: Health promotion management (procedure) |
| | 386230005: Case Management (procedure) |
| | 409022004: Dispensing medication management (procedure) |
| | 410216003: Communication care management (procedure) |
| | 410219005: Personal care management (procedure) |
| | 410328009: Coping skills Case Management (procedure) |
| | 410335001: Exercises Case Management (procedure) |
| | 410346003: Medication action/side effects Case Management (procedure) |
| | 410347007: Medication set-up Case Management (procedure) |
| | 410351009: Relaxation/breathing techniques Case Management (procedure) |
| | 410352002: Rest/sleep Case Management (procedure) |
| | 410353007: Safety Case Management (procedure) |
| | 410354001: Screening Case Management (procedure) |
| | 410356004: Signs/symptoms-mental/emotional Case Management (procedure) |
| | 410360001: Spiritual care Case Management (procedure) |
| | 410363004: Support group Case Management (procedure) |
| | 410364005: Support system Case Management (procedure) |
| | 410366007: Wellness Case Management (procedure) |
| | 416341003: Case Management started (situation) |
| | 416584001: Case Management ended (situation) |
| | 424490002: Medication prescription Case Management (procedure) |
| | 425604002: Case Management follow up (procedure) |
| | 737850002: Day care Case Management (procedure) |
| | 621561000124106: Psychiatric Case Management (procedure) |
| | 661051000124109: Education about Department of Veterans Affairs Military2VA |
| | Case Management Program (procedure) |
| | 662081000124106: Assistance with application for Department of Veterans |
| | Affairs Military2VA Case Management Program (procedure) |
| | |

| Description | CPT/ HCPCS/SNOMED CTSNOMED CT |
|------------------------|---|
| | 662541000124107: Evaluation of eligibility for Department of Veterans Affairs |
| | Military2VA Case Management Program (procedure) |
| | 842901000000108: Multidisciplinary Case Management (procedure) |
| | |
| | |
| Symptoms of Depression | SNOMED CT |
| | 394924000: Symptoms of depression (finding) |
| | 788976000: Leaden paralysis (finding) |
| CDC Race and Ethnicity | 1002-5: American Indian or Alaska Native |
| | 2028-9: Asian |
| | 2054-5: Black or African American |
| | 2076-8: Native Hawaiian or Other Pacific Islander |
| | 2106-3: White |
| | 2135-2: Hispanic or Latino |
| | 2186-5: Not Hispanic or Latino |

Note: The codes listed are informational only; this information does not guarantee reimbursement.

Prenatal Immunization Status (PRS-E)

| Description | CPT/CVX/SNOMED CTSNOMED CT |
|--------------------|--|
| Deliveries | CPT |
| | 59409, 59410, , 59514, 59515, , 59612, 59614, , 59620, 59622 |
| | SNOMED CT |
| | 2321005: Delivery by Ritgen maneuver (procedure) |
| | 199771001: Piper forceps delivery by application to aftercoming head (procedure) |
| 37 Weeks Gestation | SNOMED CT |
| | 43697006: Gestation period, 37 weeks (finding) |
| 38 Weeks Gestation | SNOMED CT |
| | 13798002: Gestation period, 38 weeks (finding) |
| 39 Weeks Gestation | SNOMED CT |
| | 80487005: Gestation period, 39 weeks (finding) |
| 40 Weeks Gestation | SNOMED CT |
| | 46230007: Gestation period, 40 weeks (finding) |
| 41 Weeks Gestation | SNOMED CT |
| | 63503002: Gestation period, 41 weeks (finding) |
| 42 Weeks Gestation | SNOMED CT |
| | 36428009: Gestation period, 42 weeks (finding) |

| Description | CPT/CVX/SNOMED CTSNOMED CT |
|-------------------------|--|
| Adult Influenza | CVX |
| Immunization | 88: influenza virus vaccine, unspecified formulation |
| | 135: influenza, high dose seasonal, preservative-free |
| | 140: Influenza, seasonal, injectable, preservative free |
| | 141: Influenza, seasonal, injectable |
| | 144: seasonal influenza, intradermal, preservative free |
| | 150: Influenza, injectable, quadrivalent, preservative free |
| | 153: Influenza, injectable, Madin Darby Canine Kidney, preservative free |
| | 155: Seasonal, trivalent, recombinant, injectable influenza vaccine, preservative free |
| | 158: influenza, injectable, quadrivalent, contains preservative |
| | 166: influenza, intradermal, quadrivalent, preservative free, injectable |
| | 168: Seasonal trivalent influenza vaccine, adjuvanted, preservative free |
| | 171: Influenza, injectable, Madin Darby Canine Kidney, preservative free, quadrivalent |
| | 185: Seasonal, quadrivalent, recombinant, injectable influenza vaccine, |
| | preservative free |
| | 186: Influenza, injectable, Madin Darby Canine Kidney, quadrivalent with preservative |
| | 197: influenza, high-dose seasonal, quadrivalent, 0.7mL dose, preservative free |
| | 205: influenza, seasonal vaccine, quadrivalent, adjuvanted, 0.5mL dose, |
| | preservative free |
| Adult Influenza Vaccine | CPT |
| Procedure | 90653,90658, 90661, 90662, 90674, 90682, 90686, 90688, 90689, 90694, 90756 |
| | SNOMED CTSNOMED CT |
| | 86198006: Administration of vaccine product containing only Influenza virus |
| | antigen (procedure) |
| Tdap Vaccine Procedure | CPT |
| | 90715 |
| | SNOMED CTSNOMED CT |
| | 390846000: Administration of booster dose of vaccine product containing only |
| | acellular Bordetella pertussis and Clostridium tetani and Corynebacterium |
| | diphtheriae antigens (procedure) |
| | 412755006: Administration of first dose of vaccine product containing only |
| | acellular Bordetella pertussis and Clostridium tetani and Corynebacterium |
| | diphtheriae antigens (procedure) |
| | 412756007: Administration of second dose of vaccine product containing only |
| | acellular Bordetella pertussis and Clostridium tetani and Corynebacterium |
| | diphtheriae antigens (procedure) |
| | |

Page 102 of 119

| Description | CPT/CVX/SNOMED CTSNOMED CT |
|------------------------|---|
| | 412757003: Administration of third dose of vaccine product containing only acellular Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae antigens (procedure) 428251000124104: Tetanus, diphtheria, and acellular pertussis vaccination (procedure) |
| | 571571000119105: Administration of vaccine product containing only acellular Bordetella pertussis and Clostridium tetani and Corynebacterium diphtheriae antigens (procedure) |
| CDC Race and Ethnicity | 1002-5: American Indian or Alaska Native 2028-9: Asian 2054-5: Black or African American 2076-8: Native Hawaiian or Other Pacific Islander 2106-3: White 2135-2: Hispanic or Latino 2186-5: Not Hispanic or Latino |

Additional codes

| Description | CPT/CAT II/HCPCS |
|----------------------|---|
| Prenatal Bundled | CPT |
| Services | HCPCS |
| | Prenatal care, at-risk enhanced service package (includes h1001-h1004) |
| Prenatal Visits | CPT |
| | 99202-99205, 99211-99215, , |
| | HCPCS |
| | Hospital outpatient clinic visit for assessment and management of a patient |
| | T1015: Clinic visit/encounter, all-inclusive |
| Stand-Alone Prenatal | CPT |
| Visits | CAT II |
| | Initial prenatal care visit (report at first prenatal encounter with a health care |
| | professional providing obstetrical care. Report also date of visit and, in a separate |
| | field, the date of the last menstrual period [LMP]) (Prenatal) |
| | Prenatal flow sheet documented in medical record by first prenatal visit |
| | (documentation includes at minimum blood pressure, weight, urine protein, uterine |
| | size, fetal heart tones, and estimated date of delivery). Report also: date of visit and, |
| | in a separate field, the date of the last menstrual period [LMP] (Note: If reporting |
| | 0501F Prenatal flow sheet, it is not necessary to report 0500F Initial prenatal care |
| | visit) (Prenatal) |

| Description | CPT/CAT II/HCPCS |
|-----------------------------------|--|
| | Subsequent prenatal care visit (Prenatal) [Excludes: patients who are seen for a condition unrelated to pregnancy or prenatal care (e.g. for example, an upper respiratory infection; patients seen for consultation only, not for continuing care)] HCPCS H1000: Prenatal care, at-risk assessment Prenatal care, at-risk enhanced service; antepartum management Prenatal care, at risk enhanced service; care coordination Prenatal care, at-risk enhanced service; education Prenatal care, at-risk enhanced service; follow-up home visit SNOMED CT 169600002: Antenatal care assessment (procedure) 169602005: Antenatal care: 10 years plus since last pregnancy (regime/therapy) 169603000: Antenatal care: primiparous, under 17 years (regime/therapy) |
| Postpartum Bundles | СРТ |
| Services | 59410, 59515, 59614, 59622 |
| Home Visit Prenatal Monitoring | СРТ |
| Postpartum Visit | СРТ |
| | 57170, 58300, 59430, |
| | CAT II |
| | Postpartum care visit |
| | HCPCS |
| Online Assessments | Cervical or vaginal cancer screening; pelvic and clinical breast examination (G0101) CPT |
| Online Assessments | 99422 |
| | HCPCS |
| | Payment for communication technology-based services for 5 minutes or more of a |
| | virtual (non-face-to-face) communication between an rural health clinic (RHC) or |
| | federally qualified health center (FQHC) practitioner and RHC or FQHC patient, or 5 |
| | minutes or more of remote evaluation of recorded video and/or images by an RHC or |
| | FQHC practitioner, occurring in lieu of an office visit; RHC or FQHC only |
| | Remote evaluation of recorded video and/or images submitted by an established |
| | patient (e.g.for example, store and forward), including interpretation with follow-up |
| | with the patient within 24 business hours, not originating from a related e/m service |
| | provided within the previous 7 days nor leading to an e/m service or procedure |
| | within the next 24 hours or soonest available appointment Brief communication technology-based service, e.g.for example virtual check-in, by a |
| | physician or other qualified health carehealthcare professional who can report |

Description CPT/CAT II/HCPCS

evaluation and management services, provided to an established patient, not originating from a related e/m service provided within the previous 7 days nor leading to an e/m service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of medical discussion

Brief communication technology-based service, e.g. for example, virtual check-in, by a qualified health carehealthcare professional who cannot report evaluation and management services, provided to an established patient, not originating from a related service provided within the previous 7 days nor leading to a service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of clinical discussion

Brief communication technology-based service, e.g.for example virtual check-in, by a physician or other qualified health carehealthcare professional who can report evaluation and management services, provided to an established patient, not originating from a related e/m service provided within the previous 7 days nor leading to an e/m service or procedure within the next 24 hours or soonest available appointment; 11-20 minutes of medical discussion

Note: The codes listed are informational only; this information does not guarantee reimbursement.

Social Need Screening and Intervention (SNS-E)

| | ng and Intervention (SNS-E) |
|-----------------|--|
| Description | CPT/HCPCS/SNOMED CTSNOMED CT |
| Food insecurity | 441311000124102: Counseling about nutrition using stress management strategy |
| procedures | (regime/therapy) |
| | 441321000124105: Counseling about nutrition using stimulus control strategy |
| | (regime/therapy) |
| | 441331000124108: Counseling about nutrition using cognitive restructuring strategy |
| | (regime/therapy) |
| | 441341000124103: Counseling about nutrition using relapse prevention strategy |
| | (regime/therapy) |
| | 441351000124101: Counseling about nutrition using rewards and contingency |
| | management strategy (regime/therapy) |
| | 445291000124103: Nutrition-related skill education (procedure) |
| | 445301000124102: Content-related nutrition education (procedure) |
| | 445641000124105: Technical nutrition education (procedure) |
| | 461481000124109: Referral to peer support (procedure) |
| | 462481000124102: Referral to Community Action Agency program (procedure) |
| | 462491000124104: Referral to benefits enrollment assistance program (procedure) |
| | 464001000124109: Referral to case manager (procedure) |

Description CPT/HCPCS/SNOMED CTSNOMED CT 464011000124107: Referral to care manager (procedure) 464021000124104: Referral to care navigator (procedure) 464031000124101: Referral to food pantry program (procedure) 464041000124106: Referral to Child and Adult Care Food Program (procedure) 464051000124108: Referral to Gus Schumacher Nutrition Incentive Program (procedure) 464061000124105: Referral to food prescription program (procedure) 464071000124103: Referral to garden program (procedure) 464081000124100: Referral to home-delivered meals program (procedure) 464091000124102: Referral to medically tailored meal program (procedure) 464101000124108: Referral to Supplemental Nutrition Assistance Program (procedure) 464111000124106: Referral to Special Supplemental Nutrition Program for Women, Infants and Children (procedure) 464121000124103: Referral to Summer Food Service Program (procedure) 464131000124100: Referral to community health worker (procedure) 464141000124105: Referral to Meals on Wheels Program (procedure) 464151000124107: Referral to congregate meal program (procedure) 464161000124109: Referral to community resource network program (procedure) 464171000124102: Referral to Senior Farmers' Market Nutrition Program (procedure) 464181000124104: Referral to Farmers' Market Nutrition Program for Women, Infants and Children (procedure) 464191000124101: Referral to Food Distribution Program on Indian Reservations (procedure) 464201000124103: Education about Child and Adult Care Food Program (procedure) 464211000124100: Education about Community Meals Program (procedure) 464221000124108: Education about Gus Schumacher Nutrition Incentive Program (procedure) 464231000124106: Education about food pantry program (procedure) 464241000124101: Education about food prescription program (procedure) 464251000124104: Education about garden program (procedure) 464261000124102: Education about home-delivered meals program (procedure) 464271000124109: Education about medically tailored meal program (procedure) 464281000124107: Education about Special Supplement Nutrition Program for

The codes and measure tips listed are informational only, not clinical guidelines or standards of medical care, and do not guarantee reimbursement. All member care and related decisions of treatment are the sole responsibility of the provider. This information does not dictate or control your clinical decisions regarding the appropriate care of members. Your state/provider contract(s), Medicaid, member benefits and several other guidelines determine reimbursement for the applicable codes. Proper coding and providing appropriate care decrease the need for high volume of medical record review requests and provider audits. It also helps us review your performance on the quality of care that is provided to our members and meet the HEDIS measure for quality reporting based on the care you provide our members. Please note: The information provided is based on HEDIS MY2025 technical specifications and is subject to change based on guidance given by the National Committee for Quality Assurance (NCQA), the Centers for Medicare & Medicaid Services (CMS) and state recommendations. Please refer to the appropriate agency for additional guidance.

464291000124105: Education about community resource network program

Women, Infants and Children (procedure)

(procedure)

Description CPT/HCPCS/SNOMED CTSNOMED CT

464301000124106: Education about benefits enrollment assistance program (procedure)

464311000124109: Education about Community Action Agency program (procedure)

464321000124101: Education about Food Distribution Program on Indian

Reservations (procedure)

464331000124103: Education about Farmers' Market Nutrition Program for Women, Infants and Children (procedure)

464341000124108: Education about Senior Farmers' Market Nutrition Program (procedure)

464351000124105: Education about congregate meal program (procedure)

464361000124107: Education about Supplemental Nutrition Assistance Program (procedure)

464371000124100: Education about Summer Food Service Program (procedure)

464381000124102: Provision of prescription for infant formula (procedure)

464401000124102: Provision of fresh fruit and vegetable voucher (procedure

464411000124104: Provision of food voucher (procedure)

464421000124107: Provision of home-delivered meals (procedure)

464431000124105: Provision of medically tailored meals (procedure)

464611000124102: Coordination of care team (procedure)

464621000124105: Evaluation of eligibility for home-delivered meals program (procedure)

464631000124108: Evaluation of eligibility for Meals on Wheels program (procedure)

464641000124103: Evaluation of eligibility for medically tailored meals program (procedure)

464651000124101: Evaluation of eligibility for Senior Farmers' Market Nutrition Program (procedure)

464661000124104: Evaluation of eligibility for Special Supplemental Nutrition Program for Women, Infants and Children (procedure)

464671000124106: Counseling for readiness to implement food insecurity care plan (procedure)

464681000124109: Counseling for food insecurity care plan participation barriers (procedure)

464691000124107: Counseling for barriers to achieving food security (procedure)

464701000124107: Counseling for readiness to achieve food security goals (procedure)

464721000124102: Provision of food prescription (procedure)

467591000124102: Evaluation of eligibility for food pantry program (procedure)

Description

CPT/HCPCS/SNOMED CTSNOMED CT

467601000124105: Evaluation of eligibility for Food Distribution Program on Indian Reservations (procedure)

467611000124108: Evaluation of eligibility for Farmers' Market Nutrition Program for Women, Infants and Children (procedure)

467621000124100: Evaluation of eligibility for Supplemental Nutrition Assistance Program (procedure)

467631000124102: Evaluation of eligibility for Summer Food Service Program (procedure)

467641000124107: Evaluation of eligibility for Gus Schumacher Nutrition Incentive funded program (procedure)

467651000124109: Evaluation of eligibility for garden program (procedure) 467661000124106: Evaluation of eligibility for Community Meal Program (procedure)

467671000124104: Evaluation of eligibility for Child and Adult Care Food Program (procedure)

467681000124101: Assistance with application for Summer Food Service Program (procedure)

467691000124103: Assistance with application for Special Supplemental Nutrition Program for Women, Infants and Children (procedure)

467711000124100: Assistance with application for Senior Farmers' Market Nutrition Program (procedure)

467721000124108: Assistance with application for Medically Tailored Meals Program (procedure)

467731000124106: Assistance with application for Home-Delivered Meals Program (procedure)

467741000124101: Assistance with Application for Gus Schumacher Nutrition Incentive Program (procedure)

467751000124104: Assistance with application for garden program (procedure) 467761000124102: Assistance with application for food prescription program (procedure)

467771000124109: Assistance with application for food pantry program (procedure) 467781000124107: Assistance with application for Child and Adult Care Food Program (procedure)

467791000124105: Assistance with application for Food Distribution Program on Indian Reservations (procedure)

467801000124106: Assistance with application for Community Meal Program (procedure)

467811000124109: Assistance with application for Farmers' Market Nutrition Program for Women, Infants and Children (procedure)

| Description | CPT/HCPCS/SNOMED CTSNOMED CT |
|----------------------------|---|
| | 467821000124101: Assistance with application for Supplemental Nutrition |
| | Assistance Program (procedure) |
| | 468401000124109: Evaluation of eligibility for food prescription program |
| | (procedure) |
| | 470231000124107: Counseling for social determinant of health risk (procedure) |
| | 470241000124102: Assistance with application for national school lunch program |
| | (procedure) |
| | 470261000124103: Assistance with application for school breakfast program |
| | (procedure) |
| | 470281000124108: Evaluation of eligibility for school breakfast program (procedure) |
| | 470291000124106: Referral to national school lunch program (procedure) |
| | 470301000124107: Referral to school breakfast program (procedure) |
| | 470311000124105: Education about national school lunch program (procedure) |
| | 470321000124102: Education about school breakfast program (procedure) |
| | 470591000124109: Education about community development financial institution |
| | (procedure) |
| | 470601000124101: Education about community development corporation |
| | (procedure) |
| | 470611000124103: Education about area agency on aging program (procedure) |
| | 471111000124101: Referral to community development financial institution |
| | (procedure) |
| | 471121000124109: Referral to community development corporation (procedure) |
| | 471131000124107: Referral to area agency on aging (procedure) |
| | 472151000124109: Referral to medical legal partnership program (procedure) |
| | 472331000124100: Education about medical legal partnership program (procedure) |
| Hamalassnass | 551101000124107: Referral to lawyer (procedure) |
| Homelessness Procedures | CPT 96156, 96160, 96161 |
| Procedures | SNOMED CTSNOMED CT |
| | 308440001: Referral to social worker (procedure) |
| | 710824005: Assessment of health and social care needs (procedure) |
| | 710624005. Assessment of fleath and social care fleeds (procedure) |
| | 1148446004: Education about legal aid (procedure) |
| | 1148447008: Assessment for housing insecurity (procedure) |
| | 1148812007: Assessment of progress toward goals to achieve housing security |
| | (procedure) |
| | 1148814008: Assessment of goals to achieve housing security (procedure) |
| | 1148817001: Assessment of barriers in housing insecurity care plan (procedure) |
| | |

Description CPT/HCPCS/SNOMED CTSNOMED CT 1148818006: Coordination of services to assist with maintaining housing security (procedure) 1162436000: Referral to legal aid (procedure) 1162437009: Coordination of resources to address housing instability (procedure) 1230338004: Referral to charitable organization (procedure) 461481000124109: Referral to peer support (procedure) 462481000124102: Referral to Community Action Agency program (procedure) 462491000124104: Referral to benefits enrollment assistance program (procedure) 464001000124109: Referral to case manager (procedure) 464011000124107: Referral to care manager (procedure) 464021000124104: Referral to care navigator (procedure) 464131000124100: Referral to community health worker (procedure) 464161000124109: Referral to community resource network program (procedure) 464291000124105: Education about community resource network program (procedure) 464301000124106: Education about benefits enrollment assistance program (procedure) 464311000124109: Education about Community Action Agency program (procedure) 464611000124102: Coordination of care team (procedure) 470231000124107: Counseling for social determinant of health risk (procedure) 470471000124109: Assistance with application for rental assistance program (procedure) 470481000124107: Assistance with application for subsidized housing program (procedure) 470491000124105: Evaluation of eligibility for subsidized housing program (procedure) 470501000124102: Education about subsidized housing program (procedure) 470581000124106: Education about healthcare for the homeless program (procedure) 470591000124109: Education about community development financial institution (procedure) 470601000124101: Education about community development corporation (procedure) 470611000124103: Education about area agency on aging program (procedure) 470781000124104: Evaluation of eligibility for permanent supportive housing

The codes and measure tips listed are informational only, not clinical guidelines or standards of medical care, and do not guarantee reimbursement. All member care and related decisions of treatment are the sole responsibility of the provider. This information does not dictate or control your clinical decisions regarding the appropriate care of members. Your state/provider contract(s), Medicaid, member benefits and several other guidelines determine reimbursement for the applicable codes. Proper coding and providing appropriate care decrease the need for high volume of medical record review requests and provider audits. It also helps us review your performance on the quality of care that is provided to our members and meet the HEDIS measure for quality reporting based on the care you provide our members. Please note: The information provided is based on HEDIS MY2025 technical specifications and is subject to change based on guidance given by the National Committee for Quality Assurance (NCQA), the Centers for Medicare & Medicaid Services (CMS) and state recommendations. Please refer to the appropriate agency for additional guidance.

470791000124101: Assistance with application for permanent supportive housing

program (procedure)

program (procedure)

Description CPT/HCPCS/SNOMED CTSNOMED CT 470801000124100: Education about permanent supportive housing program (procedure) 470811000124102: Evaluation of eligibility for transitional housing program (procedure) 470821000124105: Education about transitional housing program (procedure) 470831000124108: Assistance with application for transitional housing program (procedure) 470841000124103: Referral to healthcare for the homeless program (procedure) 471021000124108: Referral to street outreach program (procedure) 471031000124106: Education about street outreach program (procedure) 471041000124101: Referral to rental assistance program (procedure) 471071000124109: Referral to fair housing assistance program (procedure) 471081000124107: Referral to Day Shelter program (procedure) 471091000124105: Referral to Emergency Shelter program (procedure) 471101000124104: Referral to coordinated entry program (procedure) 471111000124101: Referral to community development financial institution (procedure) 471121000124109: Referral to community development corporation (procedure) 471131000124107: Referral to area agency on aging (procedure) 472031000124103: Evaluation of eligibility for Safe Haven Program (procedure) 472041000124108: Referral to subsidized housing service (procedure) 472051000124105: Education about Safe Haven program (procedure) 472081000124102: Education about rental assistance program (procedure) 472091000124104: Evaluation of eligibility for rental assistance program (procedure) 472101000124105: Evaluation of eligibility for Rapid Re-housing program (procedure) 472111000124108: Education about Rapid Re-housing program (procedure) 472121000124100: Assistance with application for Rapid Re-housing program (procedure) 472131000124102: Provision of rental assistance voucher (procedure) 472141000124107: Referral to medical respite for homeless program (procedure) 472151000124109: Referral to medical legal partnership program (procedure) 472161000124106: Referral to housing support program (procedure) 472191000124103: Counseling for readiness to achieve housing security goals

The codes and measure tips listed are informational only, not clinical guidelines or standards of medical care, and do not guarantee reimbursement. All member care and related decisions of treatment are the sole responsibility of the provider. This information does not dictate or control your clinical decisions regarding the appropriate care of members. Your state/provider contract(s), Medicaid, member benefits and several other guidelines determine reimbursement for the applicable codes. Proper coding and providing appropriate care decrease the need for high volume of medical record review requests and provider audits. It also helps us review your performance on the quality of care that is provided to our members and meet the HEDIS measure for quality reporting based on the care you provide our members. Please note: The information provided is based on HEDIS MY2025 technical specifications and is subject to change based on guidance given by the National Committee for Quality Assurance (NCQA), the Centers for Medicare & Medicaid Services (CMS) and state recommendations. Please refer to the appropriate agency for additional guidance.

472221000124105: Counseling for readiness to implement housing insecurity care

472241000124103: Counseling for barriers to achieve housing security (procedure)

(procedure)

plan (procedure)

| Description | CPT/HCPCS/SNOMED CTSNOMED CT |
|---------------------|--|
| | 472261000124104: Counseling for housing insecurity care plan participation barriers |
| | (procedure) |
| | 472301000124108: Evaluation of eligibility for medical respite for homeless program |
| | (procedure) |
| | 472311000124106: Education about medical respite for homeless program |
| | (procedure) |
| | 472321000124103: Assistance with application for medical respite for homeless program (procedure) |
| | 472331000124100: Education about medical legal partnership program (procedure) |
| | 472341000124100: Education about medical legal partities in program (procedure) 472341000124105: Evaluation of eligibility for Housing with Services program |
| | (procedure) |
| | 472351000124107: Assistance with application for Housing with Services |
| | (procedure) |
| | 472361000124109: Education about Housing with Services program (procedure) |
| | 480791000124106: Evaluation of eligibility for Street Outreach program (procedure) |
| | 480801000124107: Assistance with application for Safe Haven program (procedure) |
| | 480811000124105: Evaluation of eligibility for Housing Only program (procedure) |
| | 480821000124102: Education about Housing Only program (procedure) |
| | 480831000124104: Assistance with application for Housing Only program |
| | (procedure) |
| | 480871000124101: Evaluation of eligibility for healthcare for homeless program (procedure) |
| | 480901000124101: Education about fair housing assistance program (procedure) |
| | 480921000124101: Education about fail flousing assistance program (procedure) |
| | (procedure) |
| | 480931000124109: Evaluation of eligibility for Emergency Shelter program |
| | (procedure) |
| | 480941000124104: Education about Emergency Shelter program (procedure) |
| | 480961000124100: Education about Day Shelter program (procedure) |
| | 480971000124107: Education about Coordinated Entry program (procedure) |
| | 480981000124105: Assistance with application for Day Shelter program (procedure) |
| | 551101000124107: Referral to lawyer (procedure) |
| Housing Instability | CPT |
| Procedures | 96156, 96160, 96161 |
| | SNOMED CTSNOMED CT |
| | 308440001: Referral to social worker (procedure) |
| | 710824005: Assessment of health and social care needs (procedure) |
| | 711069006: Coordination of care plan (procedure) |
| | 1148446004: Education about legal aid (procedure) |
| | |

Description CPT/HCPCS/SNOMED CTSNOMED CT 1148447008: Assessment for housing insecurity (procedure) 1148812007: Assessment of progress toward goals to achieve housing security (procedure) 1148814008: Assessment of goals to achieve housing security (procedure) 1148817001: Assessment of barriers in housing insecurity care plan (procedure) 1148818006: Coordination of services to assist with maintaining housing security (procedure) 1156869006: Education about tenant rights organization (procedure) 1162436000: Referral to legal aid (procedure) 1162437009: Coordination of resources to address housing instability (procedure) 1230338004: Referral to charitable organization (procedure) 461481000124109: Referral to peer support (procedure) 462481000124102: Referral to Community Action Agency program (procedure) 462491000124104: Referral to benefits enrollment assistance program (procedure) 464001000124109: Referral to case manager (procedure) 464011000124107: Referral to care manager (procedure) 464021000124104: Referral to care navigator (procedure) 464131000124100: Referral to community health worker (procedure) 464161000124109: Referral to community resource network program (procedure) 464291000124105: Education about community resource network program (procedure) 464301000124106: Education about benefits enrollment assistance program (procedure) 464311000124109: Education about Community Action Agency program (procedure) 464611000124102: Coordination of care team (procedure) 470231000124107: Counseling for social determinant of health risk (procedure) 470471000124109: Assistance with application for rental assistance program (procedure) 470481000124107: Assistance with application for subsidized housing program (procedure) 470491000124105: Evaluation of eligibility for subsidized housing program (procedure) 470501000124102: Education about subsidized housing program (procedure) 470591000124109: Education about community development financial institution (procedure) 470601000124101: Education about community development corporation

The codes and measure tips listed are informational only, not clinical guidelines or standards of medical care, and do not guarantee reimbursement. All member care and related decisions of treatment are the sole responsibility of the provider. This information does not dictate or control your clinical decisions regarding the appropriate care of members. Your state/provider contract(s), Medicaid, member benefits and several other guidelines determine reimbursement for the applicable codes. Proper coding and providing appropriate care decrease the need for high volume of medical record review requests and provider audits. It also helps us review your performance on the quality of care that is provided to our members and meet the HEDIS measure for quality reporting based on the care you provide our members. Please note: The information provided is based on HEDIS MY2025 technical specifications and is subject to change based on guidance given by the National Committee for Quality Assurance (NCQA), the Centers for Medicare & Medicaid Services (CMS) and state recommendations. Please refer to the appropriate agency for additional guidance.

470611000124103: Education about area agency on aging program (procedure)

471041000124101: Referral to rental assistance program (procedure)

(procedure)

| Description | CPT/HCPCS/SNOMED CTSNOMED CT |
|--------------------|--|
| | 471051000124104: Referral to Homelessness Prevention program (procedure) |
| | 471061000124102: Referral to mortgage assistance program (procedure) |
| | 471071000124109: Referral to fair housing assistance program (procedure) |
| | 471111000124101: Referral to community development financial institution |
| | (procedure) |
| | 471121000124109: Referral to community development corporation (procedure) |
| | 471131000124107: Referral to area agency on aging (procedure) |
| | 472021000124101: Referral to tenants' rights organization program (procedure) |
| | 472041000124108: Referral to subsidized housing service (procedure) |
| | 472081000124102: Education about rental assistance program (procedure) |
| | 472091000124104: Evaluation of eligibility for rental assistance program (procedure) |
| | 472131000124102: Provision of rental assistance voucher (procedure) |
| | 472151000124109: Referral to medical legal partnership program (procedure) |
| | 472161000124106: Referral to housing support program (procedure) |
| | 472191000124103: Counseling for readiness to achieve housing security goals |
| | (procedure) |
| | 472221000124105: Counseling for readiness to implement housing insecurity care |
| | plan (procedure) |
| | 472241000124103: Counseling for barriers to achieve housing security (procedure) |
| | 472261000124104: Counseling for housing insecurity care plan participation barriers |
| | (procedure) |
| | 472271000124106: Provision of mortgage assistance voucher (procedure) |
| | 472281000124109: Evaluation of eligibility for mortgage assistance program |
| | (procedure) |
| | 472291000124107: Education about mortgage assistance program (procedure) |
| | 472331000124100: Education about medical legal partnership program (procedure) |
| | 472381000124104: Provision of emergency housing fund voucher (procedure) |
| | 480841000124109: Education about Homelessness Prevention program (procedure) |
| | 480851000124106: Evaluation of eligibility for Homelessness Prevention program |
| | (procedure) |
| | 480861000124108: Assistance with application to Homelessness Prevention program |
| | (procedure) |
| | 480901000124101: Education about fair housing assistance program (procedure) |
| | 551091000124101: Referral to emergency housing fund program (procedure) |
| | 551101000124107: Referral to lawyer (procedure) |
| Inadequate Housing | CPT |
| Procedures | 96156, 96160, 96161 |
| | SNOMED CTSNOMED CT |

The codes and measure tips listed are informational only, not clinical guidelines or standards of medical care, and do not guarantee reimbursement. All member care and related decisions of treatment are the sole responsibility of the provider. This information does not dictate or control your clinical decisions regarding the appropriate care of members. Your state/provider contract(s), Medicaid, member benefits and several other guidelines determine reimbursement for the applicable codes. Proper coding and providing appropriate care decrease the need for high volume of medical record review requests and provider audits. It also helps us review your performance on the quality of care that is provided to our members and meet the HEDIS measure for quality reporting based on the care you provide our members. Please note: The information provided is based on HEDIS MY2025 technical specifications and is subject to change based on guidance given by the National Committee for Quality Assurance (NCQA), the Centers for Medicare & Medicaid Services (CMS) and state recommendations. Please refer to the appropriate agency for additional guidance.

49919000: Home safety education (procedure)

Description CPT/HCPCS/SNOMED CTSNOMED CT 308440001: Referral to social worker (procedure) 710824005: Assessment of health and social care needs (procedure) 711069006: Coordination of care plan (procedure) 1148446004: Education about legal aid (procedure) 1148813002: Assessment of barriers in inadequate housing care plan (procedure) 1148815009: Assessment of goals to achieve adequate housing (procedure) 1148823006: Assessment of progress toward goals to achieve adequate housing (procedure) 1162436000: Referral to legal aid (procedure) 1230338004: Referral to charitable organization (procedure) 461481000124109: Referral to peer support (procedure) 462481000124102: Referral to Community Action Agency program (procedure) 462491000124104: Referral to benefits enrollment assistance program (procedure) 464001000124109: Referral to case manager (procedure) 464011000124107: Referral to care manager (procedure) 464021000124104: Referral to care navigator (procedure) 464131000124100: Referral to community health worker (procedure) 464161000124109: Referral to community resource network program (procedure) 464291000124105: Education about community resource network program (procedure) 464301000124106: Education about benefits enrollment assistance program (procedure) 464311000124109: Education about Community Action Agency program (procedure) 464611000124102: Coordination of care team (procedure) 470231000124107: Counseling for social determinant of health risk (procedure) 470431000124106: Referral to weatherization assistance program (procedure) 470441000124101: Evaluation of eligibility for weatherization assistance program (procedure) 470451000124104: Education about weatherization assistance program (procedure) 470461000124102: Assistance with application for weatherization assistance program (procedure) 470591000124109: Education about community development financial institution (procedure) 470601000124101: Education about community development corporation (procedure) 470611000124103: Education about area agency on aging program (procedure) 471111000124101: Referral to community development financial institution (procedure)

The codes and measure tips listed are informational only, not clinical guidelines or standards of medical care, and do not guarantee reimbursement. All member care and related decisions of treatment are the sole responsibility of the provider. This information does not dictate or control your clinical decisions regarding the appropriate care of members. Your state/provider contract(s), Medicaid, member benefits and several other guidelines determine reimbursement for the applicable codes. Proper coding and providing appropriate care decrease the need for high volume of medical record review requests and provider audits. It also helps us review your performance on the quality of care that is provided to our members and meet the HEDIS measure for quality reporting based on the care you provide our members. Please note: The information provided is based on HEDIS MY2025 technical specifications and is subject to change based on guidance given by the National Committee for Quality Assurance (NCQA), the Centers for Medicare & Medicaid Services (CMS) and state recommendations. Please refer to the appropriate agency for additional guidance.

471121000124109: Referral to community development corporation (procedure)

Description CPT/HCPCS/SNOMED CTSNOMED CT 471131000124107: Referral to area agency on aging (procedure) 472151000124109: Referral to medical legal partnership program (procedure) 472201000124100: Counseling for readiness to achieve adequate housing goals (procedure) 472211000124102: Counseling for readiness to implement inadequate housing care plan (procedure) 472231000124108: Counseling for barriers to achieve adequate housing (procedure) 472251000124101: Counseling for inadequate housing care plan participation barriers (procedure) 472331000124100: Education about medical legal partnership program (procedure) 472371000124102: Provision of voucher for repair of place of residence (procedure) 480881000124103: Referral to environmental hazard testing of residence program (procedure) 480891000124100: Evaluation of eligibility for environmental hazard testing of residence program (procedure) 480911000124103: Education about environmental hazard testing of residence program (procedure) 480951000124102: Assistance with application for environmental hazard testing of residence program (procedure) 551041000124105: Referral to housing repair program (procedure) 551051000124107: Referral for housing repair assessment program (procedure) 551061000124109: Evaluation of eligibility for housing repair program (procedure) 551071000124102: Education about housing repair program (procedure) 551081000124104: Assistance with application for housing repair program

Transportation

CPT

(procedure)

Insecurity Procedures

96156, 96160, 96161

SNOMED CTSNOMED CT

308440001: Referral to social worker (procedure)

551101000124107: Referral to lawyer (procedure)

710824005: Assessment of health and social care needs (procedure)

711069006: Coordination of care plan (procedure) 1148446004: Education about legal aid (procedure) 1162436000: Referral to legal aid (procedure)

1230338004: Referral to charitable organization (procedure) 461481000124109: Referral to peer support (procedure)

462481000124102: Referral to Community Action Agency program (procedure) 462491000124104: Referral to benefits enrollment assistance program (procedure)

Description

| CPT/HCPCS/SNOMED CTSNOMED CT | |
|---|---|
| 464001000124109: Referral to case manager (procedure) | |
| 464011000124107: Referral to care manager (procedure) | |
| 464021000124104: Referral to care navigator (procedure) | |
| 464131000124100: Referral to community health worker (procedure) | |
| 464161000124109: Referral to community resource network program (procedure) | |
| 464291000124105: Education about community resource network program | |
| (procedure) | |
| 464301000124106: Education about benefits enrollment assistance program | |
| (procedure) | |
| 464311000124109: Education about Community Action Agency program (procedure) |) |
| 464611000124102: Coordination of care team (procedure) | |
| 470231000124107: Counseling for social determinant of health risk (procedure) | |
| 470591000124109: Education about community development financial institution | |
| (procedure) | |
| 470601000124101: Education about community development corporation | |
| (procedure) | |
| 470611000124103: Education about area agency on aging program (procedure) | |
| 471111000124101: Referral to community development financial institution | |
| (procedure) | |
| 471121000124109: Referral to community development corporation (procedure) | |
| 471131000124107: Referral to area agency on aging (procedure) | |
| 472151000124109: Referral to medical legal partnership program (procedure) | |
| 472331000124100: Education about medical legal partnership program (procedure) | |
| 551101000124107: Referral to lawyer (procedure) | |
| 551111000124105: Provision of taxi voucher (procedure) | |
| 551121000124102: Referral to taxi voucher program (procedure) | |
| 551141000124109: Evaluation of eligibility for taxi voucher program (procedure) | |
| 551161000124108: Education about taxi voucher program (procedure) | |
| 551191000124100: Assistance with application for taxi voucher program (procedure) | 1 |
| 551201000124102: Referral to fuel voucher program (procedure) | |
| 551211000124104: Evaluation of eligibility for a fuel voucher program (procedure) | |
| 551221000124107: Education about fuel voucher program (procedure) | |
| 551231000124105: Referral to vehicle donation program (procedure) | |
| 551241000124100: Assistance with application for fuel voucher program (procedure | |
| 551251000124103: Evaluation of eligibility for vehicle donation program (procedure) | |
| 551261000124101: Education about vehicle donation program (procedure) | |
| 551271000124108 Assistance with application for vehicle donation program | |
| (procedure) | |

Description CPT/HCPCS/SNOMED CTSNOMED CT 551281000124106: Referral to transportation network company program (procedure) 551291000124109: Assistance with application for transportation network company program (procedure) 551301000124105: Education about transportation network company program (procedure) 551311000124108: Evaluation of eligibility for transportation network company program (procedure) 551321000124100: Referral to volunteer driver program (procedure) 551331000124102: Referral to rideshare program (procedure) 551341000124107: Referral to public transportation voucher program (procedure) 551351000124109: Referral to paratransit program (procedure) 551361000124106: Referral to microtransit program (procedure) 551371000124104 Referral to Non-Emergency Medical Transportation program (procedure) 551381000124101: Referral to automobile share program (procedure) 551401000124101: Referral to vehicle repair program (procedure) 551421000124106: Assistance with application for bicycle share program (procedure) 551431000124109: Referral to bicycle share program (procedure) 610961000124100: Assistance with application for volunteer driver program (procedure) 610971000124107: Assistance with application for rideshare program (procedure) 610981000124105: Assistance with application for public transportation voucher program (procedure) 610991000124108: Assistance with application for paratransit program (procedure) 611001000124109: Assistance with application for microtransit program (procedure) 611011000124107: Assistance with application for Non-Emergency Medical Transportation program (procedure) 611021000124104: Assistance with application for automobile share program (procedure) 611031000124101: Education about rideshare program (procedure) 611041000124106: Education about volunteer driver program (procedure) 611051000124108: Education about microtransit program (procedure) 611061000124105: Education about public transportation voucher program (procedure)

The codes and measure tips listed are informational only, not clinical guidelines or standards of medical care, and do not guarantee reimbursement. All member care and related decisions of treatment are the sole responsibility of the provider. This information does not dictate or control your clinical decisions regarding the appropriate care of members. Your state/provider contract(s), Medicaid, member benefits and several other guidelines determine reimbursement for the applicable codes. Proper coding and providing appropriate care decrease the need for high volume of medical record review requests and provider audits. It also helps us review your performance on the quality of care that is provided to our members and meet the HEDIS measure for quality reporting based on the care you provide our members. Please note: The information provided is based on HEDIS MY2025 technical specifications and is subject to change based on guidance given by the National Committee for Quality Assurance (NCQA), the Centers for Medicare & Medicaid Services (CMS) and state recommendations. Please refer to the appropriate agency for additional guidance.

program (procedure)

611071000124103: Education about paratransit program (procedure)


611081000124100: Education about Non-Emergency Medical Transportation

CPT/HCPCS/SNOMED CTSNOMED CT Description 611101000124108: Education about vehicle repair program (procedure) 611121000124103: Education about automobile share program (procedure) 611281000124107: Counseling for readiness to achieve transportation security (procedure) 611291000124105: Counseling for barriers to achieve transportation security (procedure) 611301000124106: Counseling for readiness for engagement in transportation insecurity care plan (procedure) 611311000124109: Counseling for barriers to engagement in transportation insecurity care plan (procedure) 611321000124101: Assessment of progress toward goals to achieve transportation security (procedure) 611331000124103: Assessment of goals to achieve transportation security (procedure) 611341000124108: Assessment of barriers in transportation insecurity care plan (procedure) 611351000124105: Assessment for transportation insecurity (procedure) 611361000124107: Evaluation of eligibility for rideshare program (procedure) 611371000124100: Evaluation of eligibility for volunteer driver program (procedure) 611381000124102: Provision of public transportation voucher (procedure) 611391000124104: Evaluation of eligibility for public transportation voucher program (procedure) 611401000124102: Evaluation of eligibility for paratransit program (procedure) 611411000124104: Evaluation of eligibility for microtransit program (procedure) 611421000124107: Evaluation of eligibility for automobile share program (procedure) 611431000124105: Evaluation of eligibility for vehicle repair program (procedure) 611441000124100: Evaluation of eligibility for Non-Emergency Medical

Note: The codes listed are informational only; this information does not guarantee reimbursement.

Transportation program (procedure)

To help make it as easy as possible to keep up with annual changes to HEDIS documentation, we have created a library of HEDIS content for you. You'll find tip sheets with coding information and more for many HEDIS measures and other documentation to help ensure accurate claims coding, which helps ensure accurate reimbursement. Go to *Provider News* to view all communications in the Optimizing HEDIS & STARS category.



guidance given by the National Committee for Quality Assurance (NCQA), the Centers for Medicare & Medicaid Services (CMS) and state

recommendations. Please refer to the appropriate agency for additional guidance.

